

Glypure™

Cosmetic-Grade Glycolic Acid

Formulation—Hair Care Clarifying Shampoo



Glypure™ penetrates the hair shaft, softening hair and providing superior lubrication.

- Makes hair significantly less prone to breakage
- Promotes manageability of hair
- Softens hair
- Provides moisturizing effect
- Reduces flaking and drying of the scalp
- Moisturizes the scalp

Phase	Trade Name	Wt%	INCI Name	Supplier
A1	Purified Water	35.00	Purified Water	
A2	Ucare™ Polymer JR-30M	0.50	Polyquaternium-10	Dow
A3	Glycerin USP	5.00	Glycerin	Vantage Specialty Ingredients, Spectrum
A4	Edeta® BD	0.05	Disodium EDTA	BASF
B1	Purified Water	15.00	Purified Water	
B2	Glypure™	1.0	Glycolic Acid (70%) ¹	Chemours
B3	Triethanolamine 99%	0.20	Triethanolamine 99% NF ^{2,3} to pH 3.5–4.0 ³	Dow, Vantage Specialty Ingredients
C1	Standapol® ES-2	10.00	Sodium Laureth Sulfate	BASF
C2	Velvetex® BA-35	10.00	Cocoamidopropyl Betaine	BASF
C3	Plantaren® 2000 N UP	6.00	Decyl Glucoside	BASF
C4	Glycerox™ HE-LQ-(MH)	3.00	PEG-7 Glyceryl Cocoate	Croda
C5	Glucamate™ DOE-120	1.50	PEG-120 Methyl Glucose Dioleate	Lubrizol
D1	Elestab® FL-15	2.50	Butylene Glycol (and) Glycerin (and) Chlorphenesin (and) Methylparaben	Lab. Serobiologiques/BASF
E1		0.00	Dye (To Shade Desired)	
E2	As Desired	0.00	Botanical Extracts	
E3	As Desired w/Acidic Top Notes	0.00	Fragrance	
Adjust	Adjust final pH to 3.8–4.2 with Triethanolamine or Glypure™, as necessary			
qs	Purified Water ⁴	qs to 100%	Purified Water	

Notes:

¹Glypure™ (99%) may be substituted for Glypure™ (70%). Compensate for active Glycolic Acid content and Purified Water percentage accordingly.

²May use other suitable alkalis, e.g., Potassium Hydroxide, Ammonium Hydroxide, or Sodium Hydroxide.

³Do not exceed 2.5% of Triethanolamine to comply with EU regulations. If necessary, add another neutralizing agent.

⁴Compensate the Purified Water percentage accordingly to 100% batch weight.


Manufacturing Procedure

1. To the main vessel, add A1.
2. Premix A2 and A3, and mix until uniform.
3. Add A2/A3 and A4 to A1, and mix until clear. Heat to 35 °C (95 °F) to aid solubility.
4. In a separate vessel, add B1-B3 in order, and mix until pH is constant.
5. Heat phase A to 60–65 °C (140–149 °F), and add C1-C5 in order. Mix until uniform.
6. When phase A/C is uniform and clear, begin cooling to 50–55 °C (122–131 °F).
7. At 50–55 °C (122–131 °F), add phase B, and mix until uniform.
8. Cool to 35–40 °C (95–104 °F), and add phases D and E.
9. With sweep mixing, cool to ambient temperature.

Glypure™ has proven benefits in hair, skin, and nail care formulations. To learn more about the benefits of Glypure™, visit www.glypure.com.


DSC - Healthy Hair

Glycolic Acid Penetrates the Hair Shaft and Interacts with Keratin to Increase the Denaturation Temperature



DSC - Chemically Damaged Hair

Glycolic Acid Penetrates the Hair Shaft and Interacts with Keratin to Increase the Denaturation Temperature



For more information, visit glycolicacid.chemours.com or call (800) 441-9593.

The information set forth herein is furnished free of charge and based on technical data that Chemours believes to be reliable. It is intended for use by persons having technical skill, at their own risk. Because conditions of use are outside our control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe, any patents or patent applications.

© 2020 The Chemours Company FC, LLC. Glypure™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company.