

Glypure™

Cosmetic-Grade Glycolic Acid

Formulation—Hair Care Conditioning Treatment



Glypure™ penetrates the hair shaft, helping hair better withstand heat, as well as softening hair and providing superior lubrication.

- Makes hair significantly less prone to breakage
- Promotes manageability of hair
- Softens hair
- Provides moisturizing effect
- Reduces flaking and drying of the scalp
- Moisturizes the scalp

Phase	Trade Name	Wt%	INCI Name	Supplier
A1	Purified Water USP	70.00	Purified Water USP	
A2	Incroquat™ Behenyl TMS PA(HH)	2.50	Behentrimonium Methosulfate (and) Cetearyl Alcohol	Croda
A3	Incroquat™ Behenyl TMC-85	0.75	Behentrimonium Chloride	Croda
A4	Alfol® 18	0.75	Stearyl Alcohol	Sasol
A5	Brij™ CS20	0.25	Ceteareth-20	Croda
A6	Edeta® BD	0.05	Disodium EDTA	BASF
A7	BioPlex® CetylSil® S-PF	0.50	Cetyl Triethylmonium Dimethicone PEG-8 Succinate	Biosil
B1	Purified Water	10.00	Purified Water	
B2	Glypure™	1.00	Glycolic Acid (70%) ¹	Chemours
B3	Sol, Sodium Hydroxide, 25%	5.50	Sodium Hydroxide ²	–
C1	XIAMETER® MEM 8194 Emulsion	1.50	Amodimethicone (and) Trideceth-12 (and) Cetrimonium Chloride	Dow Corning
C2	As Desired	0.00	Fragrance, Dye, Vitamins	As Desired
C3	Spectragard™	1.00	Caprylyl Glycol (and) Hexylene Glycol (and) Methylisothiazolinone (and) Water	Inolex
D1	Sol, Sodium Hydroxide, 25%	pH 4.0-4.2	Sodium Hydroxide ²	–
D2	Glypure™	pH 4.0-4.2	Glycolic Acid (70%) ¹	Chemours
Adjust	Adjust final pH to 3.8–4.2 with Triethanolamine or Glypure™ as necessary			
qs	Purified Water	qs to 100%	Purified Water	

Notes:

¹Glypure™ (99%) may be substituted for Glypure™ (70%). Compensate for active Glycolic Acid Content and Purified Water percentage accordingly.

²May use other suitable alkalis, e.g., Potassium Hydroxide, Ammonium Hydroxide, or Sodium Hydroxide.

Note: Stability profiles of the finished product should be determined.


Manufacturing Procedure

1. In the main vessel, add A1, and begin heating to 80–85 °C (176–185 °F).
2. With continued mixing, add ingredients A2–A5 individually. Mix until all solids are melted and a uniform emulsion is formed. Homogenize, if necessary.
3. Begin cooling and at 50–55 °C (122–131 °F), add A6 and A7.
4. In a separate vessel with mixing, add ingredients B1–B3 to partially pre-neutralize the glycolic acid. Add to the main vessel. Mix until uniform. Continue cooling.
5. At <40 °C (104 °F), add C1–C3. Adjust pH to 4.0–4.2 as indicated, and adjust remaining water percentage accordingly.

Glypure™ has proven benefits in hair, skin, and nail care formulations. To learn more about the benefits of Glypure™, visit www.glypure.com.


DSC - Healthy Hair

Glycolic Acid Penetrates the Hair Shaft and Interacts with Keratin to Increase the Denaturation Temperature



DSC - Chemically Damaged Hair

Glycolic Acid Penetrates the Hair Shaft and Interacts with Keratin to Increase the Denaturation Temperature



For more information, visit glycolicacid.chemours.com or call (800) 441-9593.

The information set forth herein is furnished free of charge and based on technical data that Chemours believes to be reliable. It is intended for use by persons having technical skill, at their own risk. Because conditions of use are outside our control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe, any patents or patent applications.

© 2020 The Chemours Company FC, LLC. Glypure™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company.