

# Glypure™

Cosmetic-Grade Glycolic Acid

## Formulation—Skin Care Hydroquinone Skin Lightening Cream with SPF



Glypure™ penetrates the skin efficiently—readjusting water percentages in the epidermis, stimulating collagen synthesis, and promoting cell turnover.

Phase	Trade Name	Wt%	INCI Name	Supplier
A1	Purified Water	29.00	Purified Water USP	
A2	Vanzan® NF	0.50	Xanthan Gum	Vanderbilt Minerals, LLC
A3	Zemea™ Propanediol	3.00	1,3-Propanediol	DuPont Tate & Lyle Bio Products
A4	Edeta® BD	0.05	Disodium EDTA	BASF
B1	Purified Water	15.00	Purified Water	
B2	<b>Glypure™</b>	<b>6.00</b>	<b>Glycolic Acid (70%)<sup>1</sup></b>	<b>Chemours</b>
B3	Triethanolamine 99%	1.50	Triethanolamine 99% NF <sup>2,3</sup> to pH 3.5-4.0 <sup>3</sup>	Dow
C1	Neo Heliopan® AV/Escalol® 557	7.50	Octinoxate	Symrise/Ashland
C2	Neo Heliopan® OS/Escalol® 587	5.00	Octisalate	Symrise/Ashland
C3	Neo Heliopan® 303/Escalol® 597	10.00	Octocrylene	Symrise/Ashland
C4	Elefac™ I-205	3.00	Octyldodecyl Neopentanoate	Alzo
C5	Hallbrite® BHB	3.00	Butyloctyl Salicylate	Hallstar
C6	Xiameter® PMX-200 Silicone Fluid 100CS	1.50	Dimethicone	Dow Corning
C7	Arlacel™ 165	4.00	Glyceryl Stearate (and) PEG-100 Stearate	Croda
C8	Lanette® 16	3.00	Cetyl Alcohol	BASF
C9	Myrj™ S40 NV FL	0.40	PEG-40 Stearate	Croda
D1	Sodium Sulfite Anhy. FCC	0.20	Sodium Sulfite	Spectrum Chemical
D2	Sodium Metabisulfite NF/FCC	0.20	Sodium Metabisulfite	Spectrum Chemical
E1	Eastman™ Hydroquinone, USP	2.00	Hydroquinone	Eastman
F1	Elestab® FL-15	2.50	Butylene Glycol (and) Glycerin (and) Chlorphenesin (and) Methylparaben	Lab.Serobiologiques/BASF
F2	Sepigel™ 305	1.00	Polyacrylamide (and) C13-14 Isoparaffin (and) Laureth-7	Seppic Inc.
G1	Dye (To Shade Desired)	0.00		
G2	Botanical Extracts	0.00	As Desired	
G3	Fragrance	0.00	As Desired w/Acidic Top Notes	
Adjust	Adjust final pH to 3.8-4.2 with Triethanolamine or Glypure™, as necessary			
qs	Purified Water USP <sup>4</sup>	qs to 100%	Purified Water USP	

### Notes:

<sup>1</sup>Glypure™ (99%) may be substituted for Glypure™ (70%). Compensate the purified water percentage accordingly.

<sup>2</sup>May use other suitable alkalis, e.g., Potassium Hydroxide, Ammonium Hydroxide, or Sodium Hydroxide

<sup>3</sup>Do not exceed 2.5% of Triethanolamine to comply with EU regulations. If necessary, add another neutralizing agent.

<sup>4</sup>Compensate the purified water percentage accordingly to 100% batch weight.

<sup>5</sup>All equipment should be passivated with nitric acid to prevent hydroquinone degradation.

<sup>6</sup>Manufacturing, storage, and filling should have nitrogen blanketing to ensure hydroquinone stability

## Manufacturing Procedure

1. To the main vessel, add A1. Start mixer.
2. Premix A2 and A3 separately and mix until uniform.
3. Add A2/A3 to A1 and mix. Add A4 and mix continuously.
4. In a separate vessel, add B1-B3 in order and mix until until pH is constant.
5. Add phase B to phase A and heat to 68-72 °C (154-162 °F).
6. In another separate vessel, add C1 to C9 and heat 68-72 °C (154-162 °F). Mix until uniform
7. When phase AB and C are at 68-72 °C (154-162 °F), add phase C to phase AB.
8. Mix and homogenize at 68-72 °C (154-162 °F) for 5 min, then cool to 45 °C (113 °F).
9. At 45 °C (113 °F), add D1 and D2, and mix for 5 min.
10. Add E1 and mix for 5 min or until batch is uniform.
11. Add F1 and F2, mix until uniform and cool with mixing to 30 °C (86 °F). Turn off homogenizer at 40 °C (104 °F).
12. Discharge immediately into holding vessel, and blanket with nitrogen before closing containers

Glypure™ has proven benefits in hair, skin, and nail care formulations. To learn more about the benefits of Glypure™, visit [www.glypure.com](http://www.glypure.com).

---

**For more information, visit [glycolicacid.chemours.com](http://glycolicacid.chemours.com) or call (800) 441-9593.**

The information set forth herein is furnished free of charge and based on technical data that Chemours believes to be reliable. It is intended for use by persons having technical skill, at their own risk. Because conditions of use are outside our control, Chemours makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe, any patents or patent applications.

© 2020 The Chemours Company FC, LLC. Glypure™ and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours™ and the Chemours Logo are trademarks of The Chemours Company.

Replaces: K-24171  
C-10886 (3/20)