

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 1</b>																					
	7/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/26/2009	ND																			
<b>Location: 2</b>																					
	3/26/2009	0.18																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 3</b>																					
BED1-DUP	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2019	<0.0020	<0.0020	<0.0020																	
PT	3/7/2019	0.11	0.0044	0.024																	<0.0040
BED1	3/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/7/2017	0.065	<0.0020	<0.0020																	
BED1	6/27/2017	<0.0020	<0.0020	<0.0020																	
-DUP	10/26/2016	0.13 B	0.0049 B	0.022 B	<0.020	<0.020	0.0033 B	<0.0020	0.073 B	0.053 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/04/2017.																					
	10/26/2016	0.14 B	0.0049 B	0.024 B	<0.020	<0.020	0.0033 B	<0.0020	0.074 B	0.054 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/04/2017.																					
	3/26/2009	0.16																			
<b>Location: 4</b>																					
	3/27/2009	0.10																			
PWS according to homeowner.																					
<b>Location: 5</b>																					
	3/27/2009	0.053																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 6</b>																					
	3/27/2009	ND																			
PWS according to homeowner.																					
<b>Location: 7</b>																					
	3/27/2009	0.063																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 8</b>																					
	3/27/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 9</b>																					
BED1	10/6/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	7/7/2021	0.10	0.0084	0.0066																	
BED1	7/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/6/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.11	0.0092	0.0086																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/26/2019	<0.0020	<0.0020	<0.0020																	
PT	7/26/2019	0.12	0.010	0.011																	
BED1	4/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	8/21/2018	0.10	0.0083	0.0070																	<0.0040	
BED1	8/21/2018	<0.0020	<0.0020	<0.0020																		
BED1	5/31/2018	<0.0020	<0.0020	<0.0020																		
BED1	3/14/2018	<0.0020	<0.0020	<0.0020																		
Carbon Changeout 01/09/2018 - Fe.																						
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																		
PT	8/18/2017	0.11	0.0057	0.0063																		
BED1	8/18/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																		
BED1	3/3/2017	<0.0020	<0.0020	<0.0020																		
	7/8/2016	0.13 J	0.0072	0.0064	<0.020	<0.020	0.0049 J	0.0063	0.065	0.045	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 10/12/2016.																						
	3/27/2009	0.074																				
<b>Location: 10</b>																						
BED1	10/5/2021	<0.0020	<0.0020	<0.0020																		
PT	7/7/2021	0.051	0.0051	0.0039																		
BED1	7/7/2021	<0.0020	<0.0020	<0.0020																		
BED1	4/9/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2020	<0.0020	<0.0020	<0.0020																	
PT	8/12/2020	0.054	0.0044	0.0036																	
BED1	8/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/18/2019	<0.0020	<0.0020	<0.0020																	
PT	7/22/2019	0.056	0.0042	0.0038																	
BED1	7/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/31/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2018	<0.0020	<0.0020	<0.0020																	
PT	8/8/2018	0.055	0.0037	0.0029																	<0.0040
BED1	8/8/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/10/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	3/9/2018	0.0034	<0.0020	<0.0020																		
BED2	3/9/2018	<0.0020	<0.0020	<0.0020																		
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																		
PT	9/7/2017	<0.0020	<0.0020	<0.0020																		
BED1	9/7/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/7/2017	<0.0020	<0.0020	<0.0020 UJ																		
BED1-DUP	3/2/2017	<0.0020	<0.0020	<0.0020																		
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																		
	6/30/2016	0.052	0.0046	0.0026	<0.020	<0.020	<0.0020	0.0025	0.043	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 10/21/2016.																						
-DUP	6/30/2016	0.049	0.0045	0.0026	<0.020	<0.020	<0.0020	0.0024	0.042	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 10/21/2016.																						
	3/27/2009	0.036																				
<b>Location: 11</b>																						
BED1	11/23/2021	<0.0020	<0.0020	<0.0020																		
PT	8/31/2021	0.049	0.0057	0.0047																		
BED1	8/31/2021	<0.0020	<0.0020	<0.0020																		
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
PT	8/6/2020	0.043	0.0034 J	0.0023																	
Split sampling for method comparison.																					
PT	8/6/2020	0.041	0.0034	0.0024																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/15/2019	<0.0020	<0.0020	<0.0020																	
PT	7/15/2019	0.043	0.0027	0.0021																	
BED1	4/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/20/2018	<0.0020	<0.0020	<0.0020																	
PT	7/20/2018	0.044	0.0024	<0.0020																	<0.0040
BED1	4/17/2018	<0.0020	<0.0020	<0.0020																	
	7/21/2016	0.034	0.0021	<0.0020	<0.020	<0.020	0.0025	<0.0020	0.035	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/13/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	3/27/2009	0.014																			
<b>Location: 12</b>																					
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																	
New well installed (Regulatory Location ID #556). Not qualified so GAC removed 03/19/2021.																					
PT	8/26/2020	0.063	0.0032	0.0095																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/4/2019	<0.0020	<0.0020	<0.0020																	
PT	9/4/2019	0.13	0.0041	0.0097																	
BED1	9/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/4/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	8/14/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	8/14/2018	<0.0020	<0.0020	<0.0020																		
PT	8/14/2018	0.099	0.0033	0.0065																	<0.0040	
BED1-DUP	5/11/2018	<0.0020	<0.0020	<0.0020																		
BED1	5/11/2018	<0.0020	<0.0020	<0.0020																		
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	3/16/2018	<0.0020	<0.0020	<0.0020																		
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																		
PT	9/29/2017	0.092	0.0034	0.0061 B																		
BED1	9/29/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																		
	12/7/2016	0.085	0.004	0.0058	<0.020	<0.020	<0.0020	0.0027	0.1	0.054	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 01/31/2017.																						
	3/27/2009	0.092																				
<b>Location: 13</b>																						
BED1	10/26/2021	<0.0020	<0.0020	<0.0020																		
PT	8/18/2021	0.039	0.0031	0.014																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/8/2020	<0.0020	<0.0020	<0.0020																	
PT	9/8/2020	0.047	0.0030	0.014																	
BED1-DUP	9/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/19/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2019	<0.0020	<0.0020	<0.0020																	
PT	9/10/2019	0.054	0.003	0.017																	
BED1-DUP	9/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/29/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	2/26/2019	0.055	0.0032	0.017																	<0.0040	
BED1	2/26/2019	<0.0020	<0.0020	<0.0020																		
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																		
	4/30/2018	0.041	0.0023	0.012	<0.020	<0.020	<0.0020	<0.0020	0.032	0.019	0.0055	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 07/24/2018.																						
	3/27/2009	0.067																				
<b>Location: 14</b>																						
	2/23/2021	<0.0020	<0.0020	<0.0020																		
	7/11/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/30/2009	ND																				
<b>Location: 15</b>																						
	3/9/2018	0.0056	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.015	0.006	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	7/8/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/30/2009	NQ																				
<b>Location: 16</b>																						
	3/25/2021	<0.0020	<0.0020	<0.0020																		
	7/13/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	3/30/2009	ND																			
<b>Location: 17</b>																					
PRE	3/4/2021	<0.0020	<0.0020	<0.0020																	
POST	3/4/2021	<0.0020	<0.0020	<0.0020																	
	7/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/30/2009	ND																			
-DUP	3/30/2009	ND																			
<b>Location: 18</b>																					
	3/30/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 19</b>																					
-DUP	11/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	11/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/30/2009	ND																			
<b>Location: 20</b>																					
BED1	11/3/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.14	0.0046	0.0052																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/21/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
PT	8/6/2020	0.14	0.0042	0.0037																	
BED1-DUP	8/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2019	<0.0020	<0.0020	<0.0020																	
PT	8/26/2019	0.13	0.0032	0.0027																	
BED1	4/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2018	<0.0020	<0.0020	<0.0020																	
PT	8/30/2018	0.14	0.0067	0.0043																	0.021

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	8/30/2018	<0.0020	<0.0020	<0.0020																	<0.0040	
BED1	5/22/2018	<0.0020	<0.0020	<0.0020																		
PT	5/22/2018																				0.014	
BED1	5/22/2018																				<0.010	
BED1	2/26/2018	<0.0020	<0.0020	<0.0020																		
PT	2/26/2018				<0.00040	<0.00040	0.0020	0.0044	0.19	0.12	0.00062	<0.00040	<0.00040	<0.00040	<0.00040						0.19	0.074
February-March 2018 branched and linear study sample.																						
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																		
PT	8/16/2017	0.12	0.0067	0.0034																		
BED1	8/16/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/8/2017	<0.0020 UJ	<0.0020	<0.0020 UJ																		
BED1-DUP	3/3/2017	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																		
BED1	3/3/2017	<0.0020	<0.0020	<0.0020																		
	7/21/2016	0.13	0.011	0.0039	<0.020	<0.020	0.0024	0.0047	0.22	0.12	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 11/03/2016.																						
	3/30/2009	0.068																				

**Location: 21**

BED2	10/12/2021	<0.0020	<0.0020	<0.0020																		
------	------------	---------	---------	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Carbon Changeout 12/30/2021 - 5yr.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/12/2021	0.0021	<0.0020	<0.0020																	
Carbon Changeout 12/30/2021 - 5yr.																					
PT	7/20/2021	0.12	0.0067	0.024																	
BED2	7/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/20/2021	0.0023	<0.0020	<0.0020																	
BED2	4/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/20/2021	0.0032	<0.0020	<0.0020																	
BED2	1/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/26/2021	0.0027	<0.0020	<0.0020																	
BED1	10/14/2020	0.0026	<0.0020	<0.0020																	
BED1	8/12/2020	0.0022	<0.0020	<0.0020																	
PT	8/12/2020	0.11	0.0048	0.015																	
BED1	6/10/2020	0.0024	<0.0020	<0.0020																	
BED1	2/6/2020	0.0037	<0.0020	<0.0020																	
BED1	10/29/2019	0.0043	<0.0020	<0.0020																	
BED1	8/21/2019	0.0036	<0.0020	<0.0020																	
PT	8/21/2019	0.14	0.0064	0.016																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/9/2019	0.0045	<0.0020	<0.0020																	
BED1	3/14/2019	0.0035	<0.0020	<0.0020																	
BED1	12/3/2018	0.0033	<0.0020	<0.0020																	
BED1	8/9/2018	0.0026	<0.0020	<0.0020																	
PT	8/9/2018	0.15	0.0060	0.019																	<0.0040
BED1	5/10/2018	0.0026	<0.0020	<0.0020																	
BED2	3/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2018	0.0028	<0.0020	<0.0020																	
BED2	12/5/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	0.003	<0.0020	<0.0020																	
PT	8/17/2017	0.14	0.0064	0.015																	
BED2	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2017	0.0038	<0.0020	<0.0020																	
BED2	6/8/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2017	0.003	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/2/2017	0.0028	<0.0020	<0.0020																	
BED2	3/2/2017	<0.0020	<0.0020	<0.0020																	
	7/13/2016	0.18 J	0.0083	0.019	<0.020	<0.020	0.0075	<0.0020	0.11	0.073	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/20/2016.																					
	3/30/2009	0.22																			
<b>Location: 22</b>																					
	5/10/2021	0.0063	<0.0020	<0.0020																	
	4/23/2018	0.0072	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.022	0.0084	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	7/12/2016	0.0086 J	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.02	0.0077	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/31/2009	ND																			
<b>Location: 23</b>																					
	3/31/2009	0.13																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 24</b>																					
	3/31/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 25</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
PT	9/2/2021	0.12	0.0029 J	0.0095																	
BED1	9/2/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/3/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/4/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.064	0.0025	0.011																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/29/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	7/29/2019	<0.0020	<0.0020	<0.0020																	
PT	7/29/2019	0.12	0.0029	0.0090																	
BED1	4/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/13/2019	<0.0020	<0.0020	<0.0020																	
-DUP	2/13/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/23/2018	<0.0020	<0.0020	<0.0020																	
PT	8/23/2018	0.10	0.0025	0.0070																<0.0040	
BED1	8/23/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/31/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2017	<0.0020	0.021 J	<0.0020																	
BED2	11/17/2017	<0.0020	<0.0020	<0.0020																	
PT	8/17/2017	0.1	0.0028	0.0044																	
BED1-DUP	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/21/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																	
-DUP	7/21/2016	0.14	0.0026	0.0076	<0.020	<0.020	0.0033	0.0022	0.089	0.046	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/12/2016.																					
	7/21/2016	0.14	0.0026	0.0071	<0.020	<0.020	0.0033	0.0021	0.092	0.047	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/12/2016.																					
	3/31/2009	0.056																			
<b>Location: 26</b>																					
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.026	0.0023	0.0071																	
BED1	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.026	<0.0020	0.0068																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	
PT	9/3/2019	0.028	<0.0020	0.0083																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																		
BED1	6/7/2019	<0.0020	<0.0020	<0.0020																		
BED1-DUP	3/22/2019	<0.0020	<0.0020	<0.0020																		
BED1	3/22/2019	<0.0020	<0.0020	<0.0020																		
BED1	12/21/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	12/21/2018	<0.0020	<0.0020	<0.0020																		
BED1	9/21/2018	<0.0020	<0.0020	0.0029																		
PT	9/21/2018	0.031	0.0023	0.0089																	<0.0040	
BED1	5/8/2018																				<0.010	
BED1-DUP	5/8/2018																				<0.010	
BED1-DUP	5/8/2018	<0.0020	<0.0020	<0.0020																		
BED1	5/8/2018	<0.0020	<0.0020	<0.0020																		
PT	5/8/2018																				<0.010	
BED1	2/28/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	2/28/2018	<0.0020	<0.0020	<0.0020																		
PT	2/28/2018				<0.00040	<0.00040	0.00070	0.00055	0.040	0.025	<0.00040	<0.00040	<0.00040	<0.00040	<0.00040						0.032	0.016

February-March 2018 branched and linear study sample.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	12/15/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/17/2017 - Fe.																					
BED1	12/15/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/17/2017 - Fe.																					
PT	9/20/2017	0.042	0.0024	0.013																	
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
	8/11/2016	0.047	<0.0020	0.013	<0.020	<0.020	0.0024	<0.0020	0.043	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0062						
GAC installed 12/02/2016.																					
	3/31/2009	0.055																			
<b>Location: 27</b>																					
BED1	10/18/2021	<0.0020	<0.0020	<0.0020																	
PT	7/22/2021	0.11	<0.0020	0.0027																	
BED1	7/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.047	<0.0020	<0.0020																	
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/1/2019	<0.0020	<0.0020	<0.0020																	
PT	7/1/2019	0.077	<0.0020	<0.0020																	
BED1	4/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/9/2018	<0.0020	<0.0020	<0.0020																	
PT	7/9/2018	0.052	<0.0020	0.0020																	<0.0040
BED1	4/13/2018	<0.0020	<0.0020	<0.0020																	
	7/6/2016	0.027	0.002	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.05	0.015	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/17/2018.																					
	3/31/2009	NQ																			
<b>Location: 28</b>																					
BED1	12/6/2021	0.0029	<0.0020	<0.0020																	
Carbon Changeout 11/16/2021 - 5yr.																					
BED2	12/6/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/16/2021 - 5yr.																					
BED1	9/8/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/8/2021	0.13	<0.0020	0.0023																	
BED1	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/8/2020	<0.0020	<0.0020	<0.0020																	
PT	9/10/2020	0.094	<0.0020	0.0029																	
BED1-DUP	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/5/2019	<0.0020	<0.0020	<0.0020																	
PT	9/5/2019	0.12	<0.0020	<0.0020																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/6/2018	<0.0020	<0.0020	<0.0020																	
PT	9/6/2018	0.091	0.0029	0.0063																	<0.0040
BED1	6/4/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/19/2017	<0.0020	<0.0020	<0.0020																	
PT	9/7/2017	0.018	0.015	0.0092																	
BED1	9/7/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/27/2017	<0.0020	<0.0020	<0.0020																	
	12/5/2016	0.085	0.0032	0.0027	<0.020	<0.020	<0.0020	<0.0020	0.077	0.043	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/24/2017.																					
	3/31/2009	0.042																			
<b>Location: 29</b>																					
BED1	11/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2021	<0.0020	<0.0020	<0.0020																	
PT	8/19/2021	0.040	<0.0020	0.0065																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/19/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.0022	<0.0020	<0.0020																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/19/2019	0.0023	<0.0020	<0.0020																	
PT	7/19/2019	0.051	0.0021	0.0096																	
BED1	4/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2018	<0.0020	<0.0020	<0.0020																	
PT	7/16/2018	0.046	<0.0020	0.0075																<0.0040	
BED1	4/12/2018	<0.0020	<0.0020	<0.0020																	
	7/7/2016	0.027 J	<0.0020 U	0.0044 B	<0.020 U	<0.020 U	0.0028	<0.0020 U	0.073	0.019	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 01/09/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	3/31/2009	0.042																			
<b>Location: 30</b>																					
	12/5/2016	0.073	0.0024	0.0053	<0.020	<0.020	<0.0020	0.0038	0.063	0.042	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 03/09/2017.																					
-DUP	12/5/2016	0.075	0.0025	0.0052	<0.020	<0.020	<0.0020	0.0038	0.064	0.04	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 03/09/2017.																					
	3/31/2009	0.064																			
<b>Location: 31</b>																					
BED1	11/18/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.069	0.012	0.029																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.092	0.010	0.030																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/20/2019	<0.0020	<0.0020	<0.0020																	
PT	8/20/2019	0.096	0.019	0.042																	
BED1	4/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/29/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.044	0.015	0.033																	<0.0040
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																	
	3/19/2018	0.11	0.0041	0.024	<0.020	<0.020	<0.0020	<0.0020	0.069	0.046	0.0022	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/17/2018.																					
	3/31/2009	0.14																			
<b>Location: 32</b>																					
POST	4/12/2021	<0.0020	<0.0020	<0.0020																	
PRE	4/12/2021	<0.0020	<0.0020	<0.0020																	
	8/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	8/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/31/2009	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 33</b>																					
	2/23/2021	<0.0020	<0.0020	<0.0020																	
-DUP	2/23/2021	<0.0020	<0.0020	<0.0020																	
	7/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/1/2009	ND																			
<b>Location: 34</b>																					
	3/4/2021	<0.0020	<0.0020	<0.0020																	
	8/3/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/1/2009	ND																			
<b>Location: 35</b>																					
	2/5/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
-DUP	2/5/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
	4/1/2009	ND																			
<b>Location: 36</b>																					
	4/1/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 37</b>																					
BED1	11/10/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/24/2021	0.084	0.019	0.014																	
BED1-DUP	8/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/1/2020	<0.0020	<0.0020	<0.0020																	
PT	9/28/2020	0.10	0.016	0.010																	
Carbon Changeout 08/04/2020 - Fe/Pressure.																					
BED1	9/28/2020	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 08/04/2020 - Fe/Pressure.																					
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2019	<0.0020	<0.0020	<0.0020																	
PT	8/23/2019	0.074	0.014	0.010																	
BED1	5/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/5/2018	<0.0020	<0.0020	<0.0020																	<0.0040
PT	9/5/2018	0.096	0.020	0.014																	0.0070
BED1	6/1/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
PT	8/18/2017	0.11	0.019	0.011																	
BED1	8/18/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																	
	8/3/2016	0.13	0.017	0.0098	<0.020	<0.020	0.0046	0.0043	0.095	0.065	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/07/2016.																					
	4/1/2009	0.15																			
<b>Location: 38</b>																					
BED1-DUP	10/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.093	0.018	0.010																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/29/2021	<0.0020	<0.0020 UJ	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.19	0.015	0.011																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
PT	8/20/2019	0.11	0.016	0.0066																	
BED1	8/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/13/2018	<0.0020	<0.0020	<0.0020																	<0.0040
PT	8/13/2018	0.14	0.013	0.0066																	0.0088

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
PT	9/6/2017	0.18	0.011	0.0064																	
BED1	9/6/2017	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/23/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/27/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																	
	7/12/2016	0.16 J	0.015	0.0072	<0.020	<0.020	0.0049	0.0039	0.15	0.098	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/07/2016.																					
	4/1/2009	0.14																			
<b>Location: 39</b>																					
	3/4/2021	0.0054	<0.0020	<0.0020																	
	7/11/2016	0.0046	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0059	0.0032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/2/2009	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 40</b>																					
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.057	0.0023	0.0062	<0.0020	<0.0020	<0.0020	<0.0020	0.033	0.024	0.0030	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Analyzed for 18 PFAS compounds for completeness. All results are on the Chemours Chambers Works website.																					
	2/23/2021	0.058	<0.0020	0.0086																	
GAC installed 05/05/2021.																					
	4/2/2009	0.050																			
<b>Location: 41</b>																					
	4/2/2009	0.23																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 42</b>																					
	4/2/2009	0.19																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 43</b>																					
BED1	11/11/2021	<0.0020	<0.0020	<0.0020																	
PT	8/26/2021	0.15	0.011	0.039																	
BED1	8/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/5/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.19	0.014	0.041																	
Split sampling for method comparison.																					
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/11/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
PT	8/11/2020	0.19	0.014	0.049																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/26/2019	<0.0020	<0.0020	<0.0020																	
PT	9/26/2019	0.17	0.0094	0.033																	
BED1	5/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2018	<0.0020	<0.0020	<0.0020																	
PT	8/28/2018	0.25	0.013	0.035																0.015	
BED1	8/28/2018	<0.0020	<0.0020	<0.0020																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA		
PT	5/3/2018																				0.013		
BED1	5/3/2018																					<0.010	
BED1	5/3/2018	<0.0020	<0.0020	<0.0020																			
PT	3/5/2018				<0.00040	<0.00040	0.023	0.0086	0.26	0.16	0.0047	<0.00040	<0.00040	<0.00040 UJ	<0.00040 UJ						0.22	0.094	
February-March 2018 branched and linear study sample.																							
BED1	3/5/2018	<0.0020	<0.0020	<0.0020																			
BED1	12/21/2017	<0.0020	<0.0020	<0.0020																			
BED1	9/6/2017	<0.0020	<0.0020	<0.0020																			
PT	9/6/2017	0.33	0.015	0.038																			
BED1	6/28/2017	<0.0020	<0.0020	<0.0020																			
BED1	3/3/2017	<0.0020	<0.0020	<0.0020																			
-DUP	8/3/2016	0.28 J	0.0092 J	0.025 J	<0.020 UJ	<0.020 UJ	0.0053 J	0.0049 J	0.19 J	0.13 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ								
GAC installed 11/03/2016.																							
	8/3/2016	0.26 J	0.0095 J	0.024 J	<0.020 UJ	<0.020 UJ	0.0059 J	0.0052 J	0.19 J	0.13 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ								
GAC installed 11/03/2016.																							
	4/2/2009	0.32																					
<b>Location: 44</b>																							
BED1	10/4/2021	<0.0020	<0.0020	<0.0020																			
PT	7/6/2021	0.034	0.0027	<0.0020																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	7/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/6/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/6/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.021	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2020	<0.0020	<0.0020	<0.0020																	
BED2	2/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2019	<0.0020	<0.0020	<0.0020																	
PT	9/16/2019	0.018	<0.0020	<0.0020																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/25/2018	<0.0020	<0.0020	<0.0020																	
PT	7/9/2018	0.019	<0.0020	<0.0020																<0.0040	
BED1	7/9/2018	<0.0020	<0.0020	<0.0020																	
	7/7/2016	0.02 J	0.0021 J	<0.0020 U	<0.020 U	<0.020 U	0.002	<0.0020 U	0.028	0.013	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 04/13/2018.																					
	4/2/2009	NQ																			
<b>Location: 45</b>																					
	7/22/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	4/6/2009	ND																			
<b>Location: 46</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020																	
	7/8/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	4/6/2009	ND																			
<b>Location: 47</b>																					
	4/6/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 48</b>																					
	5/7/2018	0.0022	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	4/6/2009	ND																			
<b>Location: 49</b>																					
	4/6/2009	0.080																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 50</b>																					
BED1	10/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.19	0.014	0.016																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/23/2020	<0.0020	<0.0020	<0.0020																	
PT	9/23/2020	0.21	0.021	0.022																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
	11/26/2019	0.20	0.022	0.016	<0.020	<0.020	0.0089	0.0028	0.27	0.14	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.22	0.10	0.033 J	<0.0020
GAC installed 02/07/2020.																					
	4/6/2009	0.25																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 51</b>																					
	7/6/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/7/2009	ND																			
<b>Location: 52</b>																					
	4/7/2009	0.047																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 53</b>																					
	4/7/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 54</b>																					
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.086	0.0022 J	0.0072																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.057	0.0028	0.012																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/11/2019	<0.0020	<0.0020	<0.0020																	
PT	7/15/2019	0.088	0.0045	0.0094																	
BED1	7/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/24/2018	<0.0020	<0.0020	<0.0020																	
PT	7/24/2018	0.066	0.0040	0.012																<0.0040	
BED1	4/23/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
PT	8/16/2017	0.071	0.0022	0.0093																	
BED1	8/16/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/20/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																	
	7/7/2016	0.092 J	0.0026 J	0.0057 B	<0.020 U	<0.020 U	0.0025	<0.0020 U	0.075	0.049	0.0025 B	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 10/20/2016.																					
-DUP	7/7/2016	0.081 J	0.0026 J	0.0053 B	<0.020 U	<0.020 U	0.0023	<0.0020 U	0.067	0.045	0.0022 B	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 10/20/2016.																					
	4/7/2009	0.053																			
<b>Location: 55</b>																					
	9/1/2016	0.08	0.016	0.005	<0.020	<0.020	0.0068	0.0029	0.078	0.035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 05/01/2017.																					
	4/7/2009	0.048																			
<b>Location: 56</b>																					
	3/23/2021	0.065	0.0020	0.0083																	
Declined treatment offer. Permanent bottled water.																					
-DUP	3/23/2021	0.055	<0.0020	0.0070																	
Declined treatment offer. Permanent bottled water.																					
	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
-DUP	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	4/9/2009	ND																			
<b>Location: 57</b>																					
	4/9/2009	0.028																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 58</b>																					
BED1	8/27/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/27/2021	0.058	0.0023	0.0090																	
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/7/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/7/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.060	0.0023 J	0.010																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2019	<0.0020	<0.0020	<0.0020																	
PT	8/26/2019	0.075	0.0026	0.0089																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/20/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/3/2018	<0.0020	<0.0020	<0.0020																	
PT	9/20/2018	0.074	0.0027	0.013																	<0.0040
BED1	9/20/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2018	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/18/2017 - Fe.																					
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
PT	8/16/2017	0.077	0.003	0.013																	
BED1	8/16/2017	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/7/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/7/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																	
	7/13/2016	0.094 J	0.0034 J	0.017 J	<0.020 UJ	<0.020 UJ	0.0022 J	<0.0020 UJ	0.062 J	0.033 J	0.0036 J	0.0023 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 10/19/2016.																					
	4/9/2009	0.071																			
<b>Location: 59</b>																					
BED1	12/13/2021	<0.0020	<0.0020	<0.0020																	
PT	9/21/2021	0.18	0.0058	0.027																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.16	0.0043	0.021																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/5/2019	<0.0020	<0.0020	<0.0020																	
PT	9/5/2019	0.19	0.0073	0.026																	
BED1	5/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2018	<0.0020	<0.0020	<0.0020																	
PT	8/21/2018	0.22	0.0063	0.023																	0.0077

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	8/21/2018	<0.0020	<0.0020	<0.0020																	<0.0040	
BED1	6/1/2018	<0.0020	<0.0020	<0.0020																		
BED1	3/14/2018	<0.0020	<0.0020	<0.0020																		
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																		
PT	9/29/2017	0.22	0.0094	0.028																		
BED1	9/29/2017	<0.0020	<0.0020	<0.0020																		
BED1-DUP	6/23/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																		
-DUP	8/11/2016	0.26	0.017 J	0.021	<0.020	<0.020	0.0072	0.0055	0.2	0.11	<0.0020	<0.0020	<0.0020	<0.0020	<0.010							
GAC installed 02/07/2017.																						
	8/11/2016	0.26	0.007 J	0.023	<0.020	<0.020	0.0074	0.0052	0.19	0.11	<0.0020	<0.0020	<0.0020	<0.0020	<0.0075							
GAC installed 02/07/2017.																						
	4/9/2009	0.27																				
<b>Location: 60</b>																						
BED1	8/20/2021	<0.0020	<0.0020	<0.0020																		
PT	8/20/2021	0.20	0.0074	0.014																		
BED1	5/26/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.19	0.0076 J	0.014																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/5/2019	<0.0020	<0.0020	<0.0020																	
PT	8/5/2019	0.26	0.0089	0.015																	
BED1	4/10/2019	<0.0020	<0.0020	<0.0020																	
PT	1/16/2019	0.27	0.011 B	0.017																0.025	
Carbon Changeout 04/12/2018 - Fe.																					
BED1	1/16/2019	<0.0020	<0.0020	<0.0020																<0.0040	
Carbon Changeout 04/12/2018 - Fe.																					
BED1	3/29/2018	<0.0020	<0.0020	<0.0020																	
PT	9/28/2017	0.2	0.0073	0.01																	
BED1	9/28/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/27/2017	0.2 J	0.0069 J	0.011 J																	
Elevated results for this sample suggest that an incorrect port may have been sampled and results should be used with caution.																					
BED2	3/27/2017	<0.0020	<0.0020	<0.0020																	
Elevated results for this sample suggest that an incorrect port may have been sampled and results should be used with caution.																					
	7/12/2016	0.24 J	0.007	0.011	<0.020	<0.020	0.0045	0.012	0.21	0.14	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/13/2016.																					
	4/9/2009	0.18																			
<b>Location: 61</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/10/2021 - 5yr.																					
BED1	8/3/2021	<0.0020	<0.0020	<0.0020																	
PT	8/3/2021	0.056	0.0032	0.012																	
BED1	5/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/3/2020	<0.0020	<0.0020	<0.0020																	
PT	9/3/2020	0.053	0.0025	0.010																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/30/2019	<0.0020	<0.0020	<0.0020																	
PT	7/30/2019	0.058	0.0024	0.0094																	
BED1	4/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/14/2018	<0.0020	<0.0020	<0.0020																	
PT	8/14/2018	0.063	0.0040	0.016																<0.0040	
BED1	5/14/2018																				<0.010
BED1	5/14/2018	<0.0020	<0.0020	<0.0020																	
PT	5/14/2018																				<0.010
PT	2/28/2018				<0.00040	<0.00040	0.00099	0.00061	0.048	0.028	0.0054	0.0019	<0.00040	<0.00040	<0.00040					0.037	0.020
February-March 2018 branched and linear study sample.																					
BED1	2/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
PT	8/17/2017	0.066	0.0033	0.013																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/22/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																	
	8/10/2016	0.065	1.3	0.013	<0.020	<0.020	0.0031	<0.0020	0.048	0.024	0.025	0.0077	<0.0020	<0.0020	<0.0020						
GAC installed 12/01/2016.																					
	4/9/2009	0.064																			
<b>Location: 62</b>																					
BED1	11/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.057	0.011 J	0.029																	
BED1	6/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/30/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.039	0.0082	0.022																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/7/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	11/1/2019	<0.0020	<0.0020	<0.0020																		
PT	8/30/2019	0.055	0.013	0.028																		
BED1	8/30/2019	<0.0020	<0.0020	<0.0020																		
BED1	5/21/2019	<0.0020	<0.0020	<0.0020																		
BED1	2/8/2019	<0.0020	<0.0020	<0.0020																		
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																		
BED1	8/1/2018	<0.0020	<0.0020	<0.0020																		
PT	8/1/2018	0.054	0.0097 B	0.019																	<0.0040	
PT	5/8/2018																				<0.010	
BED1	5/8/2018																				<0.010	
BED1-DUP	5/8/2018	<0.0020	<0.0020	<0.0020																		
BED1	5/8/2018	<0.0020	<0.0020	<0.0020																		
BED1	2/23/2018	<0.0020	<0.0020	<0.0020																		
PT	2/23/2018				<0.00040	<0.00040	0.0025	0.00086	0.031	0.018	<0.00040	<0.00040	<0.00040	<0.00040	<0.00040						0.022	0.016
February-March 2018 branched and linear study sample.																						
BED1-DUP	12/12/2017	<0.0020	<0.0020	<0.0020																		
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/18/2017	0.053	0.0092	0.016																	
BED1-DUP	8/18/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/18/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2017	<0.0020 UJ	<0.0020	<0.0020 UJ																	
BED1	3/2/2017	0.0035	<0.0020	<0.0020																	
BED2	3/2/2017	<0.0020	<0.0020	<0.0020 UJ																	
	6/30/2016	0.063	0.012	0.023	<0.020	<0.020	0.002	<0.0020	0.034	0.018	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/06/2016.																					
	4/9/2009	0.13																			
<b>Location: 63</b>																					
	3/17/2021	<0.0020	<0.0020	<0.0020																	
	7/11/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	4/13/2009	ND																			
<b>Location: 64</b>																					
	4/12/2021	<0.0020	<0.0020	<0.0020																	
	7/22/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	4/13/2009	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 65</b>																					
	4/13/2009	0.045																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 66</b>																					
BED1	11/2/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/22/2021 - 5yr.																					
PT	8/23/2021	0.081	0.0024	0.0026																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/24/2020	0.0021	<0.0020	<0.0020																	
BED1-DUP	11/24/2020	<0.0020	<0.0020	<0.0020																	
PT	9/10/2020	0.096	<0.0020	0.0020																	
BED1	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/13/2019	0.11	<0.0020	<0.0020																	
BED1	4/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/6/2018	<0.0020	<0.0020	<0.0020																	
PT	8/1/2018	0.088	<0.0020	<0.0020																	<0.0040
BED1	8/1/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/26/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/14/2017	<0.0020	<0.0020	<0.0020																	
PT	8/25/2017	0.1	<0.0020	0.0056																	
BED1	8/25/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2017	0.0027	<0.0020	<0.0020																	
BED1-DUP	3/8/2017	<0.0020	<0.0020	<0.0020																	
BED2	3/8/2017	0.0024	<0.0020	<0.0020 UJ																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
-DUP	7/6/2016	0.1	0.0021	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.08	0.039	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 10/11/2016.																						
	7/6/2016	0.1	0.0021	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.081	0.039	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 10/11/2016.																						
	4/13/2009	0.025																				
<b>Location: 67</b>																						
	7/21/2016	0.062	0.0027	0.014	<0.020	<0.020	0.003	<0.0020	0.054	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
PWS connection 01/11/2017.																						
	4/13/2009	0.073																				
<b>Location: 68</b>																						
BED1	10/19/2021	<0.0020	<0.0020	<0.0020																		
PT	7/22/2021	0.073	0.0050	0.0082																		
BED1	7/22/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	4/20/2021	<0.0020	<0.0020	<0.0020																		
BED1	4/20/2021	<0.0020	<0.0020	<0.0020																		
BED2	1/22/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	1/22/2021	0.0059 J	0.0050 J	<0.0020																		
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																		
BED1	10/14/2020	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/6/2020	0.090	0.0098	0.010																	
Split sampling for method comparison.																					
PT	8/6/2020	0.10	0.010	0.011																	
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/23/2019	<0.0020	<0.0020	<0.0020																	
PT	7/23/2019	0.088	0.0069	0.011																	
BED1	4/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2018	<0.0020	<0.0020	<0.0020																	
PT	7/25/2018	0.072	0.0052	0.013																<0.0040	
BED1	7/25/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	4/25/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/16/2017	<0.0020	<0.0020	<0.0020																	
PT	8/16/2017	0.083	0.0048	0.015																	
BED1	6/20/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/24/2017	<0.0020	<0.0020	<0.0020																	
	7/7/2016	0.093 J	0.0036 J	0.0031 B	<0.020 U	<0.020 U	0.0034	0.0025	0.068	0.049	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 10/24/2016.																					
	4/13/2009	0.061																			
<b>Location: 69</b>																					
-DUP	8/10/2016	0.26	0.022 J	0.029	<0.020 UJ	<0.020 UJ	0.014	0.0063	0.35	0.17	0.0033 J	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020						
Declined treatment offer.																					
	8/10/2016	0.25	0.051 J	0.028	<0.020	<0.020	0.014	0.0063	0.34	0.17	0.0033	<0.0020	<0.0020	<0.0020	<0.0020						
Declined treatment offer.																					
	4/13/2009	0.17																			
<b>Location: 70</b>																					
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.40	0.012	0.033																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/6/2020	<0.0020	<0.0020	<0.0020																	
PT	8/3/2020	0.48	0.012 J	0.028																	
Split sampling for method comparison.																					
PT	8/3/2020	0.45	0.011	0.027																	
BED1	8/3/2020	<0.0020	0.0039	<0.0020																	
Split sampling for method comparison.																					
BED1	8/3/2020	<0.002	<0.002	<0.002																	
BED1-DUP	8/3/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	6/9/2020	0.21	<0.0020	0.0044																	
BED2	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/28/2020	0.019	<0.0020	<0.0020																	
BED2	1/28/2020	<0.0020	<0.0020	<0.0020																	
BED2	10/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2019	0.015	<0.0020	<0.0020																	
PT	7/24/2019	0.47	0.0097	0.022																	
BED2	7/24/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/24/2019	0.051	<0.0020	<0.0020																	
BED1	4/16/2019	0.013	<0.0020	<0.0020																	
BED1	1/29/2019	0.0049	0.0042	<0.0020																	
BED1	11/6/2018	0.0034	<0.0020	<0.0020																	
BED2	7/26/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	<0.0040 UJ
BED1	7/26/2018	0.0032	<0.0020	<0.0020																	0.0056
PT	7/26/2018	0.54	0.0089	0.021																	0.046
BED1	4/26/2018	0.0037	<0.0020	<0.0020																	
BED1	2/20/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/18/2017	<0.0020	<0.0020	<0.0020																	
PT	8/18/2017	0.52	0.0091	0.019																	
BED2	6/14/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2017	0.002 J	<0.0020	<0.0020 UJ																	
BED2	3/27/2017	<0.0020	<0.0020	<0.0020 UJ																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/27/2017	0.0025	<0.0020	<0.0020																	
BED1-DUP	11/29/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
BED1	11/29/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
BED1	8/9/2016	<0.0050																			
Split sampling for method comparison.																					
BED1	8/9/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	8/9/2016	0.48																			
Split sampling for method comparison.																					
BED2	8/9/2016	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						0.0020 J
BED1-DUP	8/9/2016	<0.0050																			
Split sampling for method comparison.																					
	8/9/2016	0.5	0.0088	0.018	<0.020	<0.020	0.0043	0.0035	0.41	0.22	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
BED1-DUP	5/18/2016	<0.0050																			
BED1	5/18/2016	<0.0050																			
BED1	2/26/2016	<0.0050																			
BED2	2/26/2016	<0.0050																			
BED1-DUP	2/26/2016	<0.0050																			
	11/6/2015	0.49																			
BED1-DUP	11/6/2015	<0.0050																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/6/2015	<0.0050																			
BED1-DUP	8/18/2015	<0.0050																			
Carbon Changeout 07/22/2015 - 5yr.																					
BED1	8/18/2015	<0.0050																			
Carbon Changeout 07/22/2015 - 5yr.																					
BED1-DUP	5/18/2015	<0.0050																			
BED1	5/18/2015	<0.0050																			
BED1	2/20/2015	<0.0050																			
BED1-DUP	2/20/2015	<0.0050																			
BED2	2/20/2015	<0.0050																			
BED2	11/26/2014	<0.0050																			
BED1-DUP	11/26/2014	<0.0050																			
BED1	11/26/2014	<0.0050																			
	11/26/2014	0.43																			
BED2-DUP	8/29/2014	<0.0050																			
BED2	8/29/2014	<0.0050																			
BED2-DUP	5/19/2014	<0.0050																			
BED2	5/19/2014	<0.0050																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED2	2/21/2014	<0.0050																			
BED2-DUP	2/21/2014	<0.0050																			
BED2	10/25/2013	<0.0050																			
	10/25/2013	0.43																			
BED2	8/28/2013	ND																			
BED1-DUP	8/28/2013	ND																			
BED1	8/28/2013	NQ																			
BED1-DUP	5/21/2013	ND																			
BED1	5/21/2013	ND																			
BED2	3/6/2013	ND																			
BED1-DUP	3/6/2013	ND																			
BED1	3/6/2013	ND																			
BED1-DUP	11/16/2012	ND																			
BED1	11/16/2012	ND																			
	11/16/2012	0.61																			
BED1-DUP	8/29/2012	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/29/2012	ND																			
BED1-DUP	5/16/2012	ND																			
BED1	5/16/2012	ND																			
BED2	5/16/2012	ND																			
BED1	3/1/2012	ND																			
BED1-DUP	3/1/2012	ND																			
	11/21/2011	0.43																			
BED1-DUP	11/21/2011	ND																			
BED1	11/21/2011	ND																			
BED2	11/21/2011	ND																			
BED1	8/23/2011	ND																			
BED1-DUP	8/23/2011	ND																			
	5/18/2011	0.44																			
BED1-DUP	5/18/2011	ND																			
BED1	5/18/2011	ND																			
BED1-DUP	3/10/2011	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/10/2011	ND																			
BED1-DUP	11/11/2010	ND																			
BED1	11/11/2010	ND																			
BED1	9/8/2010	ND																			
BED1-DUP	9/8/2010	ND																			
	9/8/2010	0.53																			
BED1-DUP	6/11/2010	ND																			
BED1	6/11/2010	ND																			
BED1-DUP	3/4/2010	ND																			
BED1	3/4/2010	ND																			
BED1-DUP	11/12/2009	ND																			
BED1	11/12/2009	ND																			
BED1	9/2/2009	ND																			
BED1-DUP	9/2/2009	ND																			
BED2	6/17/2009	ND																			
BED1	6/17/2009	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	6/5/2009	0.42																			
GAC installed 06/15/2009.																					
	4/13/2009	0.45																			
<b>Location: 71</b>																					
	4/30/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
	4/14/2009	ND																			
<b>Location: 72</b>																					
	2/25/2021	<0.0020	<0.0020	<0.0020																	
	7/12/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
	4/15/2009	ND																			
<b>Location: 73</b>																					
	3/15/2021	<0.0020	<0.0020	<0.0020																	
-DUP	3/15/2021	<0.0020	<0.0020	<0.0020																	
	7/12/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
	4/15/2009	ND																			
<b>Location: 74</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.082	0.0066	0.0024																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/3/2020	<0.0020	<0.0020	<0.0020																	
PT	9/3/2020	0.091	0.0070	0.0032																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/3/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/26/2019	<0.0020	<0.0020	<0.0020																	
PT	9/4/2019	0.095	0.0073	0.0059																	
BED1	9/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/7/2018	<0.0020	<0.0020	<0.0020																	
PT	8/6/2018	0.097	0.0063	0.0045																	<0.0040
BED1	8/6/2018	<0.0020	<0.0020	<0.0020																	
	3/9/2018	0.092	0.0059	0.0043	<0.020	<0.020	<0.0020	0.0025	0.1	0.062	0.0029	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/02/2018.																					
	4/15/2009	0.054																			
<b>Location: 75</b>																					
	8/11/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0085
	4/17/2009	0.15																			
<b>Location: 76</b>																					
POST	6/2/2021	<0.0020	<0.0020	<0.0020																	
PRE	6/2/2021	<0.0020	<0.0020	<0.0020																	
	7/7/2016	<0.0020 U	<0.0020 U	<0.0020 U	<0.020 U	<0.020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						<0.0020 U
	4/17/2009	ND																			
<b>Location: 77</b>																					
BED1	6/29/2020	<0.0020	<0.0020	<0.0020																	
	12/20/2019	0.16	0.0097	0.033	<0.020	<0.020	0.017	0.0032	0.18	0.091	0.0058	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.15	0.071	0.010	<0.0020
GAC installed 03/04/2020.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	4/17/2009	0.24																			
<b>Location: 78</b>																					
	3/4/2021	0.0055	<0.0020	<0.0020																	
	7/12/2016	0.0022 J	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.013	0.0045	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/20/2009	ND																			
<b>Location: 79</b>																					
	9/19/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/20/2009	ND																			
<b>Location: 80</b>																					
BED1	10/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/21/2021	<0.0020	<0.0020	<0.0020																	
PT	7/21/2021	0.24	0.017	0.024																	
BED1	4/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/18/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/18/2019	<0.0020	<0.0020	<0.0020																	
PT	9/18/2019	0.19	0.021	0.028																	
BED1	6/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/28/2018	<0.0020	<0.0020	<0.0020																<0.0040	
PT	8/28/2018	0.23	0.012	0.026																0.0058	
BED1	5/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
PT	9/20/2017	0.21	0.023	0.031																	
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/20/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/3/2017	<0.0020	<0.0020	<0.0020																	
	8/31/2016	0.25	0.019	0.025	<0.020	<0.020	0.0089	0.0049	0.16	0.098	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/21/2016.																					
	4/20/2009	0.24																			
<b>Location: 81</b>																					
BED1	10/1/2021	<0.0020	<0.0020	<0.0020																	
PT	7/8/2021	0.050	0.0030	0.0098																	
BED1	7/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
PT	8/10/2020	0.054	0.0031	0.012																	
Split sampling for method comparison.																					
PT	8/10/2020	0.063	0.0037	0.011																	
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
PT	7/31/2019	0.083	0.0032	0.011																	
Carbon Changeout 05/22/2019 - Fe.																					
BED1	7/31/2019	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 05/22/2019 - Fe.																					
BED2	4/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/24/2019	0.041	<0.0020	0.0064																	
BED1	2/14/2019	0.033	0.0022	0.0064																	
BED2	2/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/14/2018	0.050	0.0022	0.0081																	
BED2	11/14/2018	<0.0020	<0.0020	<0.0020																	
PT	8/21/2018	0.048	0.0027	0.0086																<0.0040	
BED2	8/21/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	8/21/2018	0.026	<0.0020	0.0047																	
BED2	5/17/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/17/2018	0.024	<0.0020	0.0051																	
BED2	3/19/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/19/2018	0.044	0.0025	0.0094																	
BED2	12/14/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/14/2017	0.044	<0.0020	0.0097																	
PT	8/14/2017	0.04	0.0023	0.0094																	
BED2	8/14/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/14/2017	0.034	<0.0020	0.0096																	
-DUP	1/11/2017	0.055	0.0024 B	0.013	<0.020	<0.020	<0.0020	<0.0020	0.048	0.023	0.0033	<0.0020	<0.0020	<0.0020	0.0021						
GAC installed 04/10/2017.																					
	1/11/2017	0.057 J	0.0031 B	0.013 J	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	0.049 J	0.024 J	0.0037 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 04/10/2017.																					
	4/20/2009	0.074																			
<b>Location: 82</b>																					
	5/21/2009	0.14																			
Non-response to sampling offer in Ongoing 2016 Program.																					
	4/29/2009	0.14 B																			
<b>Location: 83</b>																					
	4/21/2021	<0.0020	<0.0020	<0.0020																	
	8/3/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
	5/5/2009	ND																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 84</b>																					
	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040
	5/5/2009	0.085																			
<b>Location: 85</b>																					
PRE-DUP	5/7/2021	<0.0020	<0.0020	<0.0020																	
PRE	5/7/2021	<0.0020	<0.0020	<0.0020																	
	6/30/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	5/7/2009	ND																			
<b>Location: 86</b>																					
	5/7/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 87</b>																					
	3/2/2020	0.13	0.015	0.0045	<0.020	<0.020	0.0035	0.0036	0.18	0.088	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.17	0.074	0.019	<0.0020
Treatment incomplete/in progress - bottled water.																					
	5/7/2009	0.12																			
<b>Location: 88</b>																					
	5/7/2009	0.10																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 89</b>																					
	8/6/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	5/7/2009	ND																			
<b>Location: 90</b>																					
	5/8/2009	0.085																			
PWS according to homeowner.																					
<b>Location: 91</b>																					
BED1	11/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.080	0.0033	0.0065																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
PT	9/22/2020	0.058	0.0021	0.0039																	
BED1	9/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/23/2019	0.071	0.0021	0.0053																	
BED1	5/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2018	<0.0020	<0.0020	<0.0020																	
PT	7/31/2018	0.080	<0.0020	0.0044																	<0.0040
BED1	7/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/25/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2017	<0.0020	<0.0020	<0.0020																	
PT	8/17/2017	0.089	0.0031	0.0043																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/7/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/24/2017	<0.0020	<0.0020	<0.0020																	
	7/6/2016	0.11	0.0038	0.0059	<0.020	<0.020	0.0097 J	<0.0020	0.094	0.046	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/12/2016.																					
	5/8/2009	0.063																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 92</b>																					
PT	8/3/2021	0.075	0.0022	0.0090	<0.0020	<0.0020	<0.0020	<0.0020	0.059	0.044	0.0024	0.0023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0020	<0.0020
Analyzed for 18 PFAS compounds for completeness. All results are on the Chemours Chambers Works website.																					
	3/9/2021	0.063	0.0020	0.0074																	
GAC installed 07/12/2021.																					
	5/13/2009	0.066																			
<b>Location: 93</b>																					
	5/13/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 94</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/15/2021 - 5yr.																					
PT	9/2/2021	0.10	0.0060 J	0.014																	
BED1	9/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/18/2021	<0.0020	<0.0020 UJ	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.096	0.0052	0.0096																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/1/2019	<0.0020	<0.0020	<0.0020																	
PT	8/30/2019	0.094	0.0035	0.005																	
BED1	8/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/30/2019	<0.0020	0.0066	<0.0020																	
BED1	3/1/2019	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 01/08/2019 - Fe.																					
BED1	11/29/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.088	0.0037	0.0034																<0.0040	
BED1	4/26/2018	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 02/16/2018 - Fe.																					
BED1	2/16/2018	<0.0020	<0.0020	<0.0020																	
BED2	11/27/2017	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2017	<0.0020	0.0098	<0.0020																	
BED1	8/25/2017	<0.0020	<0.0020	<0.0020																	
PT	8/25/2017	0.11	0.0025 B	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/22/2017	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/30/2017	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2017	<0.0020	<0.0020	<0.0020																	
	7/6/2016	0.063	0.0034	0.0025	<0.020	<0.020	<0.0020	0.0021	0.12	0.048	0.0021	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/19/2016.																					
	5/20/2009	0.059																			
<b>Location: 95</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.050	0.0041	0.013																	
BED1-DUP	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.078	0.0054	0.028																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/13/2020	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 02/13/2020 - Fe.																					
BED1	10/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/22/2019	<0.0020	<0.0020	<0.0020																	
PT	8/22/2019	0.082	0.0025	0.0099																	
BED1	5/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/29/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.11	0.0036	0.022																<0.0040	
BED1	4/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/17/2017	<0.0020	<0.0020	<0.0020																	
PT	8/17/2017	0.1	0.0033	0.013																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	8/8/2017	0.11	0.0033	0.011 J	<0.020	<0.020 UJ	<0.0020	<0.0020	0.073	0.037	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020						
	6/8/2017	<0.0020	<0.0020	<0.0020	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Results for this sample may be results for a different location due to mislabeling.																					
BED2-DUP	5/3/2017	<0.0020	<0.0020	<0.0020 UJ																	
BED2	5/3/2017	<0.0020	0.0026	<0.0020 UJ																	
BED1	5/3/2017	<0.0020 UJ	<0.0020	<0.0020 UJ																	
BED2	3/2/2017	0.1	0.0023	0.011																	
Results do not meet operational trend of BED1>BED2.																					
BED1	3/2/2017	0.0027	<0.0020	<0.0020																	
Results do not meet operational trend of BED1>BED2.																					
	6/30/2016	0.038	0.0021	0.0063	<0.020	<0.020	<0.0020	<0.0020	0.032	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Sample from this well location may be mislabeled. GAC installed 10/05/2016.																					
	5/21/2009	0.083																			
<b>Location: 96</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.077	0.0051	0.030																	
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.10	0.0037	0.022																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/13/2020	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 02/13/2020 - Fe.																					
BED1	10/29/2019	0.0029	<0.0020	<0.0020																	
PT	8/22/2019	0.083	0.0030	0.014																	
BED1	8/22/2019	0.0024	<0.0020	<0.0020																	
BED1	5/3/2019	0.0031	<0.0020	<0.0020																	
BED1	3/4/2019	0.0023	<0.0020	<0.0020																	
BED1	11/29/2018	0.0046	<0.0020	<0.0020																	
BED1	9/19/2018	0.013	<0.0020	<0.0020																	
PT	9/19/2018	0.14	0.0042	0.023																	<0.0040
BED1	5/8/2018																				<0.010
PT	5/8/2018																				<0.010
BED1	4/16/2018	0.0036	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	2/26/2018				<0.00039	<0.00039	0.0022	0.00093	0.096	0.055	<0.00039	<0.00039	<0.00039	<0.00039	<0.00039			0.060	0.037		
February-March 2018 branched and linear study sample.																					
PT-DUP	2/26/2018				<0.00039	<0.00039	0.0022	0.00086	0.094	0.054	0.00055	<0.00039	<0.00039	<0.00039	<0.00039			0.056	0.036		
February-March 2018 branched and linear study sample.																					
BED2	2/26/2018	0.12	0.0049	0.017																	
Results do not meet operational trend of BED1>BED2.																					
BED1	2/26/2018	0.01	<0.0020	<0.0020																	
Results do not meet operational trend of BED1>BED2.																					
BED2	11/16/2017	0.16	0.0059	0.02																	
Results do not meet operational trend of BED1>BED2.																					
BED1	11/16/2017	0.005	<0.0020	<0.0020																	
Results do not meet operational trend of BED1>BED2.																					
PT	8/17/2017	0.17	0.0058	0.031																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																	
-DUP	10/3/2016	0.16	0.0039	0.026	<0.020	<0.020	<0.0020	<0.0020	0.084	0.042	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/08/2016.																					
	10/3/2016	0.16	0.0042	0.031	<0.020	<0.020	<0.0020	<0.0020	0.086 J	0.043	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/08/2016.																					
	5/21/2009	0.15																			
<b>Location: 97</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.062	0.0022	0.0090																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.064	0.0020	0.0081																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/22/2019	0.076	0.0023	0.011																	
BED1	8/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/29/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.073	0.0023	0.012																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																		
	6/8/2017	0.11 J	0.0027	0.015 J	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	0.073	0.035	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020							
GAC installed 04/18/2018.																						
	6/30/2016	0.083	0.0032	0.012	<0.020	<0.020	0.018	<0.0020	0.072	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
Sample from this well location may be mislabeled.																						
	5/21/2009	0.057																				
<b>Location: 98</b>																						
	8/10/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
	5/21/2009	ND																				
<b>Location: 99</b>																						
BED1	10/18/2021	<0.0020	<0.0020	<0.0020																		
PT	7/22/2021	0.043	0.019	0.028																		
BED1	7/22/2021	<0.0020	<0.0020	<0.0020																		
BED1	4/29/2021	<0.0020	<0.0020	<0.0020																		
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																		
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																		
PT	8/31/2020	0.033	0.0081	0.021																		
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/27/2019	<0.0020	<0.0020	<0.0020																	
PT	8/27/2019	0.065	0.021	0.033																	
BED1	5/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/10/2018	<0.0020	<0.0020	<0.0020																	
PT	9/5/2018	0.059	0.011	0.030																	<0.0040
BED1	9/5/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/5/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/6/2018	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2017	<0.0020	<0.0020	<0.0020																	
PT	9/7/2017	0.094	0.003	0.0049																	

Results do not meet operational trend of PT>BED1>BED2.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED2	9/7/2017	0.073	0.022	0.035																	
Results do not meet operational trend of PT>BED1>BED2.																					
BED1	9/7/2017	<0.0020	<0.0020	0.0034																	
Results do not meet operational trend of PT>BED1>BED2.																					
BED1	6/14/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2017	<0.0020	<0.0020	<0.0020																	
	7/14/2016	0.097	0.021	0.036	<0.020	<0.020	0.0038	<0.0020	0.064	0.037	0.012	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/07/2016.																					
	5/21/2009	0.18																			
<b>Location: 100</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.097	0.0028	0.011																	
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.073	0.0027	0.0089																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/22/2019	<0.0020	<0.0020	<0.0020																	
PT	8/22/2019	0.079	0.0027	0.0083																	
BED1	5/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/29/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.10	0.0029	0.011																	<0.0040
BED1	4/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
PT	8/17/2017	0.098	0.0035	0.011																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/20/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/2/2017	<0.0020	<0.0020	<0.0020																	
	11/15/2016	0.14 J	0.0037 J	0.0085 J	<0.020 UJ	<0.020 UJ	0.0022 J	<0.0020 UJ	0.11 J	0.047 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	0.0022 J						
GAC installed 12/09/2016.																					
	5/21/2009	0.065																			
<b>Location: 101</b>																					
	5/27/2009	0.15																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 102</b>																					
BED1	11/2/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/21/2021 - 5yr.																					
PT	8/23/2021	0.062	0.0026	0.0099																	
BED1-DUP	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
PT	9/10/2020	0.050	0.0020	0.0089																	
BED1	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/21/2019	<0.0020	<0.0020	<0.0020																	
PT	9/23/2019	0.071	0.0059	0.018																	
BED1	9/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/24/2018 - Fe.																					
BED1-DUP	11/27/2018	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/24/2018 - Fe.																					
PT	8/21/2018	0.063	0.0024	0.0091																	<0.0040
BED1-DUP	8/21/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/21/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 08/30/2017 - Fe.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/17/2017	0.062	0.003	0.012																	
BED1	8/17/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2017	0.0034	<0.0020	<0.0020																	
BED2	6/8/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/3/2017	<0.0020	<0.0020	<0.0020																	
-DUP	7/13/2016	0.061 J	0.0027	0.01	<0.020	<0.020	0.002	<0.0020	0.049	0.026	0.0041	0.003	<0.0020	<0.0020	<0.0020						
GAC installed 11/02/2016.																					
	7/13/2016	0.064 J	0.0025	0.01	<0.020	<0.020	0.002	<0.0020	0.05	0.026	0.0045	0.0029	<0.0020	<0.0020	<0.0020						
GAC installed 11/02/2016.																					
	5/27/2009	0.066																			
<b>Location: 103</b>																					
	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ																	
	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	6/17/2009	ND																			
<b>Location: 104</b>																					
BED1	11/11/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.055	0.012	0.074																	
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.048	0.0092	0.060																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/16/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.064	0.010	0.095																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/28/2019	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 03/14/2019 - Fe.																					
BED1	12/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/15/2018	<0.0020	<0.0020	<0.0020																	<0.0040
PT	8/15/2018	0.062	0.011	0.092																	0.016
BED1	5/14/2018																				<0.010

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/14/2018	<0.0020	<0.0020	<0.0020																	
PT	5/14/2018																				0.011
PT	3/9/2018				<0.00040	<0.00040	0.0033	0.0030	0.064	0.028	0.017	0.00046	<0.00040	<0.00040	<0.00040					0.051	0.031
February-March 2018 branched and linear study sample.																					
BED1	3/9/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/19/2017	<0.0020	<0.0020	<0.0020																	
PT	9/8/2017	0.079	0.011	0.11																	
BED1	9/8/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/21/2017	<0.0020	<0.0020	<0.0020																	
BED2	3/28/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/28/2017	0.003	<0.0020	<0.0020																	
	7/14/2016	0.11	0.01	0.14	<0.020	<0.020	0.0047	0.0037	0.067	0.033	0.019	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/15/2016.																					
	6/24/2009	0.38																			
<b>Location: 105</b>																					
	6/29/2009	ND																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 106</b>																					
	7/8/2009	0.13																			
Non-response to sampling offer in Ongoing 2016 Program.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 107</b>																					
-DUP	7/30/2009	0.28																			
Non-response to sampling offer in Ongoing 2016 Program.																					
	7/30/2009	0.29																			
Non-response to sampling offer in Ongoing 2016 Program.																					
<b>Location: 108</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/16/2021	<0.0020	<0.0020	<0.0020																	
PT	9/8/2021	0.043	<0.0020	<0.0020																	
BED1	9/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/15/2020	<0.0020	<0.0020	<0.0020																	
PT	9/15/2020	0.042	<0.0020	<0.0020																	
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
PRE	10/31/2019	0.041	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.15	0.066	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.13	0.066	0.050 J	<0.0020
GAC installed 01/06/2020.																					
POST	10/31/2019	0.040	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.16	0.068	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.15	0.071	0.057 J	<0.0020
GAC installed 01/06/2020.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PRE-DUP	10/31/2019	0.041	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.16	0.067	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.14	0.067	0.046 J	<0.0020
GAC installed 01/06/2020.																					
	8/31/2016	0.029	<0.0020	<0.0020	<0.020 UJ	<0.020 UJ	0.0025	<0.0020	0.14	0.048	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	9/23/2009	NQ																			
<b>Location: 109</b>																					
	5/3/2021	<0.0020	<0.0020	<0.0020																	
	8/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					<0.0040	
	9/25/2009	ND																			
<b>Location: 110</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020																	
	7/22/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	7/22/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	10/5/2009	ND																			
<b>Location: 111</b>																					
	7/8/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	11/4/2009	ND																			
<b>Location: 112</b>																					
	7/1/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 113</b>																					
BED1	11/11/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/07/2021 - 5yr.																					
BED1	8/26/2021	<0.0020	<0.0020	<0.0020																	
PT	8/26/2021	0.17	<0.0020	<0.0020																	
BED1	4/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.12	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2019	<0.0020	<0.0020	<0.0020																	
PT	9/16/2019	0.12	<0.0020	<0.0020																	
BED1	4/12/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																	
PT	7/30/2018	0.16	<0.0020	<0.0020																<0.0040	
BED1	7/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/2/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2017	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2017	<0.0020	<0.0020	<0.0020																	
PT	9/7/2017	0.16	<0.0020	<0.0020																	
BED1	6/27/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																	
BED2	12/29/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
BED1-DUP	12/29/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
BED1	12/29/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	7/6/2016	0.13	<0.0020	<0.0020	<0.020	<0.020	0.0021 J	<0.0020	0.13	0.078	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/30/2016.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 114</b>																					
	7/11/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 115</b>																					
BED1	12/6/2021	<0.0020	<0.0020	<0.0020																	
PT	9/20/2021	0.033	<0.0020	<0.0020																	
BED1	9/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/20/2019	<0.0020	<0.0020	<0.0020																	
PT	7/2/2019	0.013	<0.0020	<0.0020																	
BED1	7/2/2019	<0.0020	<0.0020	<0.0020																	
-DUP	4/10/2019	0.026	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.038	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/21/2019.																					
	4/10/2019	0.026	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.04	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/21/2019.																					
	7/11/2016	0.036	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.052	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	7/11/2016	0.037	<0.0020	<0.0020	<0.020	<0.020	0.0026 J	<0.0020	0.05	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 116</b>																					
	7/12/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 117</b>																					
	7/12/2016	0.0097 J	<0.0020	<0.0020	<0.020	<0.020	0.002	<0.0020	0.032	0.0083	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	7/12/2016	0.011 J	<0.0020	<0.0020	<0.020	<0.020	0.002	<0.0020	0.032	0.0086	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 118</b>																					
	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 119</b>																					
	2/25/2021	<0.0020	<0.0020	<0.0020																	
-DUP	2/25/2021	<0.0020	<0.0020	<0.0020																	
	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0083	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 120</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020																	
	7/14/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 121</b>																					
BED1	11/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/24/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/24/2021	0.071	0.0034	0.0091																	
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
PT	9/3/2020	0.069	0.0033	0.0093																	
BED1	9/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2019	<0.0020	<0.0020	<0.0020																	
PT	8/30/2019	0.08	0.0032	0.007																	
BED1	5/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	9/10/2018	0.080	0.0024	0.0063																	<0.0040	
BED1	9/10/2018	<0.0020	<0.0020	<0.0020																		
BED1	6/21/2018	<0.0020	<0.0020	<0.0020																		
BED1	3/22/2018	<0.0020	<0.0020	<0.0020																		
BED1	12/21/2017	<0.0020	<0.0020	<0.0020																		
PT	8/25/2017	0.088	0.0027 B	0.0059																		
BED1	8/25/2017	<0.0020	<0.0020	<0.0020																		
BED1	6/21/2017	<0.0020	<0.0020	<0.0020																		
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																		
	7/14/2016	0.08	0.0025	0.0042	<0.020	<0.020	<0.0020	<0.0020	0.045	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 12/27/2016.																						
<b>Location: 122</b>																						
BED1	11/12/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	7/13/2021	<0.0020	<0.0020	<0.0020																		
BED1	7/13/2021	<0.0020	<0.0020	<0.0020																		
PT	7/13/2021	0.21	<0.0020	0.0041																		
BED1	4/5/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/4/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.19	<0.0020	0.0053																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/12/2019	<0.0020	<0.0020	<0.0020																	
PT	9/12/2019	0.083	0.0020	0.0066																	
BED1	5/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2018	<0.0020	<0.0020	<0.0020																	
PT	8/27/2018	0.14	<0.0020	0.0049																	<0.0040
BED1	8/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/1/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/21/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
PT	9/20/2017	0.13	<0.0020	0.0046																	
	7/21/2016	0.14	<0.0020	0.003	<0.020	<0.020	0.0048	<0.0020	0.13	0.087	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/16/2017.																					
<b>Location: 123</b>																					
	3/12/2021	<0.0020	<0.0020	<0.0020																	
-DUP	3/12/2021	<0.0020	<0.0020	<0.0020																	
	7/22/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 124</b>																					
	8/3/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 125</b>																					
	8/10/2016	<0.0020	0.0028	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 126</b>																					
	3/12/2021	<0.0020	<0.0020	<0.0020																	
	8/10/2016	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 127</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
PT	9/2/2021	0.053	0.0021 J	0.016																	
BED1	9/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.054	0.0020	0.014																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
PT	8/2/2019	0.069	0.0021	0.014																	
BED1	8/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/7/2018	0.074	0.0020	0.013																	<0.0040
BED1	8/7/2018	<0.0020	<0.0020	<0.0020																	
PT	5/8/2018																				<0.010
BED1	5/8/2018																				<0.010
BED1	5/8/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
PT	9/11/2017	0.073	0.0026	0.011																	
BED1	9/11/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/20/2017	<0.0020	<0.0020	<0.0020																	
BED1	3/27/2017	<0.0020	<0.0020	<0.0020																	
-DUP	9/26/2016	0.083	0.0053 J	0.0088	<0.020	<0.020	<0.0020	<0.0020	0.072	0.034	0.0028	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/14/2016.																					
	9/26/2016	0.084	0.0021 J	0.0085	<0.020	<0.020	<0.0020	<0.0020	0.074	0.034	0.0027	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/14/2016.																					
<b>Location: 128</b>																					
	11/15/2016	0.054	0.016	0.0045	<0.020	<0.020	0.0065	<0.0020	0.057	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 04/18/2017.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 129</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.057	0.0045	0.015																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.057	0.0038	0.0094																	
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/28/2019	<0.0020	<0.0020	<0.0020																	
PT	8/28/2019	0.066	0.0035	0.011																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2018	<0.0020	<0.0020	<0.0020																	
PT	8/24/2018	0.073	0.0030	0.011																<0.0040	
BED1	8/24/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/17/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/21/2017	<0.0020	<0.0020	<0.0020																	
PT	9/21/2017	0.073	0.004	0.011																	
BED1-DUP	9/21/2017	<0.0020	<0.0020	<0.0020																	
BED1	9/21/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2017	<0.0020	<0.0020	<0.0020																	
-DUP	12/14/2016	0.067	0.0045	0.0077	<0.020	<0.020	<0.0020	<0.0020	0.051	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/17/2017.																					
	12/14/2016	0.068 J	0.0046 J	0.0079 J	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	0.053 J	0.026 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 02/17/2017.																					
<b>Location: 130</b>																					
	1/23/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	1/23/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 131</b>																					
	12/7/2020	0.0099	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.024	0.0060	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	12/7/2020	0.010	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.024	0.0065	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	2/3/2017	0.0021 J	<0.0020 U	<0.0020 U	<0.020 U	<0.020 UJ	<0.0020 U	<0.0020 U	0.0074	<0.0020 U	<0.0020 UJ	<0.0020 UJ	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U					
<b>Location: 132</b>																					
	3/17/2021	<0.0020	<0.0020	<0.0020																	
	2/3/2017	<0.0020	<0.0020	<0.0020 U	<0.020 UJ	<0.020 UJ	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 UJ	<0.0020 UJ	<0.0020 U	<0.0020 U	<0.0020 U	0.0038					
<b>Location: 133</b>																					
BED1	10/13/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	7/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2021	<0.0020	<0.0020	<0.0020																	
PT	7/16/2021	0.013	<0.0020	<0.0020																	
	3/17/2021	0.039	0.0051 J	0.0023																	
GAC installed 06/23/2021.																					
	2/3/2017	0.0045 J	<0.0020 U	<0.0020	<0.020 U	<0.020 U	<0.0020 U	<0.0020 U	0.015	0.0031	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U					
-DUP	2/3/2017	0.0043 J	<0.0020 U	<0.0020 U	<0.020 U	<0.020 U	<0.0020 U	<0.0020 U	0.015	0.0031	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U					
<b>Location: 134</b>																					
	3/16/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	2/3/2017	<0.0020 U	<0.0020 U	<0.0020 U	<0.020 U	<0.020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
<b>Location: 135</b>																					
BED1	10/12/2021	<0.0020	<0.0020	<0.0020																	
PT	7/20/2021	0.066	<0.0020	0.0029																	
BED1	7/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/4/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.073	<0.0020	0.0038																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/6/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/6/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/6/2019	0.091	<0.0020	0.0034																	
BED1	6/27/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/20/2018	<0.0020	<0.0020	<0.0020																	
PT	8/20/2018	0.10	0.0021	0.0034																	<0.0040
BED1	5/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/20/2018	<0.0020	<0.0020	<0.0020																	
BED2	12/12/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2017	0.12	0.0025	0.0039																	
PT	9/20/2017	0.12	0.0026	0.0032																	
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
BED1	6/27/2017	<0.0020	<0.0020	<0.0020																	
	2/3/2017	0.13 J	0.0032 J	0.0031	<0.020 U	<0.020 U	0.0029	<0.0020 U	0.073	0.034	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U						
GAC installed 03/29/2017.																					
<b>Location: 136</b>																					
BED1	11/3/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/17/2021	0.055	<0.0020	0.0026																	
BED1	8/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/30/2020	<0.0020	<0.0020	<0.0020																	
PT	8/3/2020	0.052	<0.002	0.0035																	
BED1	8/3/2020	<0.002	<0.002	<0.002																	
BED1	6/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/30/2019	<0.0020	<0.0020	<0.0020																	
PT	7/30/2019	0.046	<0.0020	0.0026																	
BED1	4/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	8/28/2018	0.052	<0.0020	<0.0020																	<0.0040	
BED1	8/28/2018	<0.0020	<0.0020	<0.0020																		
BED1	5/21/2018	<0.0020	<0.0020	<0.0020																		
BED1	3/14/2018	<0.0020	<0.0020	<0.0020																		
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																		
PT	9/29/2017	0.055	<0.0020	<0.0020																		
Carbon Changeout 08/23/2017 - Fe.																						
BED1	9/29/2017	<0.0020	<0.0020	<0.0020																		
Carbon Changeout 08/23/2017 - Fe.																						
BED1	6/23/2017	<0.0020	<0.0020	<0.0020																		
	2/3/2017	0.045 J	<0.0020 U	<0.0020 U	<0.020 U	<0.020 U	<0.0020 U	<0.0020 U	0.044	0.018	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U	<0.0020 U							
GAC installed 03/07/2017.																						
<b>Location: 137</b>																						
	2/14/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 138</b>																						
	3/12/2021	<0.0020	<0.0020	<0.0020																		
	2/14/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 139</b>																						
POST	3/17/2021	0.0065	0.0070 J	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PRE	3/17/2021	0.011	<0.0020	<0.0020																	
	2/14/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 140</b>																					
BED2	11/8/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/8/2021	0.0042	<0.0020	<0.0020																	
BED1	11/8/2021	0.0053	<0.0020	<0.0020																	
BED1	7/23/2021	0.0056	<0.0020	<0.0020																	
PT	7/23/2021	0.049	0.011	0.017																	
BED2	7/23/2021	<0.0020	<0.0020	<0.0020																	
BED2	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/5/2021	0.0045	<0.0020	<0.0020																	
BED2	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	0.0065	<0.0020	<0.0020																	
BED1	11/9/2020	0.0021	<0.0020	<0.0020																	
PT	9/9/2020	0.063	0.011	0.019																	
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.078	0.012	0.020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	
PT	9/17/2018	0.060	0.011	0.015																	<0.0040
BED1	9/17/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/15/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/15/2017	<0.0020	<0.0020	<0.0020																	
PT	9/29/2017	0.077	0.009	0.012																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/29/2017	<0.0020	<0.0020	<0.0020																	
	2/14/2017	0.088	0.01	0.014	<0.020	<0.020	0.01	0.0025	0.11	0.05	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/19/2017.																					
<b>Location: 141</b>																					
	2/14/2017	0.11	0.0078	0.014	<0.020	<0.020	0.0022	<0.0020	0.068	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Permanent bottled water.																					
-DUP	2/14/2017	0.11	0.0075	0.013	<0.020	<0.020	0.0022	<0.0020	0.065	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Permanent bottled water.																					
<b>Location: 142</b>																					
BED1	10/19/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.0056	<0.0020	<0.0020																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
PT	8/26/2020	0.053	<0.0020	0.0042																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/20/2019	<0.0020	<0.0020	<0.0020																	
PT	8/20/2019	0.068	<0.0020	0.0037																	
BED1	4/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
PT	8/2/2018	0.071	<0.0020	0.0048																<0.0040	
BED1	8/2/2018	<0.0020	<0.0020	<0.0020																	
PT	5/8/2018																				<0.010
BED1	5/8/2018																				<0.010
BED1	5/8/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
PT	9/7/2017	0.13	0.006	0.031																	
BED1	9/7/2017	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/27/2017	<0.0020	<0.0020	<0.0020																	
	2/14/2017	0.082	<0.0020	0.0023	<0.020	<0.020	<0.0020	<0.0020	0.059	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/22/2017.																					
<b>Location: 143</b>																					
	3/16/2021	<0.0020	<0.0020	<0.0020																	
-DUP	3/16/2021	<0.0020	<0.0020	<0.0020																	
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 144</b>																					
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 145</b>																					
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 146</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020																	
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0022 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 147</b>																					
	3/16/2021	<0.0020	<0.0020	<0.0020																	
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 148</b>																					
	2/20/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 149</b>																					
BED1-DUP	11/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.065	0.0060	0.0041																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/21/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.064	0.0041	0.0029																	
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/25/2019	<0.0020	<0.0020	<0.0020																	
PT	8/1/2019	0.072	0.0049	0.0037																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/17/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/17/2018	<0.0020	<0.0020	<0.0020																	
PT	9/17/2018	0.065	0.0092	0.0048																	<0.0040
BED1	6/25/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/25/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/23/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/15/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/15/2017	<0.0020	<0.0020	<0.0020																	
PT	9/20/2017	0.072	0.0091	0.0064																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
-DUP	2/20/2017	0.06	0.0085	0.0036	<0.020	<0.020	0.002	<0.0020	0.056	0.032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/21/2017.																					
	2/20/2017	0.061	0.0083	0.0038	<0.020	<0.020	<0.0021	<0.0020	0.057	0.031	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/21/2017.																					
<b>Location: 150</b>																					
	2/20/2017	0.038 B	0.0077	0.0076	<0.020	<0.020	0.0041	<0.0020	0.034 B	0.018 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Bottled water, then new well installed (Regulatory Location ID #385) and not qualified so bottled water discontinued.																					
<b>Location: 151</b>																					
BED1	6/6/2019	<0.0020	<0.0020	<0.0020																	
PWS connection 06/13/2019. GAC removed 06/21/2019.																					
BED1-DUP	6/6/2019	<0.0020	<0.0020	<0.0020																	
PWS connection 06/13/2019. GAC removed 06/21/2019.																					
BED1	2/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/13/2018	<0.0020	<0.0020	<0.0020																	
PT	7/13/2018	0.020	<0.0020	<0.0020																<0.0040	
BED1	4/30/2018	<0.0020	<0.0020	<0.0020																	
	2/20/2017	0.02 B	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0082 B	0.005 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/21/2017.																					
<b>Location: 152</b>																					
	2/27/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 153</b>																					
	2/27/2017	0.078	0.0074	0.018	<0.020	<0.020	0.014	<0.0020	0.062	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 04/06/2017.																					
-DUP	2/27/2017	0.077	0.0076	0.018	<0.020	<0.020	0.013	<0.0020	0.062	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 04/06/2017.																					
<b>Location: 154</b>																					
BED1	12/9/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/15/2021	<0.0020	<0.0020	<0.0020																	
PT	9/15/2021	0.055	0.0020	0.0084																	
BED1-DUP	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.055	0.0021	0.0073																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/19/2019	<0.0020	<0.0020	<0.0020																	
PT	9/19/2019	0.060	0.0022	0.0069																	
BED1-DUP	6/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
PT	9/13/2018	0.063	0.0024	0.0061																	<0.0040
BED1	9/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/5/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/14/2017	<0.0020	<0.0020	<0.0020																	
PT	9/6/2017	0.062	0.0027	0.0059																	
BED1	9/6/2017	<0.0020	<0.0020	<0.0020																	
	2/27/2017	0.059	0.0027	0.0053	<0.020	<0.020	<0.0020	<0.0020	0.051	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/03/2017.																					
<b>Location: 155</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/8/2021	<0.0020	<0.0020	<0.0020																	
PT	9/8/2021	0.022	<0.0020	<0.0020																	
BED1	6/24/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/13/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.018	<0.0020	<0.0020																	
Split sampling for method comparison.																					
PT	8/11/2020	0.018	<0.0020	<0.0020																	
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.0094	<0.0020	<0.0020																	
BED1	5/21/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	2/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/3/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2018	<0.0020	<0.0020	<0.0020																	
PT	7/16/2018	0.0054	<0.0020	<0.0020																	<0.0040
BED1	4/18/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/18/2018	<0.0020	<0.0020	<0.0020																	
	2/27/2017	0.015	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.034	0.0084	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/07/2018.																					
<b>Location: 156</b>																					
	3/4/2021	<0.0020	<0.0020	<0.0020																	
	2/27/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 157</b>																					
	5/13/2021	<0.0020	<0.0020	<0.0020																	
-DUP	5/13/2021	<0.0020	<0.0020	<0.0020																	
	3/3/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	3/3/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 158</b>																					
	3/19/2021	<0.0020	<0.0020	<0.0020																	
	3/3/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 159</b>																					
	3/17/2017	0.01 J	<0.0020 UJ	<0.0020 UJ	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	0.011 J	0.0052 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
-DUP	3/17/2017	0.01	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.011	0.0053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 160</b>																					
	4/21/2021	<0.0020	<0.0020	<0.0020																	
-DUP	4/21/2021	<0.0020	<0.0020	<0.0020																	
	3/23/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 161</b>																					
BED1-DUP	12/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/2/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.085	0.038 J	0.025																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/29/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/21/2019	<0.0020	<0.0020	<0.0020																	
PT	8/21/2019	0.10	0.032	0.025																	
BED1	5/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																	
PT	7/30/2018	0.077	0.022	0.015																<0.0040	
BED1	7/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/8/2018	<0.0020	<0.0020	<0.0020																	
PT	5/8/2018																				<0.010
BED1	5/8/2018																				<0.010

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	2/28/2018				0.0021 J	0.00064	0.011	0.0018	0.043	0.026	0.0011	<0.00040	<0.00040	<0.00040	<0.00040			0.034	0.021		
February-March 2018 branched and linear study sample.																					
BED1	2/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
PT	9/20/2017	0.085	0.026	0.019																	
BED1-DUP	9/20/2017	<0.0020	<0.0020	<0.0020																	
BED1	9/20/2017	<0.0020	<0.0020	<0.0020																	
-DUP	3/23/2017	0.079	0.022	0.022	<0.020	<0.020	0.018	0.0032	0.056	0.035	0.0025	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/10/2017.																					
	3/23/2017	0.079	0.022	0.022	<0.020	<0.020	0.019	0.0031	0.056	0.034	0.0022	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/10/2017.																					
<b>Location: 162</b>																					
BED1	11/11/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/21/2021 - 5yr.																					
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.062	0.0048 J	0.011																	
BED1	5/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/2/2020	0.059 J	0.0065 J	0.0082 J																	
BED1-DUP	9/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/11/2019	0.051	0.0053	0.0043																	
BED1-DUP	9/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2018	<0.0020	<0.0020	<0.0020																	
PT	8/2/2018	0.047	0.0036	0.0028																<0.0040	
BED1	4/25/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED2	12/11/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/11/2017	0.0022	<0.0020	<0.0020																	
BED1	9/27/2017	<0.0020	<0.0020	<0.0020																	
PT	9/27/2017	0.075	0.0033	0.0045 B																	
	3/28/2017	0.065	0.0044	0.0035	<0.020	<0.020	<0.0020	<0.0020	0.051	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/11/2017.																					
<b>Location: 163</b>																					
	4/11/2017	0.066	0.0064	0.0078	<0.020 UJ	<0.020 UJ	0.0059	<0.002	0.061	0.038	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020						
PWS connection 11/28/2017.																					
-DUP	4/11/2017	0.06	0.0058	0.0076	<0.020	<0.020 UJ	0.0059	0.002	0.057	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 11/28/2017.																					
<b>Location: 164</b>																					
BED1	11/23/2021	0.0026	<0.0020	<0.0020																	
BED2	11/23/2021	<0.0020	<0.0020	<0.0020																	
PT	9/17/2021	0.067	<0.0020	0.0043																	
BED1	9/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/21/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/21/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/6/2019	<0.0020	<0.0020	<0.0020																	
PT	9/6/2019	0.079	<0.0020	0.0027																	
BED1	5/30/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/27/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/27/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/16/2018	<0.0020	<0.0020	<0.0020																	
PT	8/16/2018	0.073	<0.0020	0.0022																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/16/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/16/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/22/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/02/2017 - Fe.																					
BED1	12/22/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/02/2017 - Fe.																					
	4/11/2017	0.068	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.054	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/03/2017.																					
<b>Location: 165</b>																					
	4/21/2017	0.075	0.0075	0.0072	<0.020	<0.020	0.0024	<0.0020	0.074	0.043	0.0036	0.0029	<0.0020	<0.0020	<0.0020						
PWS connection 11/28/2017.																					
-DUP	4/21/2017	0.073	0.0075	0.0077	<0.020	<0.020	0.0021	0.002	0.074	0.044	0.0037	0.003	<0.0020	<0.0020	<0.0020						
PWS connection 11/28/2017.																					
<b>Location: 166</b>																					
	5/17/2017	<0.0020 UJ	0.002 J	<0.0020 UJ	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
<b>Location: 167</b>																					
	3/15/2021	<0.0020	<0.0020	<0.0020																	
-DUP	5/17/2017	<0.0020 UJ	0.0023 J	<0.0020 UJ	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
	5/17/2017	0.0037 J	<0.0020 UJ	<0.0020 UJ	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 168</b>																					
	5/17/2017	0.1 J	0.0071 J	0.0053 J	<0.020 UJ	<0.020 UJ	0.0022 J	0.0025 J	0.055 J	0.034 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
Declined treatment offer.																					
<b>Location: 169</b>																					
BED1	11/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.10	0.11	0.019																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/15/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.14	0.044	0.016																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/29/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/29/2019	0.12	0.059	0.014																	
BED1	5/29/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	
PT	8/15/2018	0.079	0.092	0.016																<0.0040	
BED1	8/15/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/9/2018																				<0.010
BED1	5/9/2018	<0.0020	<0.0020	<0.0020																	
PT	5/9/2018																				<0.010
BED1	2/28/2018	<0.0020	<0.0020	<0.0020																	
PT	2/28/2018				<0.00040	<0.00040	0.0052	0.0063	0.046	0.037	0.00075	<0.00040	<0.00040	<0.00040	<0.00040			0.045	0.031		
February-March 2018 branched and linear study sample.																					
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 08/23/2017 - Fe.																					
	5/17/2017	0.085 J	0.055 J	0.011 J	<0.020 UJ	<0.020 UJ	0.0037 J	0.015 J	0.069 J	0.036 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 07/06/2017.																					
<b>Location: 170</b>																					
BED1-DUP	10/27/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2021	<0.0020	<0.0020	<0.0020																	
PT	8/17/2021	0.070	0.0061	0.012																	
BED1	5/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/28/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.043	0.0023	0.0038																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/22/2019	<0.0020	<0.0020	<0.0020																	
PT	8/21/2019	0.064	0.0049	0.0067																	
BED1	8/21/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/21/2018	<0.0020	<0.0020	<0.0020																	
PT	8/21/2018	0.066	0.0046	0.0069																	<0.0040
BED1	5/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/14/2017	<0.0020	<0.0020	<0.0020																	
	5/17/2017	0.063 J	0.0047 J	0.0048 J	<0.020 UJ	<0.020 UJ	<0.0020 UJ	<0.0020 UJ	0.039 J	0.024 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 07/05/2017.																					
<b>Location: 171</b>																					
BED1	12/2/2021	<0.0020	<0.0020	<0.0020																	
PT	9/7/2021	0.18	0.0029	0.0054																	
BED1-DUP	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/12/2020	<0.0020	<0.0020	<0.0020																	
PT	8/12/2020	0.29	0.0070	0.0085																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																	
PT	9/3/2019	0.13	<0.0020	0.002																	
BED1	6/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/18/2018	<0.0020	<0.0020	<0.0020																	
PT	9/18/2018	0.082	0.0022	0.0028																	<0.0040
BED2	5/11/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/11/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
	5/17/2017	0.12 J	0.032 J	0.0027 J	<0.020 UJ	<0.020 UJ	0.0027 J	0.0083 J	0.089 J	0.066 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ						
GAC installed 07/31/2017.																					
<b>Location: 172</b>																					
BED1	11/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.080	0.0024 J	0.0075																	
BED1	6/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.064	0.0023	0.0036																	
BED1-DUP	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/20/2019	<0.0020	<0.0020	<0.0020																	
PT	9/19/2019	0.063	0.0021	0.0028																	
BED1	9/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/6/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/13/2018	0.041	<0.0020	0.0021																	<0.0040
BED1	8/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/02/2017 - Fe.																					
-DUP	5/18/2017	0.059 B	0.0097 B	0.003 B	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	0.039 B	0.023 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/12/2017.																					
	5/18/2017	0.058 B	0.019 B	0.0031 B	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	0.04 B	0.023 B	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/12/2017.																					
<b>Location: 173</b>																					
	5/30/2017	<0.0020	<0.0020	<0.0020	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	0.0044	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFA	PFDoA	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 174</b>																					
	5/30/2017	<0.0020	<0.0020	<0.0020	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 175</b>																					
BED1	12/13/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/13/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.043	0.020	0.0060																	
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/21/2020	<0.0020	<0.0020	<0.0020																	
PT	9/21/2020	0.062	0.029	0.0069																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/23/2019	0.061	0.026	0.0086																	
BED1	5/6/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	
PT	8/28/2018	0.065	0.041	0.0070																	<0.0040
BED1	8/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/21/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2017	<0.0020	<0.0020	<0.0020																	
	5/30/2017	0.064	0.045	0.0071	<0.020 UJ	<0.020 UJ	0.0066	0.009	0.045	0.028	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020						
GAC installed 08/01/2017.																					
<b>Location: 176</b>																					
	3/12/2021	<0.0020	<0.0020	<0.0020																	
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 177</b>																					
	4/19/2021	0.0043	<0.0020	<0.0020																	
	5/31/2017	0.0045	<0.0020	<0.0020	<0.020	<0.020	0.0065	<0.0020	0.0048	0.0023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 178</b>																					
	3/16/2021	<0.0020	<0.0020	<0.0020																	
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 179</b>																					
	5/7/2021	<0.0020	<0.0020	<0.0020																	
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 180</b>																					
	4/26/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
	6/11/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	6/11/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 181</b>																					
	4/21/2021	<0.0020	<0.0020	<0.0020																	
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 182</b>																					
	5/31/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFA	PFDa	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 183</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/7/2021	0.050	0.017	0.015																	
BED2	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2021	0.047	0.015	0.013																	
BED2	5/4/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/4/2021	0.052	0.020	0.015																	
BED1	5/4/2021	0.045	0.017	0.013																	
BED2	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	0.055	0.021	0.020																	
BED2	10/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/14/2020	0.061	0.020	0.019																	
BED1	8/12/2020	0.054 J	0.017	0.015																	
PT	8/12/2020	0.056	0.017	0.016																	
Split sampling for method comparison.																					
PT	8/12/2020	0.059	0.017	0.016																	
BED2	8/12/2020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
Split sampling for method comparison.																					
BED2	8/12/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/12/2020	0.058	0.016	0.016																	
	Split sampling for method comparison.																				
BED1-DUP	8/12/2020	0.054	0.017	0.014																	
BED1	6/23/2020	0.068	0.038	0.016																	
BED2	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/28/2019	0.050	0.019 J	0.015																	
BED2	10/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/24/2019	0.052	0.022	0.014																	
BED2	7/24/2019	<0.0020	<0.0020	<0.0020																	
PT	7/24/2019	0.058	0.022	0.015																	
BED2	4/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2019	0.049	0.011	0.013																	
BED2	2/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2019	0.055	0.0089	0.013																	
BED2	11/6/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/6/2018	0.060	0.0089	0.013																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED2	7/10/2018	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
BED1	7/10/2018	0.057	0.0088	0.011																	
PT	7/10/2018	0.063	0.0086	0.012																	<0.0040
PT	5/8/2018																				<0.010
BED1	5/8/2018																				<0.010
BED1	4/17/2018	0.065	0.01	0.011																	
BED2	4/17/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/28/2018	0.07	0.014	0.011																	
PT	2/28/2018				<0.00040	<0.00040	0.012	0.0020	0.037	0.025	0.0030	<0.00040	<0.00040	<0.00040	<0.00040			0.029	0.020		
February-March 2018 branched and linear study sample.																					
BED2	2/28/2018	<0.0020	<0.0020	<0.0020																	
BED2	12/12/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/06/2017 - Fe.																					
BED1	12/12/2017	0.075	0.012	0.011																	
Carbon Changeout 11/06/2017 - Fe.																					
	5/31/2017	0.096	0.019	0.0092	<0.020	<0.020	0.012	0.0041	0.044	0.028	0.0031	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/02/2017.																					
<b>Location: 184</b>																					
BED1	12/2/2021	<0.0020	<0.0020	<0.0020																	
PT	9/14/2021	0.075	0.072	0.011																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2021	<0.0020	<0.0020 UJ	<0.0020																	
BED1	10/14/2020	<0.0020	<0.0020	<0.0020																	
PT	8/10/2020	0.10	0.10	0.011																	
Split sampling for method comparison.																					
PT	8/10/2020	0.10	0.11	0.010																	
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/5/2019	<0.0020	<0.0020	<0.0020																	
PT	9/5/2019	0.12	0.061	0.010																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
PT	7/31/2018	0.077	0.050	0.0069																<0.0040	
BED1	7/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/2/2018	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2018	<0.0020	<0.0020	<0.0020																	
BED2	12/13/2017	<0.0020	<0.0020	<0.0020																	
BED1	12/13/2017	<0.0020	<0.0022	<0.0020																	
	5/31/2017	0.074	0.05	0.0048	<0.020	<0.020	0.0042	0.0062	0.073	0.049	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/24/2017.																					
<b>Location: 185</b>																					
	6/7/2017	0.085	0.0037	0.0022 J	<0.020 UJ	<0.020 UJ	0.027	0.0038	0.099	0.046	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0069						
Treatment incomplete/in progress - declined bottled water.																					
-DUP	6/7/2017	0.086	0.0039	0.0021 J	<0.020 UJ	<0.020 UJ	0.026	0.0038	0.094	0.046	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	0.0036						
Treatment incomplete/in progress - declined bottled water.																					
<b>Location: 186</b>																					
POST	5/21/2021	<0.0020	<0.0020	<0.0020																	
PRE	5/21/2021	<0.0020	<0.0020	<0.0020																	
	6/14/2017	<0.0020	<0.0020	<0.0020	<0.020 UJ	<0.020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0023	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFOA	PFOA	PFOA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
	5/18/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 187</b>																						
	6/21/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 188</b>																						
	3/16/2021	0.0036	0.0028	<0.0020																		
	6/23/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.002	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 189</b>																						
	3/26/2021	<0.0020	<0.0020	<0.0020																		
-DUP	3/26/2021	<0.0020	<0.0020	<0.0020																		
	6/28/2017	0.0026	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 190</b>																						
	3/12/2021	<0.0020	<0.0020	<0.0020																		
	7/5/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 191</b>																						
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																		
New well installed (Regulatory Location ID #399). Not qualified so GAC removed 06/20/2019.																						
PT	8/14/2018	0.070	0.0046	0.015																		<0.0040
BED1	8/14/2018	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/14/2018	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2017	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/08/2017 - Fe.																					
	7/12/2017	0.071	0.0053	0.016	<0.020	<0.020	<0.0020	<0.0020	0.031	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/08/2017.																					
<b>Location: 192</b>																					
	6/2/2021	0.0036 J	<0.0020	<0.0020 UJ																	
	7/13/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 193</b>																					
-DUP	6/30/2021	<0.0020	<0.0020	<0.0020																	
	6/30/2021	<0.0020	<0.0020	<0.0020																	
	7/18/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 194</b>																					
	12/18/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	8/8/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 195</b>																					
BED1	10/7/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.069	<0.0020	0.0028																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	7/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.067	<0.0020	0.0024																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/26/2019	<0.0020	<0.0020	<0.0020																	
PT	7/30/2019	0.074	<0.0020	<0.0020																	
BED1	7/30/2019	<0.0020	<0.0020	<0.0020																	
	12/18/2018	0.059	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.047	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/15/2019.																					
	8/8/2017	0.047	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.046	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 196</b>																					
	3/16/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	8/10/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	8/10/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	6/8/2017	0.084	0.0027	0.017	<0.020 UJ	<0.020 UJ	0.0066	<0.0020	0.061	0.03	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	0.0028						
Results for this sample may be results for a different location due to mislabeling.																					
<b>Location: 197</b>																					
	8/10/2017	0.024	<0.0020	0.0053	<0.020	<0.020	<0.0020	<0.0020	0.023	0.0094	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
New well installed, sampled and not qualified for treatment (Regulatory Location ID #296).																					
<b>Location: 198</b>																					
BED1	10/27/2021	<0.0020	<0.0020	<0.0020																	
PT	8/18/2021	0.058	0.017	0.0069																	
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.058	0.024	0.0047																	
BED1-DUP	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/24/2019	<0.0020	<0.0020	<0.0020																	
PT	7/24/2019	0.080	0.017	0.0053																	
BED1	4/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/13/2018	0.079	0.021	0.0054																	<0.0040
BED1	8/13/2018	<0.0020	<0.0020	<0.0020																	
	5/11/2018	<0.0020	<0.0020	<0.0020																	
BED1	3/16/2018	<0.0020	<0.0020	<0.0020																	
-DUP	9/12/2017	0.082	0.02	0.0048	<0.020	<0.020	0.0022	0.0035	0.052	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/16/2017.																					
	9/12/2017	0.08	0.02	0.005	<0.020	<0.020	0.0022	0.0036	0.05	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/16/2017.																					
<b>Location: 199</b>																					
	9/19/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 200</b>																					
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																	
PT	8/24/2021	0.017	0.016	<0.0020																	
BED1	8/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/23/2020	<0.0020	<0.0020	<0.0020																	
PT	9/23/2020	0.017	0.021	<0.0020																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/23/2019	<0.0020	<0.0020	<0.0020																	
PT	7/19/2019	0.014	0.024	<0.0020																	
BED1	7/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/11/2019	<0.0020	<0.0020	<0.0020																	
	10/26/2018	0.014	0.016	<0.0020	<0.020	<0.020	<0.0020	0.0057	0.014	0.0062	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

GAC installed 01/30/2019.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	10/17/2017	0.012	0.015	<0.0020	<0.020	<0.020	<0.0020	0.0054	0.012	0.0053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 201</b>																					
PRE	3/12/2021	<0.0020	<0.0020	<0.0020																	
POST	3/12/2021	<0.0020	<0.0020	<0.0020																	
	10/26/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 202</b>																					
	10/26/2017	0.0026	<0.0020	0.0022	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 203</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020																	
	10/26/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 204</b>																					
BED1	11/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/26/2021	0.035	0.0047	0.0023																	
BED1	8/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/13/2020 - Fe.																					
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/4/2020	<0.002	<0.002	<0.002																	
PT	8/4/2020	0.032	0.0042	<0.002																	
BED1	3/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/11/2019	<0.0020	<0.0020	<0.0020																	
PT	9/11/2019	0.034	0.0036	<0.0020																	
BED1	5/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/9/2018	<0.0020	<0.0020	<0.0020																	
PT	7/9/2018	0.029	0.0037	<0.0020																	<0.0040
	10/26/2017	0.026	0.004	<0.0020	<0.020	<0.020	0.0022	0.0051	0.029	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/10/2018.																					
<b>Location: 205</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2021	<0.0020	<0.0020	<0.0020																	
PT	9/2/2021	0.072	0.0070 J	0.013																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	5/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.060	0.0064	0.022																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																	
PT	7/25/2019	0.081	0.0078	0.021																	
BED1	7/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/25/2018	<0.0020	<0.0020	<0.0020																	
PT	7/12/2018	0.061	0.0051	0.0043																	<0.0040
BED1	7/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/12/2018	<0.0020	<0.0020	<0.0020																	
	10/26/2017	0.068	0.0043	0.0036	<0.020	<0.020	0.0025	<0.0020	0.056	0.036	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/17/2018.																					
<b>Location: 206</b>																					
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.050	0.0027 J	0.0080																	
BED1	6/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
PT	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/5/2019	<0.0020	<0.0020	<0.0020																	
PT	8/5/2019	0.070	0.0034	0.012																	
BED1-DUP	4/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																	
PT	7/12/2018	0.10	0.0045	0.019																<0.0040	
BED1	7/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/8/2018																				<0.010
PT	5/8/2018																				<0.010
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	
	10/26/2017	0.098	0.0043	0.019	<0.020	<0.020	0.0038	<0.0020	0.075	0.044	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/31/2018.																					
<b>Location: 207</b>																					
BED1-DUP	10/18/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/18/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.059	0.015	0.0046																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.052	0.0064	0.0030																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/8/2019	<0.0020	<0.0020	<0.0020																	
PT	7/8/2019	0.054	0.0063	0.0029																	
BED1	4/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/15/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/17/2018	<0.0020	<0.0020	<0.0020																	
PT	7/17/2018	0.059	0.0071	0.0021																<0.0040	
BED1	4/17/2018	<0.0020	<0.0020	<0.0020																	
	10/27/2017	0.054	0.0088	0.0029	<0.020	<0.020	0.0045	0.0027	0.047	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/02/2018.																					
<b>Location: 208</b>																					
BED1	10/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.046	0.0021	<0.0020																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.038	<0.0020	<0.0020																	
BED1	6/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																	
PT	7/23/2019	0.036	<0.0020	<0.0020																	
BED1	7/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																	
PT	7/13/2018	0.022	<0.0020	<0.0020																	<0.0040
BED1	7/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/20/2018	<0.0020	<0.0020	<0.0020																	
	10/27/2017	0.032	<0.0020	<0.0020	<0.020	<0.020	<0.0020	0.0023	0.034	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/13/2018.																					
<b>Location: 209</b>																					
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.044	0.0051	0.0025																	
BED1-DUP	8/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/11/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/28/2020	<0.0020	<0.0020	<0.0020																	
PT	9/28/2020	0.037	0.0047	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/9/2020	<0.0020	<0.0020	<0.0020																	
PT	9/27/2019	0.040	0.0045	0.0022																	
BED1	9/27/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2018	<0.0020	<0.0020	<0.0020																	
PT	7/10/2018	0.039	0.0041	<0.0020																	<0.0040
BED1	7/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/20/2018	<0.0020	<0.0020	<0.0020																	
	10/27/2017	0.039	0.0036	<0.0020	<0.020	<0.020	<0.0020	0.0032	0.037	0.018	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

GAC installed 01/19/2018.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	10/27/2017	0.038	0.0036	<0.0020	<0.020	<0.020	<0.0020	0.003	0.036	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/19/2018.																					
<b>Location: 210</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.067	0.0071	0.013																	
BED1	6/7/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	
PT	9/9/2020	0.064	0.0052	0.0084																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2019	<0.0020	<0.0020	<0.0020																	
PT	8/23/2019	0.055	0.0047	0.0064																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2018	<0.0020	<0.0020	<0.0020																	
PT	8/23/2018	0.056	0.0077	0.0094																	<0.0040
	10/27/2017	0.068	0.0058	0.0074	<0.020	<0.020	0.0034	<0.0020	0.042	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/30/2018.																					
<b>Location: 211</b>																					
BED1	12/2/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.048	0.011 J	0.0094																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/21/2020	<0.0020	<0.0020	<0.0020																	
PT	9/21/2020	0.046	0.011	0.0070																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/21/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/12/2019	<0.0020	<0.0020	<0.0020																	
PT	9/12/2019	0.063	0.014	0.0097																	
BED1	5/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	
PT	8/30/2018	0.052	0.010	0.0075																	<0.0040
BED1	8/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	
	10/27/2017	0.06	0.01	0.0077	<0.020	<0.020	0.0021	<0.0020	0.038	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/01/2018.																					
<b>Location: 212</b>																					
	3/19/2021	<0.0020	<0.0020	<0.0020																	
-DUP	3/19/2021	<0.0020	<0.0020	<0.0020																	
	10/30/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 213</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.032	<0.0020	0.0040																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.18	<0.0020	0.016																	
BED1-DUP	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2019	<0.0020	<0.0020	<0.0020																	
PT	9/6/2019	0.039	<0.0020	0.0035																	
BED1	9/6/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/8/2019	<0.0020	<0.0020	<0.0020																	
BED2	10/22/2018	<0.0020	<0.0020	<0.0020																	
BED1	10/22/2018	0.045	<0.0020	0.0034																	
PT	7/10/2018	0.23	<0.0020	0.011																<0.0040	
BED1	7/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/12/2018	<0.0020	<0.0020	<0.0020																	
	10/30/2017	0.047	<0.0020	0.0026	<0.020	<0.020	<0.0020	<0.0020	0.024	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/10/2018.																					
<b>Location: 214</b>																					
BED1	10/5/2021	<0.0020	<0.0020	<0.0020																	
PT	7/8/2021	0.024	0.0021	<0.0020																	
BED1-DUP	7/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/8/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/11/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.024	0.0032	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2019	<0.0020	<0.0020	<0.0020																	
PT	7/15/2019	0.028	0.0025	<0.0020																	
BED1	7/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/18/2019	0.0026	<0.0020	<0.0020																	
BED1	12/12/2018	<0.0020	<0.0020	<0.0020																	
PT	8/27/2018	0.018	0.0032	<0.0020																	<0.0040
BED1	8/27/2018	<0.0020	<0.0020	<0.0020																	
	10/30/2017	0.017	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.018	0.0084	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/20/2018.																					
<b>Location: 215</b>																					
BED1	11/4/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/20/2021	0.070	0.011	0.0062																	
BED1-DUP	8/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/17/2020	0.053	0.012	0.0055																	
BED1-DUP	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/10/2019	<0.0020	<0.0020	<0.0020																	
PT	7/10/2019	0.063	0.0099	0.0042																	
BED1	4/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	1/16/2019	<0.0020	<0.0020	<0.0020																		
BED1-DUP	1/16/2019	<0.0020	<0.0020	<0.0020																		
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	10/29/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	7/18/2018	<0.0020	<0.0020	<0.0020																		
BED1	7/18/2018	<0.0020	<0.0020	<0.0020																		
PT	7/18/2018	0.050	0.0087	0.0035																		<0.0040
BED1-DUP	4/13/2018	<0.0020	<0.0020	<0.0020																		
BED1	4/13/2018	<0.0020	<0.0020	<0.0020																		
	10/30/2017	0.049	0.0092	0.0033	<0.020	<0.020	<0.0020	0.004	0.044	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 01/16/2018.																						
<b>Location: 216</b>																						
BED1	10/7/2021	<0.0020	<0.0020	<0.0020																		
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																		
PT	7/14/2021	0.049	0.0020	0.0025																		
BED1	4/12/2021	<0.0020	<0.0020	<0.0020																		
BED2	1/21/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/21/2021	0.0034	<0.0020	<0.0020																	
BED1	10/7/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.036	<0.0020	0.0025																	
BED1	6/5/2020	0.0042	<0.0020	<0.0020																	
BED1	2/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/21/2019	0.049	0.0057	0.0029																	
BED1	8/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/24/2018	<0.0020	<0.0020	<0.0020																	<0.0040
PT	7/24/2018	0.058	0.0029	0.0042																	0.048
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	10/30/2017	0.027	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.032	0.018	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/19/2018.																					
<b>Location: 217</b>																					
BED1	10/12/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/12/2021	<0.0020	<0.0020	<0.0020																	
PT	7/19/2021	0.080	0.0035	0.015																	
BED2	7/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/19/2021	0.015	<0.0020	<0.0020																	
BED1	4/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/27/2020	<0.0020	<0.0020	<0.0020																	
PT	8/27/2020	0.091	0.0037 J	0.015 J																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/21/2019	0.091	0.0064	0.016																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/13/2018	<0.0020	<0.0020	<0.0020																	
PT	7/13/2018	0.093	0.0037	0.014																	<0.0040
BED1	4/13/2018	<0.0020	<0.0020	<0.0020																	
	10/30/2017	0.089	0.004	0.013	<0.020	<0.020	0.003	<0.0020	0.076	0.046	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/16/2018.																					
<b>Location: 218</b>																					
BED1	10/22/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/22/2021	<0.0020	<0.0020	<0.0020																	
PT	7/23/2021	0.086	0.0058	0.0075																	
BED1	7/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/26/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/7/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/7/2020	<0.0020	<0.0020	<0.0020																	
PT	8/3/2020	0.063	0.0065	0.0072																	
BED1	8/3/2020	<0.002	<0.002	<0.002																	
BED1	6/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/15/2019	<0.0020	<0.0020	<0.0020																	
PT	7/15/2019	0.082	0.0078	0.0074																	
BED1	4/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/5/2018	<0.0020	<0.0020	<0.0020																	
PT	7/30/2018	0.073	0.0097	0.0076																	<0.0040
BED1-DUP	7/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/30/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	4/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/12/2018	<0.0020	<0.0020	<0.0020																	
	10/31/2017	0.078	0.0075	0.0069	<0.020	<0.020	0.0029	0.0024	0.058	0.037	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/25/2018.																					
<b>Location: 219</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/20/2021	<0.0020	<0.0020	<0.0020																	
PT	9/20/2021	0.041	0.0022	<0.0020																	
BED1-DUP	9/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.053	0.0028	<0.0020																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/5/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/9/2019	<0.0020	<0.0020	<0.0020																	
PT	7/9/2019	0.040	0.0026	<0.0020																	
BED1	4/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2018	<0.0020	<0.0020	<0.0020																	
PT	7/11/2018	0.041	0.0028	<0.0020																	<0.0040
BED1	7/11/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/12/2018	<0.0020	<0.0020	<0.0020																	
	10/31/2017	0.042	0.003	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.042	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/25/2018.																					
<b>Location: 220</b>																					
BED1	10/6/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/6/2021	<0.0020	<0.0020	<0.0020																	
PT	7/19/2021	0.026	<0.0020	<0.0020																	
BED1-DUP	7/19/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/3/2020	<0.002	<0.002	<0.002																	
PT	8/3/2020	0.023	<0.002	<0.002																	
BED1	6/4/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/24/2020	<0.0020	<0.0020	<0.0020																	
	8/14/2019	0.021	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.024	0.010	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040
GAC installed 10/21/2019.																					
-DUP	4/23/2018	0.0094	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.015	0.0059	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	4/23/2018	0.0091	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.014	0.0062	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	11/3/2017	0.011	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.018	0.0069	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 221</b>																					
BED1	9/24/2018	<0.0020	<0.0020	<0.0020																	
GAC removed 10/19/2018 at owner's request. Permanent bottled water.																					
PT	9/24/2018	0.050	0.0047	0.0029																	<0.0040
GAC removed 10/19/2018 at owner's request. Permanent bottled water.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/18/2018	<0.0020	<0.0020	<0.0020																	
	11/3/2017	0.046	0.0053	0.0024	<0.020	<0.020	<0.0020	0.0029	0.042	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/21/2018.																					
<b>Location: 222</b>																					
BED1	10/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/19/2021	<0.0020	<0.0020	<0.0020																	
PT	7/19/2021	0.065	0.010	0.0074																	
BED1	4/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/14/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
PT	8/6/2020	0.058	0.0061	0.0053																	
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/27/2020	0.0026	<0.0020	<0.0020																	
BED1	10/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/10/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	7/10/2019	0.060	0.012	0.0077																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/25/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/25/2018	<0.0020	<0.0020	<0.0020																	
PT	7/10/2018	0.047	0.0077	0.0065																<0.0040	
BED1	7/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/17/2018	<0.0020	<0.0020	<0.0020																	
	11/3/2017	0.058	0.0059	0.0088	<0.020	<0.020	0.0025	<0.0020	0.043	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/18/2018.																					
<b>Location: 223</b>																					
BED1-DUP	10/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.032	0.0086	0.0020																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/12/2020	<0.0020	<0.0020	<0.0020																	
PT	8/12/2020	0.026	0.0084	<0.0020																	
BED1	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/22/2019	<0.0020	<0.0020	<0.0020																	
PT	7/22/2019	0.033	0.0076	<0.0020																	
BED1	4/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/17/2018	<0.0020	<0.0020	<0.0020																	
PT	7/17/2018	0.023	0.0078	<0.0020																	<0.0040
BED1-DUP	4/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	11/3/2017	0.024	0.0075	<0.0020	<0.020	<0.020	<0.0020	0.0044	0.026	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/07/2018.																					
<b>Location: 224</b>																					
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/31/2021	0.076	0.013	0.0068																	
BED1	8/31/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
PT	9/9/2020	0.058	0.0029	0.0026																	
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/7/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/27/2019	<0.0020	<0.0020	<0.0020																	
PT	8/27/2019	0.078	0.0093	0.0050																	
BED1	5/15/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	5/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/10/2018	<0.0020	<0.0020	<0.0020																	
PT	8/28/2018	0.059	0.0026	0.0027																	
BED1	8/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/31/2018	<0.0020	<0.0020	<0.0020																	
	11/7/2017	0.043	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.041	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/09/2018.																					
<b>Location: 225</b>																					
BED1	10/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/18/2021	0.037	0.0051	<0.0020																	
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/1/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/26/2020	0.042	0.0034	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/28/2019	<0.0020	<0.0020	<0.0020																	
PT	8/28/2019	0.034	0.0037	<0.0020																	
BED1	3/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2018	<0.0020	<0.0020	<0.0020																	
PT	9/10/2018	0.036	0.0030	<0.0020																	<0.0040
BED1	9/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/13/2018	<0.0020	<0.0020	<0.0020																	
	11/7/2017	0.028	0.0036	<0.0020	<0.020	<0.020	<0.0020	0.0027	0.027	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/26/2018.																					
<b>Location: 226</b>																					
BED1-DUP	11/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/23/2021	<0.0020	<0.0020	<0.0020																	
PT	9/23/2021	0.042	0.0048	0.0023																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/23/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.045	0.0057 J	0.0023																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
PT	9/3/2019	0.042	0.016	0.0024																	
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2018	<0.0020	<0.0020	<0.0020																	
PT	7/17/2018	0.040	0.0055	<0.0020																<0.0040	
BED1	7/17/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/18/2018	<0.0020	<0.0020	<0.0020																	
	11/13/2017	0.037	0.0052	<0.0020	<0.020	<0.020	<0.0020	0.0026	0.034	0.017	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/14/2018.																					
<b>Location: 227</b>																					
BED1	11/2/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.18	0.0056	0.0046																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.14	<0.0020	0.0022																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2019	<0.0020	<0.0020	<0.0020																	
PT	7/15/2019	0.18	<0.0020	<0.0020																	
BED1	7/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/26/2018	<0.0020	<0.0020	<0.0020																	
PT	7/12/2018	0.19	<0.0020	<0.0020																	<0.0040
BED1	7/12/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	
	11/13/2017	0.22	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.11	0.066	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/26/2018.																					
<b>Location: 228</b>																					
	5/7/2021	<0.0020	<0.0020	<0.0020																	
	11/14/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 229</b>																					
	11/14/2017	0.0038	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0097	0.0034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 230</b>																					
BED1	12/7/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.021	<0.0020	0.0030																	
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/8/2020	<0.0020	<0.0020	<0.0020																	
PT	9/8/2020	0.020	<0.0020	0.0027																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/30/2019	<0.0020	<0.0020	<0.0020																	
PT	7/30/2019	0.053	0.0036	0.0057																	
BED1	4/22/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/1/2018	<0.0020	<0.0020	<0.0020																	
PT	7/11/2018	0.027	0.0021	0.0027																	<0.0040
BED1	7/11/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/19/2018	<0.0020	<0.0020	<0.0020																	
	11/14/2017	0.052 J	0.0031 J	0.0056 J	<0.020	<0.020	<0.0020	0.0021	0.19 J	0.033 J	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Before treatment sample. GAC installed 02/06/2018.																					
	11/14/2017	0.071 J	0.0063 J	0.01 J	<0.020	<0.020	<0.0020	0.0022	0.24 J	0.047 J	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/06/2018.																					
<b>Location: 231</b>																					
BED1	12/7/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/27/2021	<0.0020	<0.0020	<0.0020																	
PT	9/27/2021	0.13	0.0049	0.010																	
BED1	6/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/23/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/23/2020	0.16	0.0043	0.0065																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/5/2019	<0.0020	<0.0020	<0.0020																	
PT	9/26/2019	0.097	0.0026	0.0063																	
BED1	9/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/25/2019	<0.0020	<0.0020	<0.0020																	
PT	1/17/2019	0.089	0.0037	0.0062																	<0.0040
BED1	1/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2018	<0.0020	<0.0020	<0.0020																	
	11/14/2017	0.08	0.0025	0.0057	<0.020	<0.020	0.0024	0.0023	0.072	0.047	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/11/2018.																					
<b>Location: 232</b>																					
BED1	5/4/2021	0.0087	<0.0020	<0.0020																	
Carbon Changeout 06/10/2021 - results driven. PWS connection 06/25/2021. GAC removed 06/25/2021. Well abandoned 08/12/2021.																					
BED2	5/4/2021	0.0022	<0.0020	<0.0020																	
Carbon Changeout 06/10/2021 - results driven. PWS connection 06/25/2021. GAC removed 06/25/2021. Well abandoned 08/12/2021.																					
BED1	2/9/2021	0.0048	<0.0020	<0.0020																	
BED2	2/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/3/2020	0.0051	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/2/2020	0.10	0.0021	0.012																	
BED1	9/2/2020	0.0038	<0.0020	<0.0020																	
BED1	6/22/2020	0.0085	<0.0020	<0.0020																	
BED1	3/16/2020	0.0051	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/29/2019	0.13	0.0023	0.016																	
BED1	5/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2018	<0.0020	<0.0020	<0.0020																	
PT	7/24/2018	0.15	0.0025	0.010																	<0.0040
BED1	7/24/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/3/2018	<0.0020	<0.0020	<0.0020																	
	11/20/2017	0.063	0.0024	0.0047	<0.020	<0.020	<0.0020	<0.0020	0.044	0.03	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/23/2018.																					
<b>Location: 233</b>																					
BED2	11/2/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/2/2021	0.0075	<0.0020	<0.0020																	
PT	8/16/2021	0.059	0.0091	0.0070																	
BED2	8/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/16/2021	0.0039	<0.0020	<0.0020																	
BED1	5/17/2021	0.0046	<0.0020	<0.0020																	
BED2	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	0.0040	<0.0020	<0.0020																	
BED2	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/6/2020	0.0027	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.069	0.012	0.0087																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2019	<0.0020	<0.0020	<0.0020																	
PT	7/10/2019	0.072	0.0069	0.0056																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	
PT	9/10/2018	0.067	0.0057	0.0050																	<0.0040
BED1	9/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2018	<0.0020	<0.0020	<0.0020																	
	11/21/2017	0.069	0.0073	0.0054	<0.020	<0.020	<0.0020	0.0026	0.054	0.035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/27/2018.																					
<b>Location: 234</b>																					
	4/26/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
	8/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
	11/27/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 235</b>																					
BED1	11/1/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.080	0.0025	0.017																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/1/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.020	0.0023	0.0073																	
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/2/2019	<0.0020	<0.0020	<0.0020																	
PT	7/9/2019	0.11	<0.0020	0.010																	
BED1	7/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/8/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/14/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/26/2018	<0.0020	<0.0020	<0.0020																	
PT	7/16/2018	0.13	<0.0020	0.011																	<0.0040
BED1	7/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/18/2018	<0.0020	<0.0020	<0.0020																	
	11/27/2017	0.089	<0.0020	0.011	<0.020	<0.020	0.0057	<0.0020	0.061	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/09/2018.																					
<b>Location: 236</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/27/2021	0.063	0.012	0.0066																	
BED1	8/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/21/2020	<0.0020	<0.0020	<0.0020																	
PT	9/21/2020	0.054	0.011	0.0051																	
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/7/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/28/2019	<0.0020	<0.0020	<0.0020																	
PT	8/28/2019	0.058	0.011	0.005																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/9/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/9/2018	0.060	0.012	0.0055																	<0.0040
BED1-DUP	8/9/2018	<0.0020	<0.0020	<0.0020																	
	11/27/2017	0.051	0.0099	0.0039	<0.020	<0.020	<0.0020	0.0035	0.042	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/04/2018.																					
<b>Location: 237</b>																					
BED1-DUP	12/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/15/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/7/2021	0.056	0.0048	0.0031																	
BED1	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.046	0.0049	0.0024																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/22/2019	<0.0020	<0.0020	<0.0020																	
PT	9/25/2019	0.037	0.0039	<0.0020																	
BED1	9/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
PT	7/18/2018	0.044	0.0047	<0.0020																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/18/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/19/2018	0.0022 B	<0.0020	<0.0020																	
	11/27/2017	0.039	0.0046	<0.0020	<0.020	<0.020	<0.0020	0.0028	0.035	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/20/2018.																					
<b>Location: 238</b>																					
BED1-DUP	10/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/28/2021	<0.0020	<0.0020	<0.0020																	
PT	8/18/2021	0.046	0.0081	0.0027																	
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
PT	8/10/2020	0.036	0.0068	<0.0020																	
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/29/2019	0.033	0.0079	<0.0020																	
BED1	5/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/19/2018	<0.0020	<0.0020	<0.0020																	
PT	9/19/2018	0.032	0.0052	0.0021																	<0.0040
	11/28/2017	0.029	0.0051	<0.0020	<0.020	<0.020	<0.0020	0.0029	0.03	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/24/2018.																					
<b>Location: 239</b>																					
BED1-DUP	12/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/8/2021	<0.0020	<0.0020	<0.0020																	
PT	9/8/2021	0.061	0.0036	0.019																	
BED1-DUP	9/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	2/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.067	0.0033	0.015																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/6/2019	<0.0020	<0.0020	<0.0020																	
PT	9/6/2019	0.066	0.0027	0.014																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/26/2018	<0.0020	<0.0020	<0.0020																	
PT	7/13/2018	0.076	0.0030	0.013																	<0.0040
BED1	7/13/2018	<0.0020	<0.0020	<0.0020																	
	11/28/2017	0.078	0.0033	0.013	<0.020	<0.020	0.0023	<0.0020	0.053	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

GAC installed 04/12/2018.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 240</b>																					
	4/19/2021	<0.0020	<0.0020	<0.0020																	
	11/30/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 241</b>																					
	10/4/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
	11/30/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 242</b>																					
BED1	11/1/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/14/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.074	<0.0020	0.0029																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	8/26/2019	0.062	<0.0020	0.0021	<0.020	<0.020	<0.0020	<0.0020	0.059	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/15/2019.																					
	4/23/2018	0.0098	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.013	0.0058	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	11/30/2017	0.011	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.016	0.0073	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 243</b>																					
BED1	10/22/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.065	0.018	0.016																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/2/2020	0.058	0.0096	0.010																	
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/7/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/29/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/29/2019	<0.0020	<0.0020	<0.0020																	
PT	8/29/2019	0.057	0.011	0.011																	
BED1	5/23/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/26/2018	<0.0020	<0.0020	<0.0020																	
PT	7/26/2018	0.065	0.014	0.012																	<0.0040
BED1	4/25/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.061	0.011	0.011	<0.020	<0.020	<0.0020	0.0028	0.043	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/27/2018.																					
<b>Location: 244</b>																					
BED1-DUP	11/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																	
PT	9/3/2019	0.064	0.009	0.0065																	
BED1	6/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/7/2018	<0.0020	<0.0020	<0.0020																	
PT	8/7/2018	0.063	0.0070	0.0066																	<0.0040
BED1	8/7/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.033	<0.0020	0.0026	<0.020	<0.020	0.002	0.0021	0.056	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/02/2018.																					
<b>Location: 245</b>																					
	8/2/2021	0.0042	<0.0020	<0.0020																	
Well resampled and not qualified. Well included in QREP.																					
	4/14/2021	<0.0020 UJ	<0.0020	<0.0020 UJ																	
Well resampled and not qualified. Permanent bottled water stopped.																					
-DUP	4/14/2021	<0.0020	<0.0020	<0.0020																	
Well resampled and not qualified. Permanent bottled water stopped.																					
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																	
GAC removed 11/19/2019 at owner's request. Permanent bottled water.																					
PT	9/3/2019	0.034	<0.0020	0.0049																	
GAC removed 11/19/2019 at owner's request. Permanent bottled water.																					
BED1	6/7/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	2/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/10/2018	0.027	<0.0020	0.0026																<0.0040	
BED1	8/10/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/4/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.032	<0.0020	0.0036	<0.020	<0.020	<0.0020	<0.0020	0.039	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/30/2018.																					
<b>Location: 246</b>																					
BED1-DUP	11/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/27/2021	<0.0020	<0.0020	<0.0020																	
PT	8/27/2021	0.067	0.0037	0.015																	
BED1	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/2/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	12/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/26/2020	<0.0020	<0.0020	<0.0020																	
PT	8/26/2020	0.065	0.0034	0.015																	
BED1	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2019	<0.0020	<0.0020	<0.0020																	
PT	8/2/2019	0.079	0.0035	0.015																	
BED1	4/25/2019	<0.0020	0.0022	<0.0020																	
BED1	2/18/2019	<0.0020	0.0034	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
PT	8/1/2018	0.076	0.0027	0.013																	<0.0040
BED1	8/1/2018	<0.0020	<0.0020	<0.0020																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	11/30/2017	0.077	0.0031	0.012	<0.020	<0.020	0.0031	<0.0020	0.055	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/24/2018.																					
<b>Location: 247</b>																					
BED1-DUP	10/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/25/2021	<0.0020	<0.0020	<0.0020																	
PT	8/17/2021	0.054	0.0047	0.0030																	
BED1-DUP	8/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/1/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.037	0.0036	<0.0020																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/12/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/12/2019	0.059	0.011	0.0062																	
BED1	4/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2018	<0.0020	<0.0020	<0.0020																	
PT	7/19/2018	0.036	0.0036	<0.0020																	<0.0040
BED1	7/19/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.034	0.0034	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.033	0.017	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/20/2018.																					
<b>Location: 248</b>																					
BED1	11/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/19/2021	<0.0020	<0.0020	<0.0020																	
PT	8/19/2021	0.060	0.0043	0.017																	
BED1	4/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.044	0.0026 J	0.012																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/25/2019	<0.0020	<0.0020	<0.0020																	
PT	9/25/2019	0.067	0.0035	0.016																	
BED1-DUP	9/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/7/2018	<0.0020	<0.0020	<0.0020																	
PT	8/7/2018	0.079	0.0039	0.016																	<0.0040
BED1	5/3/2018	<0.0020	<0.0020	<0.0020																	
-DUP	11/30/2017	0.076	0.0046	0.017	<0.020	<0.020	0.0033	<0.0020	0.05	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/16/2018.																					
	11/30/2017	0.072	0.0043	0.017	<0.020	<0.020	0.0038	<0.0020	0.052	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/16/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 249</b>																					
BED1-DUP	12/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/29/2021	<0.0020	<0.0020	<0.0020																	
PT	9/17/2021	0.064	0.0098	0.0074																	
BED1	9/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.064	0.010	0.0061																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/12/2019	<0.0020	<0.0020	<0.0020																	
PT	9/12/2019	0.058	0.010	0.0058																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	5/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2019	<0.0020	<0.0020	<0.0020																	
PT	1/17/2019	0.068	0.013	0.0065																<0.0040	
BED1	10/22/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.053	0.01	0.0048	<0.020	<0.020	<0.0020	0.0038	0.048	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/28/2018.																					
<b>Location: 250</b>																					
PT	9/16/2021	0.070	0.011	0.0086																	
BED1-DUP	9/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.075	0.0089	0.0076																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2019	<0.0020	<0.0020	<0.0020																	
PT	9/25/2019	0.077	0.0094	0.0083																	
BED1	9/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/18/2019	<0.0020	<0.0020	<0.0020																	
PT	12/21/2018	0.081	0.0086	0.0058																<0.0040	
BED1	12/21/2018	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.069	0.0092	0.0062	<0.020	<0.020	<0.0020	0.0028	0.056	0.036	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/19/2018.																					
<b>Location: 251</b>																					
BED1	11/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/10/2021	<0.0020	<0.0020	<0.0020																	
PT	9/10/2021	0.062	0.0065	0.0062																	
BED1	6/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	9/28/2020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
PT	9/28/2020	0.067	0.017	0.0082																	
BED1	9/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/29/2020	<0.0020	<0.0020	<0.0020																	
	11/30/2017	0.062	0.0059	0.0043	<0.020	<0.020	<0.0020	0.0024	0.049	0.031	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/05/2019.																					
<b>Location: 252</b>																					
	4/21/2021	<0.0020	<0.0020	<0.0020																	
	12/7/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 253</b>																					
	12/7/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 254</b>																					
	4/27/2021	<0.0020	<0.0020	<0.0020																	
	12/7/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 255</b>																					
BED1	10/19/2021	<0.0020	<0.0020	<0.0020																	
PT	7/23/2021	0.051	0.0078	0.0040																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/10/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2020	<0.0020	<0.0020	<0.0020																	
PT	9/28/2020	0.049	0.0094	0.0036																	
BED1	9/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.056	0.0092	0.0038																	
BED1	5/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/18/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																		
PT	7/20/2018	0.045	0.0086	0.0028																		<0.0040
BED1	7/20/2018	<0.0020	<0.0020	<0.0020																		
PT	5/15/2018																					<0.010
BED1	5/15/2018																					<0.010
BED1	5/15/2018	<0.0020	<0.0020	<0.0020																		
	12/7/2017	0.047	0.01	0.0033	<0.020	<0.020	<0.0020	0.0038	0.046	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 02/22/2018.																						
<b>Location: 256</b>																						
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																		
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																		
PT	8/23/2021	0.065	0.011	0.010																		
BED1	5/24/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	5/24/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																		
BED1	10/13/2020	<0.0020	<0.0020	<0.0020																		
PT	7/23/2020	0.069	0.010	0.0080																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/23/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	7/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/1/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2019	<0.0020	<0.0020	<0.0020																	
PT	9/10/2019	0.079	0.0099	0.0090																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2018	<0.0020	0.0023	<0.0020																	
PT	7/24/2018	0.073	0.010	0.0072																	<0.0040
BED1	7/24/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/19/2018	<0.0020	<0.0020	<0.0020																	
-DUP	12/7/2017	0.065	0.011	0.0061	<0.020	<0.020	0.0022	0.0032	0.058	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/13/2018.																					
	12/7/2017	0.063	0.012	0.0063	<0.020	<0.020	0.0022	0.0033	0.059	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/13/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 257</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2021	<0.0020	<0.0020	<0.0020																	
PT	9/7/2021	0.080	0.0075	0.0069																	
BED1	6/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.075	0.0088 J	0.0066																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/6/2019	<0.0020	<0.0020	<0.0020																	
PT	9/6/2019	0.073	0.0085	0.0073																	
BED1	6/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/26/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/9/2018	<0.0020	<0.0020	<0.0020																	
PT	8/6/2018	0.086	0.0071	0.0061																	<0.0040
BED1	8/6/2018	<0.0020	<0.0020	<0.0020																	
	12/7/2017	0.082	0.0067	0.0052	<0.020	<0.020	<0.0020	0.0022	0.058	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/04/2018.																					
<b>Location: 258</b>																					
BED2	10/15/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/15/2021	0.0023	<0.0020	<0.0020																	
BED1	10/15/2021	0.0022	<0.0020	<0.0020																	
PT	7/7/2021	0.061	0.0056	0.0055																	
BED2	7/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/7/2021	0.0033	<0.0020	<0.0020																	
BED1	4/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/14/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/8/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/8/2020	0.065	0.0070	0.0060																	
BED1	6/23/2020	0.0041	<0.0020	<0.0020																	
BED1	2/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2019	<0.0020	<0.0020	<0.0020																	
PT	8/28/2019	0.068	0.0078	0.0057																	
BED1-DUP	8/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/12/2018	<0.0020	<0.0020	<0.0020																	
PT	8/20/2018	0.066	0.0064	0.0041																	<0.0040
BED1	8/20/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/30/2018	<0.0020	<0.0020	<0.0020																	
	12/7/2017	0.064	0.0065	0.0042	<0.020	<0.020	<0.0020	0.0025	0.054	0.032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/14/2018.																					
<b>Location: 259</b>																					
BED1	11/23/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/21/2021	0.059	0.0053	0.0065																	
BED1	9/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.071	0.0073	0.0079																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/11/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/26/2019	<0.0020	<0.0020	<0.0020																	
PT	9/26/2019	0.070	0.0061	0.0073																	
BED1	6/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/14/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/18/2018	<0.0020	<0.0020	<0.0020																	
PT	7/18/2018	0.072	0.0054	0.0051																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/23/2018	<0.0020	<0.0020	<0.0020																	
	12/7/2017	0.07	0.0058	0.0053	<0.020	<0.020	<0.0020	0.0024	0.056	0.036	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/20/2018.																					
<b>Location: 260</b>																					
BED1	11/18/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.078	0.0061	0.0050																	
BED1-DUP	8/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/29/2020	<0.0020	<0.0020	<0.0020																	
PT	9/29/2020	0.069	0.0064	0.0043																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/31/2019	<0.0020	<0.0020	<0.0020																	
PT	7/31/2019	0.066	0.0058	0.0040																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
PT	8/16/2018	0.057	0.0064	0.0033																	<0.0040
BED1	8/16/2018	<0.0020	<0.0020	<0.0020																	
BED1	5/1/2018	<0.0020	<0.0020	<0.0020																	
	12/7/2017	0.054	0.0058	0.0031	<0.020	<0.020	<0.0020	0.0025	0.046	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/20/2018.																					
<b>Location: 261</b>																					
BED1	11/3/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/3/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.0028	<0.0020	<0.0020																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.0049	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	8/11/2020	<0.0020	<0.0020	<0.0020																	
PT	8/11/2020	0.0054	<0.0020	<0.0020																	
Split sampling for method comparison.																					
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/30/2019	<0.0020	<0.0020	<0.0020																	
PT	7/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/22/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/31/2018	<0.0020	<0.0020	<0.0020																	
BED1	10/31/2018	<0.0020	<0.0020	<0.0020																	
PT	7/19/2018	0.021	0.0026	<0.0020																<0.0040	
BED1-DUP	7/19/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/19/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	4/23/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2018	<0.0020	<0.0020	<0.0020																	
	12/7/2017	0.016	0.0021	<0.0020	<0.020	<0.020	<0.0020	0.0023	0.02	0.0097	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/14/2018.																					
<b>Location: 262</b>																					
	12/8/2017	0.013	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.022	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 263</b>																					
	4/26/2021	<0.0020	<0.0020	<0.0020																	
-DUP	4/26/2021	<0.0020	<0.0020	<0.0020																	
	8/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	12/13/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 264</b>																					
-DUP	12/13/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	12/13/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 265</b>																					
BED1	11/5/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.050	<0.0020	<0.0020																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2020	<0.0020	<0.0020	<0.0020																	
PT	7/23/2020	0.042	<0.0020	<0.0020																	
BED1	7/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/2/2019	<0.0020	<0.0020	<0.0020																	
PT	7/9/2019	0.10	<0.0020	0.0026																	
BED1	7/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/22/2018	<0.0020	<0.0020	<0.0020																	
PT	7/9/2018	0.029	<0.0020	<0.0020																	<0.0040
BED1	7/9/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	12/13/2017	0.015	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0094	0.0072	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/17/2018.																					
<b>Location: 266</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/29/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.077	0.0076 J	0.0058																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/10/2020	<0.0020	<0.0020	<0.0020																	
PT	9/10/2020	0.066	0.0073	0.0050																	
BED1	9/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/9/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	7/9/2019	0.069	0.0071	0.0043																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/10/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/25/2018	<0.0020	<0.0020	<0.0020																	
PT	7/11/2018	0.062	0.0075	0.0041																<0.0040	
BED1-DUP	7/11/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/11/2018	<0.0020	<0.0020	<0.0020																	
	12/13/2017	0.058	0.0079	0.0038	<0.020	<0.020	<0.0020	0.0025	0.051	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/19/2018.																					
<b>Location: 267</b>																					
	4/27/2021	0.0089	<0.0020	<0.0020																	
	8/9/2019	0.0026	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0070	0.0025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					<0.0040	
	8/8/2018	0.0047	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.015	0.0054	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					<0.0040	
-DUP	8/8/2018	0.0047	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.015	0.0054	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					<0.0040	
	12/14/2017	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 268</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/31/2021	<0.0020	<0.0020	<0.0020																	
PT	8/31/2021	0.065	0.0025 J	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2019	<0.0020	<0.0020	<0.0020																	
PT	8/30/2019	0.052	0.0023	<0.0020																	
BED1	5/31/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/22/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/13/2018	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	9/12/2018	0.049	<0.0020	<0.0020																	<0.0040	
BED1-DUP	9/12/2018	<0.0020	<0.0020	<0.0020																		
BED1	9/12/2018	<0.0020	<0.0020	<0.0020																		
BED1	6/7/2018	<0.0020	<0.0020	<0.0020																		
BED1-DUP	6/7/2018	<0.0020	<0.0020	<0.0020																		
	12/14/2017	0.041	<0.0020	<0.0020	<0.020	<0.020	<0.0020	0.0028	0.041	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 03/28/2018.																						
<b>Location: 269</b>																						
BED1	11/5/2021	<0.0020	<0.0020	<0.0020																		
PT	8/18/2021	0.11	0.0047	0.018																		
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	6/4/2021	<0.0020	<0.0020	<0.0020																		
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	3/12/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/12/2021	<0.0020	<0.0020	<0.0020																		
BED1	11/9/2020	<0.0020	<0.0020	<0.0020																		
PT	9/9/2020	0.095	0.0048	0.014																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2019	<0.0020	<0.0020	<0.0020																	
PT	8/30/2019	0.11	0.0054	0.016																	
BED1	5/10/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/15/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/3/2018	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/27/2018	<0.0020	<0.0020	<0.0020																	
PT	8/27/2018	0.097	0.0048	0.015																	<0.0040
PT	5/10/2018																				<0.010 UJ
BED1	5/10/2018																				<0.010

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	4/18/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/18/2018	<0.0020	<0.0020	<0.0020																	
	12/14/2017	0.087	0.0041	0.011	<0.020	<0.020	<0.0020	<0.0020	0.064	0.04	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/27/2018.																					
<b>Location: 270</b>																					
BED1	11/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.066	0.0058	0.0033																	
BED1	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/1/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.051	0.0047	0.0022																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/18/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/15/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/10/2019	<0.0020	<0.0020	<0.0020																	
PT	9/10/2019	0.056	0.0057	0.0028																	
BED1	5/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2018	<0.0020	<0.0020	<0.0020																	
PT	9/12/2018	0.057	0.0058	0.0027																	<0.0040
BED1	9/12/2018	<0.0020	<0.0020	<0.0020																	
	12/15/2017	0.045	0.0047	0.0021	<0.020	<0.020	<0.0020	0.002	0.042	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/03/2018.																					
<b>Location: 271</b>																					
BED1	11/12/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/12/2021	<0.0020	<0.0020	<0.0020																	
PT	8/27/2021	0.063	0.0081	0.0065																	
BED1	8/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/26/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																	
PT	8/25/2020	0.063	0.0068	0.0056																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/24/2019	<0.0020	<0.0020	<0.0020																	
PT	8/2/2019	0.074	0.0067	0.0047																	
BED1	8/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/18/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2018	<0.0020	<0.0020	<0.0020																	
PT	7/19/2018	0.065	0.0070	0.0037																	<0.0040
BED1	7/19/2018	<0.0020	<0.0020	<0.0020																	
BED1	4/26/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	12/22/2017	0.068	0.0081	0.0042	<0.020	<0.020	<0.0020	0.0023	0.049	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/23/2018.																					
<b>Location: 272</b>																					
BED1	11/17/2021	<0.0020	<0.0020	<0.0020																	
PT	9/3/2021	0.043	0.0040	<0.0020																	
BED1	9/3/2021	<0.0020 UJ	<0.0020	<0.0020 UJ																	
BED1-DUP	5/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2020	<0.0020	<0.0020	<0.0020																	
PT	9/9/2020	0.037	0.0026	<0.0020																	
BED1-DUP	9/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/23/2019	0.028	0.0026	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/26/2018	<0.0020	<0.0020	<0.0020																	
PT	7/9/2018	0.029	0.0026	<0.0020																	<0.0040
BED1	7/9/2018	<0.0020	<0.0020	<0.0020																	
	12/22/2017	0.017	0.0028	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.021	0.0099	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/24/2018.																					
<b>Location: 273</b>																					
	12/22/2017	0.062	<0.0020	0.0032	<0.020	<0.020	<0.0020	0.0022	0.088	0.052	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PWS connection 1Q18.																					
<b>Location: 274</b>																					
BED1-DUP	12/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/6/2021	<0.0020	<0.0020	<0.0020																	
PT	9/9/2021	0.047	0.0045	0.0032																	
BED1	9/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/22/2020	<0.0020	<0.0020	<0.0020																	
PT	9/22/2020	0.019	0.0024	<0.0020																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.045	0.012	0.0026																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/1/2019	<0.0020	<0.0020	<0.0020																	
PT	9/25/2018	0.032	0.0040	<0.0020																	<0.0040
BED1	9/25/2018	<0.0020	<0.0020	<0.0020																	
BED1	6/1/2018	<0.0020	<0.0020	<0.0020																	
	12/28/2017	0.03	0.004	<0.0020	<0.020	<0.020	<0.0020	0.0024	0.03	0.015	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/28/2018.																					
<b>Location: 275</b>																					
	1/3/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 276</b>																					
	4/27/2021	0.0056	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	8/9/2019	0.0057	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0081	0.0043	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040
	1/3/2018	0.0037	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0074	0.0032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 277</b>																					
PRE	4/19/2021	<0.0020	<0.0020	<0.0020																	
	4/19/2021	<0.0020	<0.0020	<0.0020																	
	1/3/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 278</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	12/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/22/2021	0.064	<0.0020	<0.0020																	
BED1-DUP	9/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/22/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	3/5/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/15/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/3/2020	<0.002	<0.002	<0.002																	
BED1-DUP	8/3/2020	<0.002	<0.002	<0.002																	
PT	8/3/2020	0.1	<0.002	<0.002																	
BED1	3/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2019	<0.0020	<0.0020	<0.0020																	
PT	9/4/2019	0.076	0.002	<0.0020																	
BED1	9/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/4/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/29/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/28/2018	<0.0020	<0.0020	<0.0020																	
PT	8/3/2018	0.081	<0.0020	<0.0020																	<0.0040
BED1	8/3/2018	<0.0020	<0.0020	<0.0020																	
-DUP	1/3/2018	0.037	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.045	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/30/2018.																					
	1/3/2018	0.037	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.048	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/30/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 279</b>																					
	7/22/2019	0.0077	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.013	0.0053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	1/8/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 280</b>																					
BED1	10/26/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.064	0.012	0.0076																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/30/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/29/2020	<0.0020	<0.0020	<0.0020																	
PT	9/1/2020	0.054	0.010	0.0054																	
BED1	9/1/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/7/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.067	0.0097	0.0051																	
BED1-DUP	5/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	5/24/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/26/2018	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2018	<0.0020	<0.0020	<0.0020																	
PT	7/16/2018	0.060	0.011	0.0046																	<0.0040
BED1-DUP	7/16/2018	<0.0020	<0.0020	<0.0020																	
	1/8/2018	0.049	0.0091	0.004	<0.020	<0.020	<0.0020	0.0036	0.043	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/17/2018.																					
<b>Location: 281</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/8/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/8/2020	0.080	<0.0020	<0.0020																	
BED1	6/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/18/2020	<0.0020	<0.0020	<0.0020																	
PT	9/19/2019	0.075	<0.0020	<0.0020																	
BED1	9/19/2019	<0.0020	<0.0020	<0.0020																	
	1/9/2018	0.07	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.048	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/14/2019.																					
<b>Location: 282</b>																					
	4/21/2021	0.0023	<0.0020	<0.0020																	
	8/22/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	1/26/2018	0.0024	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 283</b>																					
	6/8/2021	0.0033	<0.0020	<0.0020																	
	2/2/2018	0.0025	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 284</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
PT	9/8/2021	0.065	0.0052	0.0037																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.067	0.0065	0.0038																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/12/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/30/2019	<0.0020	<0.0020	<0.0020																	
PT	9/30/2019	0.064	0.0034	0.0035																	
BED1	5/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/5/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/1/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/1/2018	0.074	0.0048 B	0.0032																	<0.0040
BED1	4/20/2018	<0.0020	<0.0020	<0.0020																	
	2/9/2018	0.19 J	0.0054	0.0027	<0.020	<0.020	<0.0020	0.0036	0.069	0.038	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/23/2018.																					
<b>Location: 285</b>																					
BED1	10/8/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.053	0.0041	0.0035																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/13/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/31/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.048	0.0037	0.0034																	
BED1	6/18/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/27/2019	<0.0020	<0.0020	<0.0020																	
PT	8/27/2019	0.038	0.0026	0.0021																	
BED1	5/9/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/11/2019	<0.0020	0.0044	<0.0020																	
BED1	11/14/2018	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2018	<0.0020	<0.0020	<0.0020																	
PT	8/23/2018	0.037	0.0034	0.0027																	<0.0040
-DUP	2/16/2018	0.031	0.003	<0.0020	<0.020	<0.020	<0.0020	0.002	0.028	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/18/2018.																					
	2/16/2018	0.03	0.003	<0.0020	<0.020	<0.020	<0.0020	0.0021	0.029	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/18/2018.																					
<b>Location: 286</b>																					
BED1-DUP	12/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/7/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.092	0.0051 J	0.015																	
BED1	6/28/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/20/2019	<0.0020	<0.0020	<0.0020																	
PT	9/20/2019	0.072	0.0037	0.011																	
BED1	9/20/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/29/2019	<0.0020	<0.0020	<0.0020																	
PT	12/14/2018	0.078	0.0041	0.0096																	<0.0040
BED1	12/14/2018	<0.0020	<0.0020	<0.0020																	
	2/16/2018	0.074	0.0038	0.0086	<0.020	<0.020	0.0038	<0.0020	0.057	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/15/2018.																					
<b>Location: 287</b>																					
	4/19/2021	<0.0020	<0.0020	<0.0020																	
	2/23/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 288</b>																					
BED1	10/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.047	0.018	0.0091																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/12/2020	<0.0020	<0.0020	<0.0020																	
PT	8/12/2020	0.044	0.016	0.010																	
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/26/2019	<0.0020	<0.0020	<0.0020																	
PT	7/26/2019	0.061	0.024	0.0096																	
BED1	4/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
PT	8/2/2018	0.046	0.013	0.0077																	<0.0040	
BED1	8/2/2018	<0.0020	<0.0020	<0.0020																		
	3/9/2018	0.068	0.02	0.013	<0.020	<0.020	0.0024	0.0027	0.048	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 04/18/2018.																						
<b>Location: 289</b>																						
BED1	10/12/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	10/12/2021	<0.0020	<0.0020	<0.0020																		
PT	7/21/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	7/21/2021	<0.0020	<0.0020	<0.0020																		
BED1	7/21/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	4/28/2021	<0.0020	<0.0020	<0.0020																		
BED1	4/28/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	2/5/2021	<0.0020	<0.0020	<0.0020																		
BED1	2/5/2021	<0.0020	<0.0020	<0.0020																		
BED1	10/22/2020	<0.0020	<0.0020	<0.0020																		
BED1	8/25/2020	<0.0020	<0.0020	<0.0020																		
BED1-DUP	8/25/2020	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	8/25/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/23/2019	<0.0020	<0.0020	<0.0020																	
PT	8/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
PT	9/28/2018	0.0050	0.010	0.0042																	<0.0040
BED1	9/28/2018	<0.0020	<0.0020	<0.0020																	
	3/9/2018	0.02	0.023	0.014	<0.020	<0.020	0.0061	0.002	0.013	0.0089	0.0044	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/22/2018.																					
<b>Location: 290</b>																					
BED2	3/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/2/2021	0.0027	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/21/2020	0.0032	<0.0020	<0.0020																	
BED1	8/17/2020	0.0047	<0.0020	<0.0020																	
PT	8/17/2020	0.054	0.0057	0.0051																	
BED1	6/26/2020	0.0036	<0.0020	<0.0020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.061	0.0071	0.0053																	
BED1	6/28/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/28/2019	<0.0020	<0.0020	<0.0020																	
PT	12/13/2018	0.050	0.0068	0.0034																	<0.0040
BED1	12/13/2018	<0.0020	<0.0020	<0.0020																	
	3/9/2018	0.045	0.0068	0.0034	<0.020	<0.020	<0.0020	<0.0020	0.038	0.018	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/18/2018.																					
-DUP	3/9/2018	0.047	0.0066	0.0034	<0.020	<0.020	<0.0020	<0.0020	0.036	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/18/2018.																					
<b>Location: 291</b>																					
	5/3/2021	<0.0020	<0.0020	<0.0020																	
	3/12/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 292</b>																					
	3/26/2021	<0.0020	<0.0020	<0.0020																	
POST-DUP	3/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
POST	3/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	3/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	3/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 293</b>																					
	5/21/2021	<0.0020	<0.0020	<0.0020																	
	8/14/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					0.0099 J	
	3/26/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 294</b>																					
	3/26/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 295</b>																					
BED1	10/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/3/2021	<0.0020	<0.0020	<0.0020																	
PT	8/3/2021	0.037	0.0031	<0.0020																	
BED1-DUP	8/3/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	4/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.031	0.0029 J	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	12/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2019	<0.0020	<0.0020	<0.0020																	
PT	9/13/2019	0.028	0.0027	<0.0020																	
BED1	5/17/2019	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	3/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	12/14/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/28/2018	<0.0020	<0.0020	<0.0020																	
PT	9/28/2018	0.021	0.0026	<0.0020																	<0.0040
	3/26/2018	0.024	0.0029	<0.0020	<0.020	<0.020	<0.0020	0.0028	0.024	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

GAC installed 06/15/2018.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 296</b>																					
	3/25/2021	<0.0020	<0.0020	<0.0020																	
	3/28/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020					
<b>Location: 297</b>																					
BED1	11/1/2021	<0.0020	<0.0020	<0.0020																	
PT	8/19/2021	0.0040	<0.0020	<0.0020																	
BED1	8/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/13/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	8/10/2020	<0.0020	<0.0020	<0.0020																	
PT	8/10/2020	0.0038	<0.0020	<0.0020																	
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
		Split sampling for method comparison.																			
BED1	8/10/2020	<0.0020	<0.0020	<0.0020																	
PT	8/10/2020	0.0031	<0.0020	<0.0020																	
		Split sampling for method comparison.																			

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFAUnA	PFAoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/11/2019	<0.0020	<0.0020	<0.0020																	
PT	7/22/2019	0.0038	<0.0020	<0.0020																	
BED1	7/22/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/16/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/30/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/7/2018	<0.0020	<0.0020	<0.0020																	
PT	8/3/2018	0.0049	<0.0020	<0.0020																	<0.0040
BED1	8/3/2018	<0.0020	<0.0020	<0.0020																	
	4/19/2018	0.039	0.0042	0.0077																	
NJDEP sampled, added their data to EIM, exceeds criteria, GAC installed by Chemours 05/23/2018.																					
<b>Location: 298</b>																					
	3/25/2021	<0.0020	<0.0020	<0.0020																	
	4/23/2018	<0.0020	0.002	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 299</b>																					
	5/7/2021	0.0038	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	4/23/2018	0.003	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0069	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 300</b>																					
	3/26/2021	<0.0020	<0.0020	<0.0020																	
	4/23/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 301</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.059	0.0049 J	0.0035																	
BED1	6/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/7/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/23/2020	<0.0020	<0.0020	<0.0020																	
PT	7/23/2020	0.044	0.0037	0.0050																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/8/2019	<0.0020	<0.0020	<0.0020																	
PT	7/8/2019	0.046	0.0032	0.0029																	
BED1	4/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/9/2019	<0.0020	<0.0020	<0.0020																	
	4/23/2018	0.051	<0.0020	0.0038	<0.020	<0.020	<0.0020	<0.0020	0.051	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/17/2018.																					
<b>Location: 302</b>																					
BED1	8/20/2019	<0.0020	<0.0020	<0.0020																	
New well installed (Regulatory Location ID #416). Not qualified so GAC removed 12/05/2019.																					
PT	8/20/2019	0.034	0.0061	0.0028																	
New well installed (Regulatory Location ID #416). Not qualified so GAC removed 12/05/2019.																					
BED1	5/21/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	11/27/2018	<0.0020	<0.0020	<0.0020																	
BED1	9/28/2018	<0.0020	0.0034	<0.0020																	
PT	9/28/2018	0.033	0.0031	0.0022																	<0.0040
	4/25/2018	0.04	0.0032	<0.0020	<0.020	<0.020	0.0025	0.002	0.035	0.02	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/28/2018.																					
<b>Location: 303</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/19/2021	<0.0020	<0.0020	<0.0020																	
PT	8/19/2021	0.027	<0.0020	0.0042																	
BED1	5/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/27/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	
PT	8/26/2020	0.027	0.0023	0.0042																	
BED1	6/16/2020	0.0034	<0.0020	<0.0020																	
BED1	2/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	
PT	8/26/2019	0.024	<0.0020	0.0036																	
BED1	8/26/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/17/2019	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2019	<0.0020	<0.0020	<0.0020																	
PT	2/4/2019	0.018	<0.0020	0.0036																	<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/7/2018	<0.0020	<0.0020	<0.0020																	
	4/25/2018	0.024	0.0035	0.0049	<0.020	<0.020	0.0027	<0.0020	0.014	0.0088	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/05/2018.																					
<b>Location: 304</b>																					
	4/26/2021	0.0088	<0.0020	<0.0020																	
	4/30/2018	0.0057	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0046	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 305</b>																					
	4/30/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 306</b>																					
	4/30/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 307</b>																					
	3/26/2021	0.0022	<0.0020	<0.0020																	
	4/30/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 308</b>																					
	5/4/2018	0.0064	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0053	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 309</b>																					
BED1	11/30/2021	<0.0020	<0.0020	<0.0020																	
PT	9/7/2021	0.066	0.0022	0.0066																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/8/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.069	0.0020	0.0071																	
BED1	6/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2019	<0.0020	<0.0020	<0.0020																	
PT	7/19/2019	0.057	<0.0020	0.0032																	
BED1	7/19/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/8/2019	<0.0020	<0.0020	<0.0020																	
PT	1/23/2019	0.066	<0.0020	0.0030																	<0.0040
BED1	1/23/2019	<0.0020	<0.0020	<0.0020																	
BED1	10/30/2018	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	5/4/2018	0.069	<0.0020	0.0031	<0.020	<0.020	0.0032	0.0024	0.052	0.03	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/27/2018.																					
<b>Location: 310</b>																					
PT	10/21/2021	0.045	0.014	0.0085																	
BED1	10/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/10/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	9/14/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.024	0.0071 J	0.0042																	
BED1	6/29/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2020	<0.0020	<0.0020	<0.0020																	
BED1	5/24/2019	<0.0020	<0.0020	<0.0020																	
PT	3/28/2019	0.027	0.0089	0.0044																<0.0040	
BED1	3/28/2019	<0.0020	0.0026	<0.0020																	
	5/4/2018	0.039	0.01	0.0062	<0.020	<0.020	0.0055	0.0057	0.022	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 09/04/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 311</b>																					
	4/19/2021	0.0039	<0.0020	<0.0020																	
	5/9/2018	0.0021	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0048	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 312</b>																					
	3/26/2021	<0.0020	<0.0020	<0.0020																	
	5/14/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 313</b>																					
	4/30/2021	<0.0020	<0.0020	<0.0020																	
	5/14/2018	0.0033	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.011	0.0049	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 314</b>																					
	4/7/2021	<0.0020	<0.0020	<0.0020																	
	5/14/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 315</b>																					
	6/11/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 316</b>																					
	7/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	7/19/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 317</b>																					
	4/26/2021	0.0022	<0.0020	<0.0020																	
	8/6/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 318</b>																					
-DUP	4/2/2021	<0.0020	<0.0020	<0.0020																	
	4/2/2021	<0.0020	<0.0020	<0.0020																	
	8/10/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 319</b>																					
	4/2/2021	0.0087	<0.0020	0.0031																	
PRE	4/2/2021	0.0095	<0.0020	0.0035																	
	8/20/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 320</b>																					
BED1	10/8/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.068	0.0040	0.0049																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/1/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/23/2020	<0.0020	<0.0020	<0.0020																	
PT	7/23/2020	0.057	0.0024	0.0026																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/2/2019	<0.0020	<0.0020	<0.0020																	
PT	7/1/2019	0.062	0.0037	0.0040																	
BED1	7/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/2/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/7/2019	<0.0020	<0.0020	<0.0020																	
	8/20/2018	0.075	0.003	0.0024	<0.020	<0.020	<0.0020	<0.0020	0.049	0.037	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/16/2018.																					
<b>Location: 321</b>																					
	5/10/2021	<0.0020	<0.0020	<0.0020																	
	8/21/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 322</b>																					
	9/11/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 323</b>																					
	5/3/2021	<0.0020	<0.0020	<0.0020																	
	9/12/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 324</b>																					
BED1	10/7/2021	<0.0020	<0.0020	<0.0020																	
PT	7/13/2021	0.061	0.0031	<0.0020																	
BED1	7/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.090	0.0026	<0.0020																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	7/8/2019	0.083	<0.0020	<0.0020																	
BED1	7/8/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/5/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/9/2019	<0.0020	<0.0020	<0.0020																	
	9/12/2018	0.081	<0.0020	<0.0020	<0.020	<0.020	<0.0020	0.0024	0.059	0.03	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 11/06/2018.																					
<b>Location: 325</b>																					
	9/12/2018	0.081	<0.0020	<0.0020	<0.020	<0.020	<0.0020	0.0026	0.058	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Permanent bottled water.																					
-DUP	9/12/2018	0.081	<0.0020	<0.0020	<0.020	<0.020	<0.0020	0.0029	0.056	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Permanent bottled water.																					
<b>Location: 326</b>																					
	3/25/2021	<0.0020	<0.0020	<0.0020																	
	9/26/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 327</b>																					
BED1	12/9/2021	<0.0020	<0.0020	<0.0020																	
PT	9/15/2021	0.012	0.0036	<0.0020																	
BED1	9/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/27/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/2/2020	<0.0020	<0.0020	<0.0020																	
PT	8/31/2020	0.0061	<0.0020	<0.0020																	
BED1	8/31/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/13/2019	<0.0020	<0.0020	<0.0020																	
BED1	9/10/2019	<0.0020	<0.0020	<0.0020																	
PT	9/10/2019	0.010	0.0020	<0.0020																	
BED1	5/15/2019	<0.0020	<0.0020	<0.0020																	
BED1	1/7/2019	<0.0020	<0.0020	<0.0020																	
	9/26/2018	0.015	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.019	0.0088	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/18/2018.																					
<b>Location: 328</b>																					
BED1	11/1/2021	<0.0020	<0.0020	<0.0020																	
PT	8/18/2021	0.043	0.0020	0.0094																	
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/3/2020	<0.002	<0.002	<0.002																	
PT	8/3/2020	0.026	<0.002	0.0046																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/23/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/4/2019	<0.0020	<0.0020	<0.0020																	
-DUP	10/3/2018	0.046	<0.0020	0.0047	<0.020	<0.020	<0.0020	<0.0020	0.024	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/08/2019.																					
	10/3/2018	0.045	<0.0020	0.0049	<0.020	<0.020	<0.0020	<0.0020	0.024	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/08/2019.																					
<b>Location: 329</b>																					
	10/11/2018	0.31	0.015	0.055	<0.020	<0.020	<0.0020	0.0074	0.54	0.14	0.047	<0.0020	<0.0020	<0.0020	<0.0020						
Treatment incomplete/in progress - bottled water.																					
<b>Location: 330</b>																					
BED1	12/6/2021	<0.0020	<0.0020 UJ	<0.0020																	
BED1	8/4/2021	<0.0020	<0.0020	<0.0020																	
PT	8/4/2021	0.46	0.027	0.083																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	8/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/12/2021	<0.0020	<0.0020 UJ	<0.0020																	
BED1	9/6/2019	0.0030	<0.0020	<0.0020																	
PT	9/6/2019	0.50 J	0.024 J	0.091 J																	
BED2	6/25/2019	<0.0020	<0.0020	<0.0020																	
BED1	6/25/2019	0.015	<0.0020	<0.0020																	
	10/11/2018	0.41	0.021	0.078	<0.020	<0.020	<0.0020	0.0089	0.65	0.18	0.057	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 12/12/2018.																					
<b>Location: 331</b>																					
	10/25/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0039	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 332</b>																					
	4/19/2021	0.0082	<0.0020	<0.0020																	
	11/7/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 333</b>																					
	4/30/2021	<0.0020	<0.0020	<0.0020																	
PRE	4/30/2021	<0.0020	<0.0020	<0.0020																	
	11/15/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOuA	PFOaA	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
<b>Location: 334</b>																						
	4/21/2021	<0.0020	<0.0020	<0.0020																		
	11/27/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 335</b>																						
	4/26/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																		
POST	11/29/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
PRE	11/29/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 336</b>																						
	12/3/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
<b>Location: 337</b>																						
BED1-DUP	11/9/2021	<0.0020	<0.0020	<0.0020																		
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																		
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																		
PT	8/30/2021	0.048	0.020 J	0.024																		
BED1	5/11/2021	<0.0020	<0.0020	<0.0020																		
BED1-DUP	2/3/2021	<0.0020	<0.0020	<0.0020																		
BED1	2/3/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/22/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.035	0.011	0.016																	
BED1	6/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2019	<0.0020	<0.0020	<0.0020																	
PT	7/1/2019	0.037	0.0097	0.011																	
BED1	7/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	4/2/2019	<0.0020	<0.0020	<0.0020																	
	12/3/2018	0.039	0.0093	0.0087	<0.020	<0.020	<0.0020	<0.0020	0.024	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/19/2019.																					
	12/3/2018	0.037	0.0091	0.0089	<0.020	<0.020	<0.0020	<0.0020	0.023	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 02/19/2019.																					
<b>Location: 338</b>																					
	5/10/2021	<0.0020	<0.0020	<0.0020																	
	12/4/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 339</b>																					
	12/4/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 340</b>																					
POST	12/4/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	12/4/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 341</b>																					
	4/23/2021	<0.0020	<0.0020	<0.0020																	
	12/5/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 342</b>																					
	5/12/2021	<0.0020	<0.0020	<0.0020																	
	12/5/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 343</b>																					
BED1	10/21/2021	<0.0020	<0.0020	<0.0020																	
	5/3/2021	0.014	<0.0020	<0.0020																	
GAC installed 07/06/2021.																					
POST	12/5/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	12/5/2018	0.011	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0081	0.0052	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 344</b>																					
POST	12/5/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	12/5/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 345</b>																					
	12/5/2018	0.027	0.013	0.0096	<0.020	<0.020	0.01	0.0077	0.019	0.01	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Declined treatment offer.																					
<b>Location: 346</b>																					
	4/26/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
	12/6/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 347</b>																					
	5/3/2021	0.0050	<0.0020	<0.0020																	
	12/6/2018	0.012	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.022	0.0077	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 348</b>																					
	12/6/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 349</b>																					
	12/6/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 350</b>																					
	5/13/2021	<0.0020	<0.0020	<0.0020																	
	12/7/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 351</b>																					
	5/13/2021	<0.0020	<0.0020	<0.0020																	
	12/7/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFAUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 352</b>																					
	12/7/2018	0.021	0.049	<0.0020	<0.020	<0.020	<0.0020	0.0041	0.041	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Barn well not a potable well, treatment not offered.																					
<b>Location: 353</b>																					
	5/7/2021	<0.0020	<0.0020	<0.0020																	
	12/10/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 354</b>																					
	5/21/2021	<0.0020	<0.0020	<0.0020																	
	12/10/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 355</b>																					
POST	4/26/2021	<0.0020	<0.0020	<0.0020																	
PRE	4/26/2021	<0.0020	<0.0020	<0.0020																	
PRE	12/10/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
POST	12/10/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 356</b>																					
	4/21/2021	0.0053	<0.0020	<0.0020																	
	12/11/2018	0.004	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0034	0.0022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 357</b>																					
	4/21/2021	<0.0020	<0.0020	<0.0020																	
	12/11/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 358</b>																					
BED1	5/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/22/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.029	0.0044	0.0026																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/3/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/8/2019	<0.0020	<0.0020	<0.0020																	
PT	7/8/2019	0.040	0.0033	0.0034																	
BED1	4/2/2019	<0.0020	<0.0020	<0.0020																	
	12/11/2018	0.018	0.0027	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.018	0.0071	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/13/2019.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 359</b>																					
BED1	1/28/2021	0.010	<0.0020	<0.0020																	
Home is going to be demolished. GAC removed 11/30/2021 at owner's request.																					
BED2	1/28/2021	<0.0020	<0.0020	<0.0020																	
Home is going to be demolished. GAC removed 11/30/2021 at owner's request.																					
BED2	10/15/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/15/2020	0.019	<0.0020	<0.0020																	
BED1	8/12/2020	0.0032	<0.0020	<0.0020																	
PT	8/12/2020	0.089	<0.0020	0.0038																	
BED1	6/4/2020	0.0068	<0.0020	<0.0020																	
BED1	1/23/2020	0.0049	<0.0020	<0.0020																	
BED1	10/7/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/2/2019	<0.0020	<0.0020	<0.0020																	
PT	7/2/2019	0.083	<0.0020	0.0020																	
BED1	4/2/2019	<0.0020	<0.0020	<0.0020																	
	12/11/2018	0.067	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.071	0.042	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/29/2019.																					
<b>Location: 360</b>																					
	5/25/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	12/13/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 361</b>																					
BED1	11/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.10	0.037	0.044																	
BED1	6/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/7/2020	<0.0020	<0.0020	<0.0020																	
PT	8/4/2020	0.062 J	0.031 J	0.022 J																	
BED1	8/4/2020	<0.002	<0.002	<0.002																	
BED1	1/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/7/2019	<0.0020	<0.0020	<0.0020																	
	12/13/2018	0.08	0.047	0.038	<0.020	<0.020	0.003	0.0025	0.044	0.025	0.0034	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 08/05/2019.																					
<b>Location: 362</b>																					
	5/10/2021	0.0048	<0.0020	<0.0020																	
	12/14/2018	0.0055	0.0022	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0035	0.0022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 363</b>																					
	8/2/2021	<0.0020	<0.0020	<0.0020																	
	12/14/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
-DUP	12/14/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 364</b>																					
	12/14/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 365</b>																					
POST	12/20/2018	<0.0020	<0.0020	0.0069	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.002	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
PRE	12/20/2018	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 366</b>																					
	1/3/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 367</b>																					
	4/23/2021	<0.0020	<0.0020	<0.0020																	
-DUP	4/23/2021	<0.0020	<0.0020	<0.0020																	
	1/7/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020
<b>Location: 368</b>																					
	1/9/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 369</b>																					
BED1-DUP	10/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2021	<0.0020	<0.0020	<0.0020																	
PT	7/6/2021	0.0038 J	0.0026	<0.0020 UJ																	
BED1	7/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	<0.0020	<0.0020	<0.0020																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2019	<0.0020	<0.0020	<0.0020																	
PT	7/1/2019	<0.0020	<0.0020	<0.0020																	
BED1	7/1/2019	<0.0020	<0.0020	<0.0020																	
	1/11/2019	0.06	0.028	0.018	<0.020	<0.020	0.0062	0.0036	0.058	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/22/2019.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 370</b>																					
	1/15/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	1/15/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 371</b>																					
	1/15/2019	0.021	0.0021	0.0043	<0.020	<0.020	<0.0020	<0.0020	0.011	0.0068	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Declined treatment offer.																					
<b>Location: 372</b>																					
	1/15/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
-DUP	1/15/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 373</b>																					
	1/18/2019	<0.0020	0.0044	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 374</b>																					
	1/29/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 375</b>																					
	5/13/2021	<0.0020	<0.0020	<0.0020																	
	2/1/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 376</b>																					
	2/4/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 377</b>																					
-DUP	2/4/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	2/4/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 378</b>																					
BED1	10/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/7/2021	<0.0020	<0.0020	<0.0020																	
PT	7/7/2021	0.060	0.0083	0.033																	
BED1-DUP	4/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/28/2020	<0.0020	<0.0020	<0.0020																	
PT	7/28/2020	0.046	0.0065	0.018																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/8/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/3/2019	<0.0020	<0.0020	<0.0020																	
PT	9/3/2019	0.081	0.016	0.044																	
	2/7/2019	0.22	0.013	0.057	<0.020	<0.020	0.0085	0.0035	0.19	0.11	0.0028	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/26/2019.																					
<b>Location: 379</b>																					
BED1	10/15/2021	<0.0020	<0.0020	<0.0020																	
PT	7/20/2021	0.0064	<0.0020	<0.0020																	
BED1	7/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/20/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/19/2020	<0.0020	<0.0020	<0.0020																	
PT	8/19/2020	0.0099	<0.0020	<0.0020																	
BED1	6/12/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/4/2020	<0.0020	<0.0020	<0.0020																	
PT	7/3/2019	0.0026	<0.0020	<0.0020																	
BED1	7/3/2019	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
	2/7/2019	0.014	<0.0020	0.0031	<0.020	<0.020	<0.0020	<0.0020	0.01	0.0065	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020							
GAC installed 05/01/2019.																						
<b>Location: 380</b>																						
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																		
PT	9/2/2021	0.058	0.0033 J	0.0035																		
BED1	9/2/2021	<0.0020	<0.0020	<0.0020																		
BED1	6/21/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																		
BED1	11/4/2020	<0.0020	<0.0020	<0.0020																		
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																		
PT	8/26/2020	0.057	0.0028	0.0021																		
BED1	6/10/2020	<0.0020	<0.0020	<0.0020																		
BED1	1/30/2020	<0.0020	<0.0020	<0.0020																		
BED1	10/16/2019	<0.0020	<0.0020	<0.0020																		
PT	7/22/2019	0.062	0.0030	0.0033																		
BED1	7/22/2019	<0.0020	<0.0020	<0.0020																		
BED1	4/9/2019	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PRE	2/7/2019	0.072	0.0029	0.0036	<0.020	<0.020	<0.0020	<0.0020	0.048	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/27/2019.																					
POST	2/7/2019	0.067	0.0029	0.0034	<0.020	<0.020	<0.0020	<0.0020	0.045	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 03/27/2019.																					
<b>Location: 381</b>																					
	2/11/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 382</b>																					
POST	2/11/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	2/11/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 383</b>																					
	4/30/2021	<0.0020	<0.0020	<0.0020																	
-DUP	4/30/2021	<0.0020	<0.0020	<0.0020																	
POST	2/14/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	2/14/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 384</b>																					
	2/15/2019	0.061	0.004	0.005	<0.020	<0.020	0.0033	<0.0020	0.039	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 01/06/2022.																					
<b>Location: 385</b>																					
PRE	8/11/2021	<0.0020	<0.0020	<0.0020																	
POST	8/11/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	2/15/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 386</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020																	
	2/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 387</b>																					
	2/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 388</b>																					
BED1	11/11/2021	<0.0020	<0.0020	<0.0020																	
PT	7/21/2021	0.039	0.0053	0.0055																	
BED1	7/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/26/2020	<0.0020	<0.0020	<0.0020																	
PT	8/26/2020	0.062	0.035	0.0080																	
BED1	6/3/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/2/2019	<0.0020	<0.0020	<0.0020																	
PT	7/3/2019	0.056	0.011	0.0041																	
BED1	7/3/2019	<0.0020	<0.0020	<0.0020																	
	2/26/2019	0.073	0.013	0.0074	<0.020	<0.020	0.0037	0.0036	0.043	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/08/2019.																					
<b>Location: 389</b>																					
	3/6/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 390</b>																					
BED1	10/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.10	<0.0020	0.0070																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/9/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/9/2020	<0.0020	<0.0020	<0.0020																	
PT	9/9/2020	0.082	<0.0020	0.0087																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	6/19/2020	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2020	<0.0020	<0.0020	<0.0020																	
BED1	11/20/2019	<0.0020	<0.0020	<0.0020																	
PT	9/19/2019	0.094	<0.0020	0.0066																	
BED1	9/19/2019	<0.0020	<0.0020	<0.0020																	
	3/6/2019	0.13	0.0023	0.017	<0.020	<0.020	<0.0020	<0.0020	0.072	0.031	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 04/23/2019.																					
<b>Location: 391</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
PT	9/9/2021	0.070	0.0050	0.012																	
BED1	9/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/17/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/22/2020	<0.0020	<0.0020	<0.0020																	
PT	9/22/2020	0.071	0.0059	0.014																	
BED1	6/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/13/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	7/1/2019	<0.0020	<0.0020	<0.0020																	
PT	7/1/2019	0.10	0.0058	0.0073																	
	3/8/2019	0.099	0.014	0.011	<0.020	<0.020	0.0043	0.0024	0.099	0.063	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 05/17/2019.																					
<b>Location: 392</b>																					
	3/20/2019	0.1	0.02	0.022	<0.020	<0.020	0.0044	0.0085	0.11	0.052	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Treatment incomplete/in progress - declined bottled water.																					
<b>Location: 393</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.047	<0.0020	<0.0020																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/30/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.039	<0.0020	<0.0020																	
BED1	6/24/2020	<0.0020	<0.0020	<0.0020																	
BED1	3/6/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	12/12/2019	<0.0020	<0.0020	<0.0020																	
	4/16/2019	0.032	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.052	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 06/20/2019.																					
<b>Location: 394</b>																					
	4/17/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 395</b>																					
	5/1/2019	0.18	<0.0020	0.016	<0.020	<0.020	<0.0020	<0.0020	0.13	0.091	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Declined treatment offer.																					
<b>Location: 396</b>																					
	5/9/2019	0.04	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.05	0.027	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
Treatment incomplete/in progress - bottled water.																					
<b>Location: 397</b>																					
	5/9/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 398</b>																					
BED1	10/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.084	0.0026	<0.0020																	
BED1	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/24/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/5/2020	<0.0020	<0.0020	<0.0020																	
BED1	7/23/2020	<0.0020	<0.0020	<0.0020																	
PT	7/23/2020	0.11	0.0022	<0.0020																	
BED1	6/2/2020	<0.0020	<0.0020	<0.0020																	
BED1	1/16/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/2/2019	0.0028	<0.0020	<0.0020																	
	5/16/2019	0.089	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.052	0.031	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 07/29/2019.																					
-DUP	5/16/2019	0.087	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.054	0.031	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 07/29/2019.																					
<b>Location: 399</b>																					
	4/27/2021	<0.0020	<0.0020	<0.0020																	
	5/16/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0055	<0.0029	<0.0020						
<b>Location: 400</b>																					
	6/19/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 401</b>																					
	6/2/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PfUnA	PfDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	7/22/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
	7/22/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 402</b>																					
	7/22/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 403</b>																					
BED1	11/4/2021	<0.0020	<0.0020	<0.0020																	
PT	8/17/2021	0.28	0.025	0.024																	
BED1	8/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/19/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/13/2020	<0.0020	<0.0020	<0.0020																	
BED1	8/6/2020	<0.0020	<0.0020	<0.0020																	
PT	8/6/2020	0.33	0.082	0.035																	
BED1	6/9/2020	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/17/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/17/2020	<0.0020	<0.0020	<0.0020																	
	7/31/2019	0.24	0.021	0.018	<0.020	<0.020	0.0031	0.0080	0.17	0.11 J	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
GAC installed 10/25/2019.																					
<b>Location: 404</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/16/2021	<0.0020	<0.0020	<0.0020																	
PT	9/16/2021	0.050	0.0021	0.0042																	
	8/8/2019	0.059	0.0029	0.0042	<0.020	<0.020	<0.0020	0.0023	0.044	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040
GAC installed 06/03/2021.																					
<b>Location: 405</b>																					
	5/10/2021	<0.0020	<0.0020	<0.0020																	
	8/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 406</b>																					
	5/25/2021	<0.0020	<0.0020	<0.0020																	
	8/26/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 407</b>																					
	8/2/2021	<0.0020	<0.0020	<0.0020																	
	9/4/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						<0.0040

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 408</b>																					
	5/12/2021	<0.0020	<0.0020	<0.0020																	
	9/12/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 409</b>																					
	4/27/2021	<0.0020	<0.0020	<0.0020																	
	9/12/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 410</b>																					
	4/27/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
	9/12/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 411</b>																					
	4/30/2021	<0.0020	<0.0020	<0.0020																	
	9/12/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 412</b>																					
	9/20/2019	0.0059	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.025	0.0068	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 413</b>																					
	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 414</b>																					
	5/13/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0071	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 415</b>																					
POST-DUP	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
PRE	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
POST	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 416</b>																					
	9/20/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 417</b>																					
	10/1/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020						
<b>Location: 418</b>																					
	10/28/2019	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040 UJ	<0.0020
<b>Location: 419</b>																					
BED1	10/20/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/3/2021	<0.0020	<0.0020	<0.0020																	
PT	8/3/2021	0.028	<0.0020	<0.0020																	
BED1	4/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	10/22/2020	<0.0020	<0.0020	<0.0020																	
	11/20/2019	0.029	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.036	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.026	0.022	0.011 J	<0.0020
GAC installed 09/15/2020.																					
<b>Location: 420</b>																					
	2/28/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 421</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/13/2021	<0.0020	<0.0020	<0.0020																	
PT	9/13/2021	0.061	<0.0020	0.0033																	
	2/28/2020	0.057	<0.0020	0.0023	<0.020	<0.020	<0.0020	<0.0020	0.048	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.030	0.014	<0.0040	<0.0020
GAC installed 06/15/2021.																					
<b>Location: 422</b>																					
	3/2/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0036 J	<0.0040	<0.0020
<b>Location: 423</b>																					
BED1	11/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.069	0.0071	0.0076																	
BED1	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/15/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDaA	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	1/20/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/6/2020	<0.0020	<0.0020	<0.0020																	
BED1	10/6/2020	<0.0020	<0.0020	<0.0020																	
	3/3/2020	0.031	<0.0020	0.0047	<0.020	<0.020	<0.0020	<0.0020	0.024	0.015	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.022	0.014	<0.0040	<0.0020
GAC installed 09/10/2020.																					
<b>Location: 424</b>																					
	3/3/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 425</b>																					
	3/3/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 426</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020																	
	3/3/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 427</b>																					
BED1	12/7/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.058	0.0067 J	0.0082																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/17/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	1/12/2021	<0.0020	<0.0020	<0.0020																		
<hr/>																						
BED1	10/1/2020	<0.0020	<0.0020	<0.0020																		
BED1-DUP	10/1/2020	<0.0020	<0.0020	<0.0020																		
<hr/>																						
	3/5/2020	0.028	<0.0020	0.0031	<0.020	<0.020	<0.0020	<0.0020	0.024	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.021	0.014	<0.0040	<0.0020	
GAC installed 08/27/2020.																						
<hr/>																						
<b>Location: 428</b>																						
BED1	11/10/2021	<0.0020	<0.0020	<0.0020																		
<hr/>																						
	3/5/2020	0.022	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.020	0.010	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.019	0.011	<0.0040	<0.0020	
GAC installed 08/26/2021.																						
<hr/>																						
<b>Location: 429</b>																						
	3/5/2020	0.029	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.020	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.016	0.0094	<0.0040	<0.0020	
Permanent bottled water.																						
<hr/>																						
<b>Location: 430</b>																						
	3/5/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020	
<hr/>																						
<b>Location: 431</b>																						
	6/24/2021	<0.0020	<0.0020	<0.0020																		
<hr/>																						
	3/6/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020	
<hr/>																						
<b>Location: 432</b>																						
	6/24/2021	<0.0020	<0.0020	<0.0020																		
<hr/>																						
	3/6/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 433</b>																					
POST	3/9/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
PRE	3/9/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 434</b>																					
BED1	12/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/6/2021	<0.0020	<0.0020	<0.0020																	
PT	7/6/2021	0.043	0.026	0.021																	
BED1	4/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/1/2020	<0.0020	<0.0020	<0.0020																	
	3/9/2020	0.025	0.016	0.0099	<0.020	<0.020	<0.0020	<0.0020	0.015	0.0099	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.017	0.012	<0.0040	<0.0020
GAC installed 09/01/2020.																					
<b>Location: 435</b>																					
BED1	10/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2021	<0.0020	<0.0020	<0.0020																	
PT	7/16/2021	0.050	<0.0020	0.0077																	
	3/10/2020	0.069	0.0044	0.014	<0.020	<0.020	<0.0020	<0.0020	0.061	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.051	0.027	<0.0040	<0.0020
GAC installed 06/30/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 436</b>																					
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.052	<0.0020	<0.0020																	
BED1	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
	3/10/2020	0.051	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.034	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.021	0.010	<0.0040	<0.0020
GAC installed 11/06/2020.																					
<b>Location: 437</b>																					
	3/10/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 438</b>																					
	3/19/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020
-DUP	3/19/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0020	<0.0020	<0.0040	<0.0020
<b>Location: 439</b>																					
BED1	10/29/2021	<0.0020	<0.0020	<0.0020																	
PT	8/18/2021	0.041	<0.0020	0.013																	
BED1-DUP	8/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/18/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	5/13/2021	<0.0020	<0.0020	<0.0020																		
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																		
BED1	12/3/2020	<0.0020	<0.0020	<0.0020																		
	3/20/2020	0.039	<0.0020	0.0080	<0.020	<0.020	<0.0020	<0.0020	0.033	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.028	0.019	<0.0040	<0.0020	
GAC installed 09/08/2020.																						
<b>Location: 440</b>																						
	5/10/2021	<0.0020	<0.0020	<0.0020																		
	3/20/2020	<0.0020	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0040	<0.0020	
<b>Location: 441</b>																						
BED1	10/13/2021	<0.0020	<0.0020	<0.0020																		
BED1	7/20/2021	<0.0020	<0.0020	<0.0020																		
PT	7/20/2021	0.12	0.16	0.013																		
BED1	4/15/2021	<0.0020	<0.0020	<0.0020																		
BED1	1/22/2021	<0.0020	<0.0020	<0.0020																		
	3/23/2020	0.11	0.11 J	0.0098	<0.020	<0.020	<0.0020	0.0049	0.041	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.024	0.017	<0.0040	<0.0020	
GAC installed 12/10/2020.																						
<b>Location: 442</b>																						
	5/12/2021	0.0037	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	3/23/2020	0.0032	<0.0020	<0.0020	<0.020	<0.020	<0.0020	<0.0020	0.0041	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0028	<0.0020	<0.0040	<0.0020
<b>Location: 443</b>																					
BED1	10/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/7/2021	<0.0020	<0.0020	<0.0020																	
PT	7/7/2021	0.049	<0.0020	<0.0020																	
BED1-DUP	4/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
	2/6/2020	0.0311	<0.0014	<0.00093	<0.0037	<0.0037	0.0011	0.0022	0.0517	0.0287	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019			0.0415		<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed. GAC installed by Chemours 11/13/2020.																					
-DUP	2/6/2020	0.0330	<0.0014	0.0011	<0.0037	<0.0037	0.0011	0.0022	0.0545	0.0301	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019			0.0446		<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed. GAC installed by Chemours 11/13/2020.																					
<b>Location: 444</b>																					
	2/6/2020	<0.00093	<0.0014	<0.00093	<0.0037	<0.0037	<0.00093	<0.00093	<0.00093	<0.00093	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019			<0.0019		<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed.																					
<b>Location: 445</b>																					
	2/6/2020	<0.00093	<0.0014	<0.00093	<0.0037	<0.0037	<0.00093	<0.00093	<0.00093	<0.00093	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019			<0.0019		<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed.																					
<b>Location: 446</b>																					
	2/6/2020	<0.00093	<0.0014	<0.00093	<0.0037	<0.0037	<0.00093	<0.00093	<0.00093	<0.00093	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019			<0.0019		<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 447</b>																					
	8/9/2021	0.0093	<0.0020	<0.0020																	
	2/6/2020	0.0038	<0.0014	<0.00093	<0.0037	<0.0037	<0.00093	<0.00093	0.0036	0.0016	<0.00093	<0.0019	<0.0019	<0.0019	<0.0019		0.0023			<0.0056	
Veolia sampled, added their data to EIM with branched and linear summed.																					
<b>Location: 448</b>																					
	11/27/2019	0.0890	0.00254	0.00740	<0.0040	<0.0040	0.00103	<0.0010	0.0491	0.0332	<0.0010	<0.0020	<0.0020	<0.0020	<0.0020		0.0420			<0.0060	
Veolia sampled, added their data to EIM, exceeds criteria, Veolia responsible for treatment.																					
<b>Location: 449</b>																					
	8/25/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0052	<0.0020	0.0028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 450</b>																					
BED1	11/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/25/2021	0.034	0.0022	0.0033																	
BED1	8/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
	8/25/2020	0.053	0.0059	0.0075	<0.0020	<0.0020	0.0054	0.0035	0.042	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 10/28/2020.																					
<b>Location: 451</b>																					
	8/25/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 452</b>																					
	5/3/2021	<0.0020	<0.0020	<0.0020																	
	8/27/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	8/27/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 453</b>																					
	9/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0048	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	9/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0048	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 454</b>																					
	9/29/2021	<0.0020	<0.0020	<0.0020																	
	9/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 455</b>																					
	9/29/2021	<0.0020	<0.0020	<0.0020																	
-DUP	9/29/2021	<0.0020	<0.0020	<0.0020																	
	9/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 456</b>																					
	5/12/2021	<0.0020	<0.0020	<0.0020																	
	9/3/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	9/3/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 457</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
PT	9/14/2021	0.025	0.0041	<0.0020																	
BED1	9/14/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/11/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	6/11/2021	<0.0020	<0.0020	<0.0020																	
	9/3/2020	0.024	0.0042 J	<0.0020	<0.0020	<0.0020	<0.0020	0.0041	0.026	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 02/05/2021.																					
<b>Location: 458</b>																					
	4/30/2021	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ																	
	9/3/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 459</b>																					
	5/7/2021	<0.0020	<0.0020	<0.0020																	
	9/8/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	9/8/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 460</b>																					
	9/15/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	9/15/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 461</b>																					
	5/12/2021	<0.0020	<0.0020	<0.0020																	
	9/15/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 462</b>																					
	9/15/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 463</b>																					
POST	9/17/2020	0.0084	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.011	0.0047	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
POST-DUP	9/17/2020	0.0084	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.010	0.0044	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
PRE	9/17/2020	0.0083	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.010	0.0043	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 464</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/31/2021	<0.0020	<0.0020	<0.0020																	
PT	8/31/2021	0.013	0.0057	0.012																	
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 02/19/2021 - Fe.																					
BED1	11/30/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/16/2020	0.016	0.0058	0.014																	
GAC installed by NJDEP 12/07/2016.																					
<b>Location: 465</b>																					
BED2	11/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2021	0.0032	<0.0020	<0.0020																	
BED1-DUP	7/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/23/2021	<0.0020	<0.0020	<0.0020																	
PT	7/23/2021	0.028	0.0028	0.0022																	
BED1	4/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.056 J	0.0073 J	0.0059 J																	
GAC installed by NJDEP 11/29/2017.																					
BED2	9/14/2020	0.012 J	<0.0020 UJ	<0.0020 UJ																	
BED1	9/14/2020	0.040 J	0.0047 J	0.0037 J																	
<b>Location: 466</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	
PT	9/15/2021	0.0074	<0.0020	<0.0020																	
BED1	9/15/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	5/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/25/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/28/2020	<0.0020	<0.0020	<0.0020																	
PT	9/28/2020	0.013	<0.0020	<0.0020																	
GAC installed by NJDEP 12/06/2017.																					
<b>Location: 467</b>																					
BED1	11/17/2021	<0.0020	<0.0020	<0.0020																	
PT	11/17/2021	0.031	<0.0020	0.0020																	
BED1	6/28/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/8/2020	<0.0020	<0.0020	<0.0020																	
PT	9/29/2020	0.042	<0.0020	0.0024																	
GAC installed by NJDEP 11/30/2017.																					
BED1	9/29/2020	<0.0020	<0.0020	<0.0020																	
<b>Location: 468</b>																					
BED1	10/18/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/2/2021	<0.0020	<0.0020	<0.0020																	
PT	8/2/2021	0.028	<0.0020	0.0050																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	8/2/2021	<0.0020	<0.0020	<0.0020																	
BED1	5/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
PT	9/14/2020	0.023	<0.0020	0.0043																	
GAC installed by NJDEP 12/11/2017.																					
BED1	9/14/2020	<0.0020	<0.0020	<0.0020																	
<b>Location: 469</b>																					
BED1	11/5/2021	0.0047	<0.0020	<0.0020																	
BED1-DUP	11/5/2021	0.0060	<0.0020	<0.0020																	
BED2	11/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2021	0.0044	<0.0020	<0.0020																	
BED2	8/23/2021	<0.0020	<0.0020	<0.0020																	
PT	8/23/2021	0.058	<0.0020	0.011																	
BED1	5/19/2021	0.0045	<0.0020	<0.0020																	
BED2	5/19/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/16/2021	0.0032	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	2/16/2021	0.0023	<0.0020	<0.0020																	
BED2	2/16/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	11/11/2020	0.0063 J	<0.0020	<0.0020																	
BED1	11/11/2020	0.0029 J	<0.0020	<0.0020																	
PT	9/16/2020	0.051	<0.0020	0.0083																	
GAC installed by NJDEP 04/05/2018.																					
BED1-DUP	9/16/2020	0.0021	<0.0020	<0.0020																	
BED1	9/16/2020	<0.0020	<0.0020	<0.0020																	
<b>Location: 470</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.053	<0.0020	0.0045																	
BED1	5/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/15/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/11/2020	<0.0020	<0.0020	<0.0020																	
BED1	9/15/2020	<0.0020	<0.0020	<0.0020																	
PT	9/15/2020	0.049	<0.0020	0.0024																	
GAC installed by NJDEP 03/27/2018.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 471</b>																					
BED1	11/22/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 12/22/2021 - 5yr.																					
BED1	9/9/2021	<0.0020	<0.0020	<0.0020																	
PT	9/9/2021	0.019	0.0039	0.015																	
BED1	6/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/10/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/16/2020	<0.0020	<0.0020	<0.0020																	
PT	9/21/2020	0.019	0.0054	0.016																	
GAC installed by NJDEP 10/03/2016.																					
BED1	9/21/2020	<0.0020	<0.0020	<0.0020																	
<b>Location: 472</b>																					
BED2	10/11/2021	<0.0020	<0.0020	<0.0020																	
BED1	10/11/2021	0.0027	<0.0020	<0.0020																	
BED2	7/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/21/2021	0.0071	<0.0020	0.0022																	
PT	7/21/2021	0.019	0.0034	0.0088																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1-DUP	2/1/2021	0.0049	<0.0020	<0.0020																	
BED1	2/1/2021	0.0050	<0.0020	<0.0020																	
BED2	2/1/2021	<0.0020	<0.0020	<0.0020																	
PT	10/20/2020	0.036 J	0.0042 J	0.011																	
GAC installed by NJDEP 01/24/2018.																					
BED1	10/20/2020	0.0038 J	<0.0020	<0.0020																	
<b>Location: 473</b>																					
BED1	11/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/23/2021	0.0026	<0.0020	<0.0020																	
PT	8/23/2021	0.040	0.0058	0.016																	
BED2	8/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	6/1/2021	<0.0020	<0.0020	<0.0020																	
BED2	2/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/12/2021	0.0024	<0.0020	<0.0020																	
BED1-DUP	11/30/2020	0.0031	<0.0020	<0.0020																	
BED1	11/30/2020	0.0027	<0.0020	<0.0020																	
BED1	9/29/2020	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PT	9/29/2020	0.058	0.0045	0.0076																	
GAC installed by NJDEP 04/18/2018.																					
<b>Location: 474</b>																					
BED2	11/15/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/19/2021 - 5yr.																					
BED1	11/15/2021	0.052	<0.0020	0.018																	
Carbon Changeout 10/19/2021 - 5yr.																					
BED2	9/7/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/7/2021	0.034	<0.0020	0.0093																	
PT	9/7/2021	0.061	0.0028	0.028																	
BED1	5/24/2021	0.013	<0.0020	0.0035																	
BED2	5/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/26/2021	0.015	<0.0020	0.0033																	
BED2	2/26/2021	<0.0020	<0.0020	<0.0020																	
BED1	12/7/2020	0.011	<0.0020	0.0031																	
BED1-DUP	9/30/2020	0.010 J	<0.0020	<0.0020																	
BED1	9/30/2020	0.0059 J	<0.0020	<0.0020																	
PT	9/30/2020	0.070	0.0035	0.027																	
GAC installed by NJDEP 04/15/2016.																					
<b>Location: 475</b>																					
BED1	12/7/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	9/14/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 09/14/2021 - 5yr.																					
PT	9/14/2021	0.054	0.0057	0.045																	
Carbon Changeout 09/14/2021 - 5yr.																					
BED1	6/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/23/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/19/2020	0.0020	<0.0020	<0.0020																	
PT	11/19/2020	0.064	0.0045	0.032																	
GAC installed by NJDEP 11/09/2015.																					
<b>Location: 476</b>																					
PRE	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
POST	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 477</b>																					
-DUP	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 478</b>																					
	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 479</b>																					
	9/22/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 480</b>																					
BED1	11/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.073	0.0033 J	0.0067																	
BED1	5/24/2021	<0.0020	<0.0020	<0.0020																	
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																	
	9/22/2020	0.066	0.0043	0.0055	<0.0020	<0.0020	<0.0020	<0.0020	0.057	0.036	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/20/2020.																					
<b>Location: 481</b>																					
	9/22/2020	0.046	0.0044	0.0065	<0.0020	<0.0020	<0.0020	<0.0020	0.034	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Permanent bottled water.																					
<b>Location: 482</b>																					
	8/11/2021	<0.0020	<0.0020	<0.0020																	
	10/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	10/1/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 483</b>																					
	10/5/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0041	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0026	<0.0020
-DUP	10/5/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0039	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0025	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 484</b>																					
BED1	11/23/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 11/23/2021 - results driven.																					
BED1-DUP	9/3/2021	0.024	0.0048	0.0043																	
PT	9/3/2021	0.048	0.015	0.011																	
BED2	9/3/2021	0.0078	<0.0020	<0.0020																	
BED1	9/3/2021	0.029	0.0056	0.0052																	
BED1	5/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/4/2021	<0.0020	<0.0020	<0.0020																	
PT	11/24/2020	0.040	0.011	0.0054																	
GAC installed by NJDEP 12/05/2017.																					
BED1	10/21/2020	<0.0020	<0.0020	<0.0020																	
<b>Location: 485</b>																					
BED1	12/6/2021	0.0021	<0.0020	<0.0020																	
BED2	12/6/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/3/2021	<0.0020	<0.0020	<0.0020																	
PT	9/3/2021	0.083	0.016	0.031																	
BED1	6/23/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED1	3/17/2021	<0.0020	<0.0020	<0.0020																		
Carbon Changeout 02/12/2021 - 5 yr.																						
BED1	12/7/2020	<0.0020	<0.0020	<0.0020																		
PT	12/7/2020	0.069	0.013 J	0.029																		
GAC installed by NJDEP 12/01/2015.																						
<b>Location: 486</b>																						
	10/27/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	
-DUP	10/27/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	
<b>Location: 487</b>																						
	8/2/2021	<0.0020	<0.0020	<0.0020																		
-DUP	10/29/2020	<0.0020	0.0034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	
	10/29/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	
<b>Location: 488</b>																						
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																		
BED1	9/14/2021	0.0027	<0.0020	<0.0020																		
BED2	9/14/2021	<0.0020	<0.0020	<0.0020																		
PT	9/14/2021	0.015	0.0058	<0.0020																		
BED1	5/27/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/11/2021	<0.0020	<0.0020	<0.0020																		

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	11/18/2020	0.0045	<0.0020	<0.0020																	
PT	11/18/2020	0.016	0.0063	<0.0020																	
GAC installed by NJDEP 12/07/2017.																					
<b>Location: 489</b>																					
BED1	10/11/2021	<0.0020	<0.0020	<0.0020																	
PT	7/8/2021	0.011	<0.0020	<0.0020																	
BED1	7/8/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/9/2021	<0.0020	<0.0020	<0.0020																	
BED1	1/21/2021	<0.0020	<0.0020	<0.0020																	
BED1	11/18/2020	<0.0020	<0.0020	<0.0020																	
PT	11/18/2020	0.0098	<0.0020	<0.0020																	
GAC installed by NJDEP 12/12/2017.																					
<b>Location: 490</b>																					
BED1	12/6/2021	<0.0020	<0.0020	<0.0020																	
Carbon Changeout 10/07/2021 - 5yr.																					
PT	8/3/2021	0.051	0.0061	0.021																	
BED1	8/3/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/30/2021	<0.0020	<0.0020	<0.0020																	
BED1	2/1/2021	0.0038	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA	
BED2	2/1/2021	<0.0020	<0.0020	<0.0020																		
BED1	10/22/2020	<0.0020	<0.0020	<0.0020																		
PT	10/22/2020	0.064	0.0069	0.027																		
GAC installed by NJDEP 03/01/2016.																						
<b>Location: 491</b>																						
BED1-DUP	12/28/2021	<0.0020	<0.0020	<0.0020																		
BED1	12/28/2021	<0.0020	<0.0020	<0.0020																		
BED1	9/16/2021	<0.0020	<0.0020	<0.0020																		
PT	9/16/2021	0.046	0.0031	0.010																		
BED1	5/27/2021	<0.0020	<0.0020	<0.0020																		
BED1	3/5/2021	<0.0020	<0.0020	<0.0020																		
PT	12/14/2020	0.046	0.0035	0.013																		
GAC installed by NJDEP 12/21/2017.																						
BED1-DUP	12/14/2020	<0.0020	<0.0020	<0.0020																		
BED1	12/14/2020	<0.0020	0.0020	<0.0020																		
<b>Location: 492</b>																						
	11/24/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	
-DUP	11/24/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOuA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 493</b>																					
BED1	10/4/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	10/4/2021	<0.0020	<0.0020	<0.0020																	
PT	7/13/2021	0.042	0.075	0.036																	
BED1	7/13/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/1/2021	<0.0020	<0.0020	<0.0020																	
	12/14/2020	0.11	0.091	0.070	<0.0020	<0.0020	0.0054	0.0053	0.12	0.057	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.010	<0.0020
GAC installed 03/03/2021.																					
<b>Location: 494</b>																					
	12/14/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 495</b>																					
BED1	10/4/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/6/2021	<0.0020	<0.0020	<0.0020																	
PT	7/6/2021	0.044	0.0034	0.020																	
BED1	4/5/2021	<0.0020	<0.0020	<0.0020																	
	12/14/2020	0.058	0.0030	0.024	<0.0020	<0.0020	0.0023	<0.0020	0.045	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/26/2021.																					
-DUP	12/14/2020	0.049	0.0030	0.019	<0.0020	<0.0020	0.0022	<0.0020	0.044	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/26/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 496</b>																					
BED1	11/15/2021	<0.0020	<0.0020	<0.0020																	
PT	8/31/2021	0.040	0.0038	0.010																	
BED1	8/31/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/5/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/5/2021	<0.0020	<0.0020	<0.0020																	
-DUP	12/16/2020	0.056	0.0043 J	0.015 J	<0.0020	<0.0020	<0.0020	<0.0020	0.046	0.030	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 02/16/2021.																					
	12/16/2020	0.052	0.0045 J	0.013 J	<0.0020	<0.0020	<0.0020	<0.0020	0.044	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 02/16/2021.																					
<b>Location: 497</b>																					
	12/16/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0041	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 498</b>																					
BED1	10/11/2021	<0.0020	<0.0020	<0.0020																	
PT	7/19/2021	0.020	<0.0020	<0.0020																	
BED1	7/19/2021	<0.0020	<0.0020	<0.0020																	
BED1-DUP	4/12/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/12/2021	<0.0020	<0.0020 UJ	<0.0020																	
	12/16/2020	0.022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.026	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/25/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 499</b>																					
BED1	11/16/2021	<0.0020	<0.0020	<0.0020																	
BED1	8/16/2021	<0.0020	<0.0020	<0.0020																	
PT	8/16/2021	0.078	0.027	0.014																	
BED1	4/5/2021	<0.0020	<0.0020	<0.0020																	
	12/29/2020	0.071	0.028	0.014	<0.0020	<0.0020	0.013	0.0038	0.042	0.033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 03/11/2021.																					
<b>Location: 500</b>																					
	12/28/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	12/28/2020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 501</b>																					
-DUP	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 502</b>																					
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 503</b>																					
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 504</b>																					
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 505</b>																					
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 506</b>																					
BED1	11/23/2021	<0.0020	<0.0020	<0.0020																	
PT	7/22/2021	0.034	<0.0020	<0.0020																	
BED1	7/22/2021	<0.0020	<0.0020	<0.0020																	
BED1	4/22/2021	<0.0020	<0.0020	<0.0020																	
	1/6/2021	0.034	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.027	0.013	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 02/17/2021.																					
<b>Location: 507</b>																					
PRE	2/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	1/6/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Post-treatment sample.																					
<b>Location: 508</b>																					
	1/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 509</b>																					
	1/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	1/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 510</b>																					
BED1	11/29/2021	<0.0020	<0.0020	<0.0020																	

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.025	0.0064 J	0.0034																	
	1/19/2021	0.027 J	0.0037 J	0.0029	<0.0020	<0.0020	<0.0020	<0.0020	0.024	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 04/21/2021.																					
-DUP	1/19/2021	0.025 J	0.0033 J	0.0027	<0.0020	<0.0020	<0.0020	<0.0020	0.023	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 04/21/2021.																					
<b>Location: 511</b>																					
BED1	11/17/2021	<0.0020	<0.0020	<0.0020																	
BED1	9/15/2021	<0.0020	<0.0020	<0.0020																	
PT	9/15/2021	0.047	<0.0020	<0.0020																	
	1/19/2021	0.040	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.040	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 04/02/2021.																					
<b>Location: 512</b>																					
	1/19/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 513</b>																					
BED1	10/5/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.093	0.044	0.014																	
	1/20/2021	0.080	0.018	0.014	<0.0020	<0.0020	0.012	0.0023	0.033	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 04/14/2021.																					
-DUP	1/20/2021	0.090	0.021	0.015	<0.0020	<0.0020	0.012	0.0027	0.033	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 04/14/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 514</b>																					
	1/25/2021	0.045	<0.0020	0.0039	<0.0020	<0.0020	<0.0020	<0.0020	0.036	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - declined bottled water.																					
-DUP	1/25/2021	0.042	<0.0020	0.0037	<0.0020	<0.0020	<0.0020	<0.0020	0.035	0.015	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - declined bottled water.																					
<b>Location: 515</b>																					
	1/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 516</b>																					
	1/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 517</b>																					
BED1	12/15/2021	<0.0020	<0.0020	<0.0020																	
	1/25/2021	0.076	0.0051	0.012	<0.0020	<0.0020	<0.0020	<0.0020	0.088	0.049	0.0026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0023	<0.0020
GAC installed 09/07/2021.																					
<b>Location: 518</b>																					
	1/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 519</b>																					
	1/25/2021	0.062	0.014	0.018	<0.0020	<0.0020	<0.0020	<0.0020	0.045	0.033	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - bottled water.																					
<b>Location: 520</b>																					
	1/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.040	0.0046	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0026	<0.0020
-DUP	1/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.042	0.0045	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0025	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFOA	PFOA	PFOA	PFOA	PFOA	PFOA	HFPO-DA	ADONA
<b>Location: 521</b>																				
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																
PT	9/20/2021	0.052	0.0037	0.0026																
BED1	9/20/2021	<0.0020	<0.0020	<0.0020																
	1/26/2021	0.067	0.0023	0.0024	<0.0020	<0.0020	<0.0020	<0.0020	0.058	0.032	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		<0.0020	<0.0020
GAC installed 06/11/2021.																				
<b>Location: 522</b>																				
BED1	10/25/2021	<0.0020	<0.0020	<0.0020																
BED1	7/21/2021	<0.0020	<0.0020	<0.0020																
PT	7/21/2021	0.019	<0.0020	<0.0020																
	1/26/2021	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.020	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		0.0034	<0.0020
GAC installed 04/09/2021.																				
<b>Location: 523</b>																				
	1/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		<0.0020	<0.0020
<b>Location: 524</b>																				
	1/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		<0.0020	<0.0020
<b>Location: 525</b>																				
PRE	5/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		<0.0020	<0.0020
	1/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020		<0.0020	<0.0020
Post treatment sample.																				

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 526</b>																					
-DUP	2/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	2/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 527</b>																					
BED1	11/1/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/13/2021	<0.0020	<0.0020	<0.0020																	
PT	7/13/2021	0.029	<0.0020	<0.0020																	
	2/3/2021	0.043	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.044	0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 03/31/2021.																					
<b>Location: 528</b>																					
	2/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0030	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 529</b>																					
	2/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 530</b>																					
	2/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 531</b>																					
	3/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	3/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 532</b>																					
BED1	11/4/2021	<0.0020	<0.0020	<0.0020																	
<hr/>																					
BED1	7/16/2021	<0.0020	<0.0020	<0.0020																	
<hr/>																					
PT	7/16/2021	0.098	0.0031	0.0060																	
<hr/>																					
	2/5/2021	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.026	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					
GAC installed 04/22/2021.																					
-DUP	2/5/2021	0.023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.024	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					
GAC installed 04/22/2021.																					
<hr/>																					
<b>Location: 533</b>																					
	10/7/2015	0.042	<0.0025	0.00093			<0.0025	0.0023	0.032	0.015	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025						
<hr/>																					
NJDEP sampled, added their data to EIM, exceeds criteria. Declined NJDEP's treatment offer.																					
<hr/>																					
<b>Location: 534</b>																					
	2/24/2016	0.068	<0.0025	0.0062			0.00077	0.003	0.034	0.018	<0.0025	<0.0025	<0.0025	<0.0025	<0.0025						
<hr/>																					
NJDEP sampled, added their data to EIM, exceeds criteria. Declined NJDEP's treatment offer. Received bottled water until house was demolished.																					
<hr/>																					
<b>Location: 535</b>																					
-DUP	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					
	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					
<b>Location: 536</b>																					
	2/9/2021	0.041	0.0036	0.0066	<0.0020	<0.0020	<0.0020	<0.0020	0.046	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					
Permanent bottled water.																					
<hr/>																					
<b>Location: 537</b>																					
	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<hr/>																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 538</b>																					
BED1	12/8/2021	<0.0020	<0.0020	<0.0020																	
PT	8/30/2021	0.044	<0.0020	<0.0020																	
BED1	8/30/2021	<0.0020	<0.0020	<0.0020																	
	2/9/2021	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.032	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 06/10/2021.																					
<b>Location: 539</b>																					
	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 540</b>																					
	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 541</b>																					
	2/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 542</b>																					
	2/9/2021	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.028	0.011	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - non-response to bottled water offer.																					
<b>Location: 543</b>																					
	2/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 544</b>																					
PRE	2/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
POST	2/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PRE	2/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 545</b>																					
-DUP	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
<b>Location: 546</b>																					
	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
<b>Location: 547</b>																					
	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
<b>Location: 548</b>																					
	2/17/2021	<0.0020 UJ	<0.0020	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
<b>Location: 549</b>																					
BED1	10/26/2021	<0.0020	<0.0020	<0.0020																	
PT	7/14/2021	0.029	<0.0020	<0.0020																	
BED1	7/14/2021	<0.0020	<0.0020	<0.0020																	
	2/17/2021	0.064 J	0.0093	0.0071 J	<0.0020	<0.0020	0.011	<0.0020	0.11	0.022 J	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
GAC installed 06/25/2021.																					
<b>Location: 550</b>																					
	2/23/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 551</b>																					
	2/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 552</b>																					
	2/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 553</b>																					
BED1	9/1/2021	<0.0020	<0.0020	<0.0020																	
PT	9/1/2021	0.061	0.0036 J	0.0023																	
	2/25/2021	0.061	0.0023	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.056	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 05/26/2021.																					
<b>Location: 554</b>																					
-DUP	3/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	3/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 555</b>																					
	3/4/2021	0.10	0.0034	0.012	<0.0020	<0.0020	<0.0020	<0.0020	0.053	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Permanent bottled water.																					
<b>Location: 556</b>																					
	2/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	2/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 557</b>																					
	3/9/2021	0.041	0.0020	0.0028	<0.0020	<0.0020	<0.0020	<0.0020	0.041	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 10/26/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOA	PFDaA	PFTrIA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	3/9/2021	0.040	<0.0020	0.0027	<0.0020	<0.0020	<0.0020	<0.0020	0.040	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 10/26/2021.																					
<b>Location: 558</b>																					
	3/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 559</b>																					
BED1	10/27/2021	<0.0020	<0.0020	<0.0020																	
BED1	7/16/2021	<0.0020	<0.0020	<0.0020																	
PT	7/16/2021	0.068	<0.0020	0.0038																	
-DUP	3/17/2021	0.053	<0.0020	0.0029	<0.0020	<0.0020	<0.0020	<0.0020	0.028	0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 05/20/2021.																					
	3/17/2021	0.049	<0.0020	0.0027	<0.0020	<0.0020	<0.0020	<0.0020	0.025	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 05/20/2021.																					
<b>Location: 560</b>																					
	3/17/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 561</b>																					
	3/17/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 562</b>																					
	3/17/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 563</b>																					
	3/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	3/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NETFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 564</b>																					
	3/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 565</b>																					
-DUP	4/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	4/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 566</b>																					
	4/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 567</b>																					
	8/2/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	8/2/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 568</b>																					
	4/19/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 569</b>																					
	4/19/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 570</b>																					
	4/19/2021	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.048	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	GAC installed 10/06/2021.																				
-DUP	4/19/2021	0.028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.047	0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	GAC installed 10/06/2021.																				
<b>Location: 571</b>																					
-DUP	4/27/2021	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.040	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Treatment incomplete/in progress - non-response to bottled water offer.

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
	4/27/2021	0.035 J	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.052 J	0.016 J	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020			<0.0020 UJ	<0.0020 UJ
Treatment incomplete/in progress - non-response to bottled water offer.																					
<b>Location: 572</b>																					
	5/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	5/3/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 573</b>																					
BED1	12/1/2021	<0.0020	<0.0020	<0.0020																	
	5/10/2021	0.052	0.0050 J	0.0099	<0.0020	<0.0020	0.0025	0.0047	0.025	0.021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 07/09/2021.																					
<b>Location: 574</b>																					
-DUP	5/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	5/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 575</b>																					
	5/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	10/1/2019	<0.0017	<0.0017	<0.0017	<0.0026	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0017	<0.0044	<0.0026	<0.0017
<b>Location: 576</b>																					
	5/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	5/12/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 577</b>																					
	5/19/2021	0.0038	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0065	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	5/19/2021	0.0039	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0067	0.0022	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 578</b>																					
	5/19/2021	0.0047	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0090	0.0030	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 579</b>																					
	5/21/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 580</b>																					
	5/21/2021	0.043 J	<0.0020	0.0028	<0.0020 UJ	<0.0020	<0.0020	<0.0020	0.033	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Declined treatment offer.																					
-DUP	5/21/2021	0.045	<0.0020	0.0027	<0.0020	<0.0020	<0.0020	<0.0020	0.039	0.029	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Declined treatment offer.																					
<b>Location: 581</b>																					
BED1	10/21/2021	<0.0020	<0.0020	<0.0020																	
	5/25/2021	0.060	0.0033 J	0.013	<0.0020	<0.0020	0.0020	<0.0020	0.035	0.035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 08/24/2021.																					
<b>Location: 582</b>																					
	5/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	5/25/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 583</b>																					
	6/2/2021	0.060	0.0034	0.0054	<0.0020	<0.0020	0.0026	<0.0020	0.052	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/09/2021.																					
-DUP	6/2/2021	0.065	0.0031	0.0056	<0.0020	<0.0020	0.0024	<0.0020	0.051	0.025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0022	<0.0020
GAC installed 11/09/2021.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 584</b>																					
	6/2/2021	0.080	0.013	0.0037	<0.0020	<0.0020	<0.0020	0.0062	0.028	0.019	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 10/05/2021.																					
<b>Location: 585</b>																					
	6/2/2021	0.075	0.0022	0.0075	<0.0020	<0.0020	<0.0020	<0.0020	0.060	0.050	0.0033	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0020	<0.0020
Treatment incomplete/in progress - bottled water.																					
<b>Location: 586</b>																					
	6/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 587</b>																					
	6/8/2021	0.020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.027	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - bottled water.																					
<b>Location: 588</b>																					
	6/8/2021	0.052	0.016	0.015	<0.0020	<0.0020	0.0068	<0.0020	0.041	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Permanent bottled water.																					
<b>Location: 589</b>																					
	6/8/2021	0.010	0.0032	<0.0020	0.0028	0.0062	<0.0020	<0.0020	0.0063	0.0042	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 590</b>																					
	6/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	6/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 591</b>																					
	6/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 592</b>																					
	6/24/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 593</b>																					
-DUP	6/24/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	6/24/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 594</b>																					
	8/2/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 595</b>																					
	8/2/2021	0.0047	0.0025	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0056	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 596</b>																					
	8/2/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 597</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 598</b>																					
	8/4/2021	0.090	0.0022	0.0093	<0.0020	<0.0020	<0.0020	<0.0020	0.054	0.024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	GAC installed 10/12/2021.																				
<b>Location: 599</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 600</b>																					
POST	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	GAC installed 10/27/2021.																				

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
PRE	8/4/2021	0.11	0.017	0.018	<0.0020	<0.0020	0.024	0.0063	0.063	0.050	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 10/27/2021.																					
<b>Location: 601</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0067	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 602</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 603</b>																					
	8/4/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 604</b>																					
-DUP	8/9/2021	0.049	<0.0020	<0.0020	<0.0020	<0.0020	0.0024	<0.0020	0.036	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - non-response to bottled water offer.																					
	8/9/2021	0.049 J	0.0020	<0.0020	<0.0020	<0.0020	0.0026	<0.0020	0.036 J	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - non-response to bottled water offer.																					
<b>Location: 605</b>																					
	8/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 606</b>																					
	8/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 607</b>																					
	8/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 608</b>																					
	8/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours  
Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9Cl-PF3ONS	11Cl-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 609</b>																					
	8/9/2021	0.058	<0.0020	<0.0020	<0.0020	<0.0020	0.0030	<0.0020	0.056	0.026	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - bottled water.																					
<b>Location: 610</b>																					
	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 611</b>																					
	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 612</b>																					
PRE	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
POST	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 613</b>																					
	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 614</b>																					
	8/10/2021	0.0028	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0065	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 615</b>																					
	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 616</b>																					
POST	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
PRE	8/10/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 617</b>																					
POST	8/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/04/2021.																					
PRE	8/11/2021	0.035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.023	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/04/2021.																					
<b>Location: 618</b>																					
	8/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	8/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 619</b>																					
	8/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 620</b>																					
	8/11/2021	<0.0020	0.0033	<0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 621</b>																					
	8/11/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 622</b>																					
	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0075	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 623</b>																					
	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 624</b>																					
	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 625</b>																					
-DUP	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 626</b>																					
	8/16/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 627</b>																					
	8/19/2021	0.015	0.0026 J	0.0054	<0.0020	<0.0020	<0.0020	<0.0020	0.015	0.0075	0.0028	0.0047	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - non-response to bottled water offer.																					
-DUP	8/19/2021	0.016	0.0027 J	0.0056	<0.0020	<0.0020	<0.0020	<0.0020	0.015	0.0079	0.0030	0.0051	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - non-response to bottled water offer.																					
<b>Location: 628</b>																					
	8/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
-DUP	8/26/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 629</b>																					
	9/1/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 630</b>																					
-DUP	9/1/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	9/1/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 631</b>																					
	9/1/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PfUnA	PFDaA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 632</b>																					
-DUP	9/7/2021	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.013	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	9/7/2021	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.013	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 633</b>																					
	9/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 634</b>																					
	9/9/2021	0.054	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.033	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/02/2021.																					
-DUP	9/9/2021	0.053	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.033	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 11/02/2021.																					
<b>Location: 635</b>																					
	9/9/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 636</b>																					
-DUP	9/13/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	9/13/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.0021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 637</b>																					
-DUP	9/27/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
	9/27/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 638</b>																					
	10/7/2021	0.032	0.0098	0.0098	<0.0020	0.0094	0.0025	<0.0020	0.015	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/04/2022.																					

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.



Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFOuA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
-DUP	10/7/2021	0.032	0.0095 J	0.0094	<0.0020 UJ	0.0086 J	0.0024 J	<0.0020 UJ	0.015	0.012	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ			<0.0020	<0.0020
GAC installed 01/04/2022.																					
<b>Location: 639</b>																					
POST	10/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
PRE	10/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
PRE-DUP	10/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
<b>Location: 640</b>																					
-DUP	10/29/2021	0.042	0.0062	<0.0020	<0.0020	<0.0020	0.0035	<0.0020	0.031	0.015	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - declined bottled water.																					
	10/29/2021	0.040	0.0060	<0.0020	<0.0020	<0.0020	0.0033	<0.0020	0.030	0.014	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
Treatment incomplete/in progress - declined bottled water.																					
<b>Location: 641</b>																					
	10/29/2021	0.065	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.034	0.016	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/05/2022.																					
<b>Location: 642</b>																					
-DUP	11/12/2021	0.080	0.017 J	0.022	<0.0020	<0.0020	0.0024	0.0030	0.048	0.031	0.0035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/27/2022.																					
	11/12/2021	0.097 J	0.013 J	0.017 J	<0.0020	<0.0020	0.0023 J	0.0026 J	0.046 J	0.031 J	0.0028 J	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
GAC installed 01/27/2022.																					
<b>Location: 643</b>																					
POST	11/23/2021	0.0035	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	0.012	0.0024	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020
PRE	11/23/2021	0.0058	0.0022	0.0022	<0.0020 UJ	<0.0020	<0.0020	<0.0020	0.022	0.0042	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ			<0.0020	<0.0020
PRE-DUP	11/23/2021	0.0053	<0.0020 UJ	0.0020	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	<0.0020 UJ	0.019	0.0038	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020 UJ	<0.0020 UJ			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.

**Table 1. Residential Drinking-Water Well PFAS Results in the Vicinity of the Chemours Chambers Works, Deepwater, New Jersey**

Sample	Date	PFOA	PFOS	PFNA	NEtFOSAA	NMeFOSAA	PFBS	PFHxS	PFHxA	PFHpA	PFDA	PFUnA	PFDoA	PFTriA	PFTeA	9CI-PF3ONS	11CI-PF3OUd	PFPeA	PFBA	HFPO-DA	ADONA
<b>Location: 644</b>																					
	12/8/2021	0.13	0.0023	0.0044	<0.0020	<0.0020	<0.0020	0.0027	0.45	0.10	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0090	<0.0020
GAC installed 01/11/2022.																					
-DUP	12/8/2021	0.14	0.0024	0.0048	<0.0020	<0.0020	<0.0020	0.0030	0.48	0.11	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			0.0098	<0.0020
GAC installed 01/11/2022.																					
<b>Location: 645</b>																					
	12/8/2021	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020	<0.0020			<0.0020	<0.0020

Concentrations in ug/L. Concentrations are rounded by the laboratory and reported to two significant figures. For samples collected prior to 10/1/2013, results for PFOA are reported under the following protocol: ND < LOD < NQ < LOQ where ND = Not Detected, NQ = Not Quantifiable, LOD = Limit of Detection, LOQ = Limit of Quantitation; the LOD/LOQ may have varied by instrument and quarter. For samples collected after 10/1/2013, samples are reported to a reporting limit (RL) of 0.0050 ug/L for PFOA. For samples collected after 6/30/2016, each target compound RL is 0.0020 ug/L. J = Analyte present, reported value may not be accurate or precise; UJ = Not detected, reporting limit may not be accurate or precise; B = Not detected substantially above the level reported in the laboratory or field blanks. Samples identified as BED1 were collected after the first carbon bed. Samples identified as BED2 were collected after the second carbon bed and represent the treated water. All other samples collected were prior to Chemours treatment. Samples identified with -D or -DUP are duplicate samples. Starting with the 3Q20 samples, the samples are analyzed by USEPA Method 537.1. Prior to 3Q20, the samples were analyzed by a modified method 537. QREP = Qualification Re-Evaluation Program.