

# Framework to Assess Table 3+ PFAS in New Hanover, Brunswick, Columbus, and Pender Counties

# **Chemours Fayetteville Works**

Prepared for

The Chemours Company FC, LLC 22828 NC Highway 87 Fayetteville, NC 28306

Prepared by

*Geosyntec Consultants of NC, PC* 2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607

Project Number TR0795A

February 1, 2022

# **EXECUTIVE SUMMARY**

This document was prepared by Geosyntec Consultants of NC, P.C. (Geosyntec) for The Chemours Company FC, LLC (Chemours) to provide a framework to assess Table 3+ per- and polyfluoroalkyl substances (PFAS)<sup>1</sup> in soil and groundwater in New Hanover, Brunswick, Columbus, and Pender Counties (the counties) of North Carolina. This framework has been prepared in response to a letter sent to Chemours by the North Carolina Department of Environmental Quality (NCDEQ) on 3 November 2021 (NCDEQ 2021). The letter requested Chemours perform an assessment of Table 3+ PFAS that meets the requirements of 15A North Carolina Administrative Code (NCAC) 2L .0106(g) (i.e., 2L rules) and paragraph 18 of the February 25, 2019, Consent Order (CO) amongst Chemours, NCDEQ, and Cape Fear River Watch. The assessment will characterize the following:

- The source and cause of contamination.
- Any imminent hazards to public health and safety and any actions taken to mitigate them.
- Receptors and significant exposure pathways.
- The horizontal and vertical extent of soil and groundwater contamination impact and significant factors affecting contaminant transport.
- Geological and hydrogeological features influencing the movement, chemical, and physical character of the contaminants.

In addition to the assessment request, NCDEQ also requested Chemours provide a drinking water plan to identify and provide replacement drinking water to qualifying parties. Geosyntec's 2022 document, *Interim Four Counties Sampling and Drinking Water Plan (New Hanover, Brunswick, Columbus, and Pender Counties)*, separately submitted by Chemours, includes groundwater sampling from private wells in these counties. The results from both the assessment proposed herein and from private well sampling will inform each other.

The soil and groundwater assessment will start with data gathering from the counties to guide further implementation of the assessment. This step is critical; the counties encompass an area of over 2,900 square miles, and little is currently known about either the potential distribution of Table 3+ PFAS in the counties or the potential source and cause of Table 3+ PFAS within the counties. Subsequently, sampling work plans will be prepared and the results from both programs interpreted to prepare a soil and groundwater assessment report.

To initiate the assessment program Geosyntec has assessed PFAS data presently available from NCDEQ from the counties, developed potential hypotheses about the potential source and cause of Table 3+ PFAS presence along with conceptual plans to evaluate these hypotheses, and submitted records requests to ten different entities (NCDEQ, counties, utilities, and towns).

<sup>&</sup>lt;sup>1</sup> Table 3+ PFAS are often attributed to operations at the Chemours Fayetteville Works Site (Geosyntec 2021a).



On November 3, 2021, NCDEQ posted to their website<sup>2</sup> PFAS data from groundwater samples collected from NCDEQ and Cape Fear Public Utility Authority (CFPUA) non-private wells between 2019 and 2021. These data were supplemented with additional PFAS data from groundwater samples collected from different wells, including public supply and emergency wells, provided to Chemours on behalf of NCDEQ via email on December 5, 2021. Assessing the 395 sample results provided by NCDEQ (11 from private wells and 384 from non-private and monitoring samples between 2019 and 2021 from upwards of 100 wells) indicate that both Method 537 PFAS and Table 3+ PFAS were detected in New Hanover County. PFAS compounds analyzed by Method 537, many of which are not associated with the facility – for example Perfluorooctanesulfonic acid (PFOS) – were detected in samples more frequently than Table 3+ PFAS.

The three retained source and cause hypotheses are:

- 1. Leaking potable water distribution pipes and sanitary sewers that convey water from the Cape Fear River.
- 2. Direct application and injection to downstream areas by Cape Fear River water users.
- 3. Aquifer recharge by the Cape Fear River.

Sampling plans for each of these hypotheses will be developed using information collected during the data gathering stage. Geosyntec has begun compiling some of this information from publicly available sources and requested other information from NCDEQ, New Hanover County, Brunswick County, Columbus County, Pender County, Town of Carolina Beach, Town of Wrightsville Beach, Lower Cape Fear Water and Sewer Authority (LCFWASA), CFPUA, and Aqua of North Carolina, Inc. (Aqua of NC, Inc.)

In addition to evaluating the source and cause aspect of the assessment, the other assessment steps will be met through a combination of information from public sources such as the United States Geological Survey (USGS) report and North Carolina public records, private well sampling results from the interim sampling and drinking water program, sampling of NCDEQ and USGS wells, and previously established fate and transport properties of Table 3+ PFAS.

Upon completing the stages outlined in this framework, Geosyntec will prepare a Soil and Groundwater Assessment Report to submit to NCDEQ. Progress towards completing this assessment will in part be governed by the responsiveness of various parties to records requests and subsequent access requests for investigative locations and potentially other limiting factors.

<sup>&</sup>lt;sup>2</sup> https://deq.nc.gov/dwr-gwr-lcfr-pfas-data-2019-2021



### **TABLE OF CONTENTS**

Exec	cutive	Summar	у	1	
1.	Intro	duction.		1	
	1.1	Framew	vork Objectives and Assessment Sequence	1	
	1.2	Framew	vork Organization	2	
2.	Asse	Assessment Outcomes and Approaches			
	2.1	Source and Cause of Contamination			
	2.2	Immine	Imminent Hazards		
	2.3	Recepto	Receptor and Exposure Pathways		
	2.4	Extent of Soil and Groundwater Contamination			
	2.5	Geolog	ical and Hydrogeological Features	5	
3.	Source and Cause Hypotheses and Assessment				
	3.1	Availab	ble Table 3+ Data in the Four Counties	6	
	3.2	Source 3.2.1 3.2.2 3.2.3 3.2.4 3.2.5	and Cause Hypotheses Hypothesis #1: Leaks in Water Distribution and Sanitary Sewer Lin Hypothesis #2: Direct Application or Injection to Downstream Area Cape Fear River Water Users Hypothesis #3: Aquifer Recharge by Cape Fear River Hypothesis #4: Aerial Transport from Facility Hypothesis #5: Groundwater Transport from Facility	11 nes11 ns by 14 15 15 16	
4.	Sum	mary, Im	plementation and Reporting	17	
5.	Refe	erences		18	



#### LIST OF TABLES

Table 1	Summary of NCDEQ Private and Public Well Dataset	.7
Table 2	Summary of PFMOAA Data from NCDEQ Private and Public Well Dataset	.7
Table 3	Summary of Table 3+ PFAS Detection in Cape Fear River Surface Water	.8
Table 4	List of Table 3+ PFAS Groundwater Source and Cause Hypotheses	. 1
Table 5	Summary of Data Requested to Complete Assessment of Water Distribution and Sanitary Sewer System1	3
Table 6	Retained Source and Cause Hypotheses to be Assessed1	7

#### LIST OF FIGURES

- Figure 1 Framework for Soil and Groundwater Assessment Program
   Figure 2 New Hanover County Private Well Sampling Locations from NCDEQ November 3, 2021 Dataset
   Figure 3 New Hanover County Non Private Well Sampling Locations from NCDE
- Figure 3 New Hanover County Non-Private Well Sampling Locations from NCDEQ November 3, 2021 Dataset

#### LIST OF APPENDICES

- Appendix A Public Records Requests
- Appendix B PFAS Results in Groundwater from NCDEQ Sampling of Private Wells in New Hanover County (2020)
- Appendix C PFAS Results in Groundwater from NCDEQ Sampling of Non-Private Wells in New Hanover County (2019-2021)
- Appendix D Additional Potential Analytes for Analysis
- Appendix E Information Gathered from Public Sources



### **ACRONYMS AND ABBREVIATIONS**

ASR	Aquifer Storage and Recovery
CFPUA	Cape Fear Public Utility Authority
HFPO-DA	hexafluoropropylene oxide dimer acid
LCFWASA	Lower Cape Fear Water & Sewer Authority
NCAC	North Carolina Administrative Code
NCDEQ	North Carolina Department of Environmental Quality
NC DHHS	North Carolina Department of Health and Human Services
ng/L	nanograms per liter
PEPA	perfluoroethoxypropyl carboxylic acid
PFAS	per- and polyfluoroalkyl substances
PFMOAA	perfluoro-2-methoxyacetic acid
PFO2HxA	perfluoro(3,5-dioxahexanoic) acid
PMPA	perfluoromethoxypropyl carboxylic acid
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
WWTP	wastewater treatment plant



# 1. INTRODUCTION

This document was prepared by Geosyntec Consultants of NC, P.C. (Geosyntec) for The Chemours Company FC, LLC (Chemours) to provide a framework to undertake an assessment of Table 3+ per- and polyfluoroalkyl substances (PFAS) in soil and groundwater in New Hanover, Brunswick, Columbus, and Pender Counties (the counties) of North Carolina. This framework has been prepared in response to a letter sent to Chemours by the North Carolina Department of Environmental Quality (NCDEQ) on 3 November 2021 (NCDEQ 2021). The letter indicated the presence of Table 3+ PFAS in groundwater based on private and non-private well sample results collected between 2019 – 2021 from a dataset posted to the NCDEQ website on November 3, 2021. The letter also requested Chemours perform an assessment of Table 3+ PFAS that meets the requirements of 15A North Carolina Administrative Code (NCAC) 2L .0106(g) (i.e., 2L rules) and paragraph 18 of the February 25, 2019 Consent Order (CO) amongst Chemours, NCDEQ and Cape Fear River Watch. The assessment will characterize the following:

- The source and cause of contamination.
- Any imminent hazards to public health and safety and any actions taken to mitigate them.
- Receptors and significant exposure pathways.
- The horizontal and vertical extent of soil and groundwater contamination impact and significant factors affecting contaminant transport.
- Geological and hydrogeological features influencing the movement, chemical, and physical character of the contaminants.

In addition to the assessment request, NCDEQ also requested Chemours provide a drinking water plan to identify and provide replacement drinking water to qualifying parties. Chemours has separately submitted an *Interim Four Counties Sampling and Drinking Water Plan (New Hanover, Brunswick, Columbus and Pender Counties)* (Geosyntec, 2022) which includes the sampling of groundwater from private wells in the counties. The results from both the assessment proposed herein and from private well sampling will be used to prepare a soil and groundwater assessment report.

# 1.1 Framework Objectives and Assessment Sequence

The objective of the framework set forth in this document is to complete a soil and groundwater assessment of Table 3+ PFAS in the counties that follows the assessment requirements of the 2L rules. This framework includes interlinkages to the interim sampling and drinking water program since both programs will sample groundwater in the four counties. Therefore, the two programs will inform each other. The overarching framework for the assessment program and the point of information convergence with the interim sampling and drinking water program is shown below in Figure 1.

1





Figure 1 Framework for Soil and Groundwater Assessment Program.

The soil and groundwater assessment framework will start with a data gathering step to guide implementation of the assessment program. This step is critical; the counties encompass an area of over 2,900 square miles, and little is presently known about either the potential distribution of Table 3+ PFAS in the counties or the potential source and cause of Table 3+ PFAS within the counties. The data gathering step will support developing an initial conceptual model for the source and cause of the distribution of Table 3+ PFAS within the counties of the distribution of Table 3+ PFAS within the counties of the distribution of Table 3+ PFAS within the counties. The data gathering step will support developing an initial conceptual model for the source and cause of the distribution of Table 3+ PFAS within the counties which will then enable the development of specific sampling plans from the conceptual plans presented in this framework. Then after the implementation of the sampling plans the results from both the soil and groundwater assessment and the interim sampling and drinking water program will be evaluated and interpreted to prepare a soil and groundwater assessment report.

# **1.2 Framework Organization**

The remainder of this framework is organized as follows:

• Section 2: Assessment Outcomes and Approaches – which describes how the five primary requirements of the 2L Rules will be fulfilled.



NC License No.: C-3500 and C-295

- Section 3: Source and Cause Hypotheses and Assessment which describes hypotheses for the presence of Table 3+ PFAS in the counties, conceptual plans to test each hypothesis and compile a list of data and access needs to prepare specific sampling work plans.
- Section 4: Summary, Implementation and Reporting which summarizes the content of this framework and outlines the schedule for the initial implementation steps.



# 2. ASSESSMENT OUTCOMES AND APPROACHES

The 2L rules list five requirements for conducting a soil and groundwater assessment. This section provides an overview of how each requirement will be met through this framework.

# 2.1 Source and Cause of Contamination

The assessment must include an analysis of "the source and cause of contamination". At present, there is little information regarding the potential source and cause of Table 3+ PFAS within the counties. Section 3 describes potential hypotheses for the source and cause of Table 3+ PFAS in the counties and then presents conceptual investigation scopes to consider each hypothesis. This framework then describes information needed to prepare specific sampling work plans to consider these hypotheses.

# 2.2 Imminent Hazards

The assessment must include an analysis of, "any imminent hazards to public health and safety and any actions taken to mitigate them". Imminent hazards will be identified through the source and cause of contamination assessment and the interim sampling and drinking water program. The concentrations of HFPO-DA in the private well data provided by NCDEQ is lower than the current North Carolina Department of Health and Human Services (NC DHHS) health goal of 140 nanograms per liter (ng/L; NC DHHS, 2017).

# 2.3 **Receptor and Exposure Pathways**

The assessment must include an analysis of, "receptors (to include as potential receptors drinking water wells and surface waters) and significant exposure pathways". Amongst other sources of information, potential receptors may be identified by reviewing:

- 1. Private well receptors identified through the *Interim Four Counties and Drinking Water Plan (New Hanover, Brunswick, Columbus and Pender Counties)* (Geosyntec, 2022). Well data from NC OneMap GeoSpatial Portal to identify public water supply wells.
- 2. Data on North Carolina wellhead protection areas from NCDEQ and using data on usage of public water supplies to identify wellhead protection areas.
- 3. Surface water data from the United States Geological Survey (USGS) National Hydrography Dataset to identify surface water bodies.

In addition to identifying receptors, significant exposure pathways will be identified by assessing the conceptual model developed from the assessment of the potential sources and causes of Table 3+ PFAS.

# 2.4 Extent of Soil and Groundwater Contamination

The assessment must include an analysis of, "the horizontal and vertical extent of soil and groundwater contamination and all significant factors affecting contaminant transport". The extent



NC License No.: C-3500 and C-295

of Table 3+ PFAS in soil and groundwater will be assessed through three lines of evidence. First, soil and groundwater samples collected during the source and cause assessment, second through private well sampling results from the interim sampling and drinking water program, and third from sampling of select NCDEQ and USGS groundwater monitoring wells in the counties. The significant factors affecting transport will be identified based on prior established fate and transport properties of Table 3+ PFAS, as well as hydrogeologic conditions in the counties.

# 2.5 Geological and Hydrogeological Features

The assessment must include an analysis of the "geological and hydrogeological features influencing the movement, chemical, and physical character of the contaminants". The geological and hydrogeological features controlling the movement of groundwater potentially containing Table 3+ PFAS will be described using information gathered from public sources and the results of the source and cause hypothesis testing investigation. Information from public sources may include regional geology and hydrogeology studies authored by the USGS, data from NCDEQ monitoring wells, and other data gathered from the counties and water utilities in the counties. The geological and hydrogeological conceptual model will then be examined alongside the known fate and transport properties of Table 3+ PFAS to analyze how these features control the movement, chemical, and physical character of Table 3+ PFAS.



# **3.** SOURCE AND CAUSE HYPOTHESES AND ASSESSMENT

Geosyntec has developed five hypotheses that may potentially explain the presence of Table 3+ PFAS in the counties as identified by the groundwater sampling results provided by NCDEQ to date. Further data, which will aid in the refinement of these hypotheses or potentially influence new hypotheses, have been requested from the counties, various utility operators, and NCDEQ. These requested data are described in more detail in the following sub-sections and in Appendix A.

This section reviews the existing NCDEQ Table 3+ PFAS groundwater data in the counties and then describes each of the hypotheses, whether each hypothesis is retained for assessment, and how the retained hypotheses will be evaluated.

# **3.1** Available Table 3+ Data in the Four Counties

NCDEQ provided PFAS analytical results from 11 private wells (Appendix B and Figure 2) and from 384 samples collected between 2019 and 2022 from upwards of 100 non-private wells including public supply, service, and emergency wells in New Hanover County (Appendix C and Figure 3). Data from a single well in Brunswick County was provided. No PFAS analytical data were provided from wells in Pender or Columbus County. No PFAS analytical data were provided for soil from any of the counties.

The PFAS groundwater analytical data from private and non-private wells in New Hanover County contained both Method 537 PFAS and Table 3+ PFAS. Many Method 537 PFAS are not associated with the facility (e.g., PFOS<sup>3</sup>) while Table 3+ PFAS are often attributed to operations at the facility. In both the private and non-private wells, the Method 537 PFAS were detected at a frequency similar to or greater than Table 3+ PFAS, indicating that other non-Chemours sources are also likely contributing to groundwater PFAS detections.

Total Table 3+ PFAS<sup>4</sup> concentrations in private wells ranged from concentrations below detection limits at three sampling locations to a maximum value of 370 ng/L at one location (Table 1). Of the 194 unique sample identification codes in the non-private well datasets provided by NCDEQ, 109 contained concentrations of Total Table 3+ PFAS below detection limits. Detectable concentrations of Total Table 3+ PFAS in non-private wells ranged from 1.2 ng/L to 17,000 ng/L (Appendix C).

<sup>&</sup>lt;sup>3</sup> PFOS: perfluorooctanesulfonic acid

<sup>&</sup>lt;sup>4</sup> As reported in the *Matrix Interference During Analysis of Table 3+ Compounds* memorandum (Geosyntec, 2020), matrix interference studies conducted by the analytical laboratory (TestAmerica, Sacramento) have shown that the quantitation of three compounds (R-PSDA, Hydrolyzed PSDA, and R-EVE) is inaccurate due to interferences by the sample matrix in both groundwater and surface water. Total Table 3+ PFAS concentrations are calculated and presented two ways in this report: (i) summing over 17 of the 20 Table 3+ compounds "Total Table 3+ (17 compounds)", i.e., excluding results of R-PSDA, Hydrolyzed PSDA, and R-EVE, and (ii) summing over 20 of the Table 3+ compounds "Total Table 3+ (20 compounds)"



Source of Data	Number of Samples with Detections of Table 3+ PFAS	Number of Samples with Detections of Method 537 PFAS
Private wells	8/11	9/11
Non-private wells	150/384	218/384

#### Table 1 Summary of NCDEQ Private and Non-Private Well Dataset

Notes:

Data used to populate this table were provided by NCDEQ. The NCDEQ dataset included PFAS analytical results from 11 groundwater samples from private wells and 384 samples from non-private wells.

Method 537 PFAS represent compounds not specifically attributed to the Facility and may represent contributions from other PFAS sources.

For the 395 private and non-private wells sample data posted by NCDEQ with Table 3+ PFAS detections, PFMOAA is the most commonly detected Table 3+ compound, found in 143 of 158 samples with Table 3+ PFAS detections. PFMOAA is also the highest concentration Table 3+ PFAS in 134 of the 143 samples where PFMOAA was detected (Table 2). This indicates a connection with the permitted discharges from the Facility to the Cape Fear River between 1979 and 2017, which contained PFAS and for which the process water signature is associated with higher PFMOAA concentrations (Geosyntec, 2021a). This, in turn, suggests that Cape Fear River water withdrawals and usage may potentially be responsible for these NCDEQ sampling detections, as is explored in the subsequent hypotheses.

Table 2 Summar	Y OI PEMOAA Dala I	rom NCDEQ Private a	nd Non-Private wen Dataset
Source of Data	Number of Samples with Table 3+ PFAS Detections	Number of Samples with PFMOAA Detections	Number of Samples where PFMOAA was the Highest Concentration Table 3+ PFAS compound
Private wells	8/11	8/11	8/11
Non-private wells	150/384	135/384	126/384

# Table 2 Summary of PFMOAA Data from NCDEQ Private and Non-Private Well Dataset

Notes:

Data used to populate this table were provided by NCDEQ. The NCDEQ dataset included PFAS analytical results from 11 groundwater samples from private wells and 384 groundwater samples from non-private wells.

The Cape Fear River, which is bordered by the counties, also contains Table 3+ PFAS. The pathways described in the mass loading model site conceptual model contributing the most Table 3+ PFAS mass loading (i.e., groundwater, seeps, etc.) to the river have process water signatures (Geosyntec 2019). Data from Cape Fear River sampling locations downstream of the Site from 2019 through 2021 show that PFMOAA is the most commonly detected Table 3+ PFAS compounds as shown in Table 3.



Description of Analysis	Occurrence in 2019 Samples	Occurrence in 2020 Samples	Occurrence in 2021 Samples
Total Number of Samples Collected	17	139	157
Samples with PFMOAA as the highest concentration	17 (100%)	95 (68%)	96 (61%)
Samples with PFMOAA as the second highest concentration	0	18 (13%)	35 (22%)
Samples with PFMOAA as the third highest concentration	0	6 (4%)	5 (3%)
Total percent representation of PFMOAA as the highest to third highest concentration compound within the dataset	100%	85%	86%

#### Table 3 Summary of Table 3+ PFAS Detection in Cape Fear River Surface Water

Notes:

Data used to populate this table was obtained from Chemours surface water sampling programs from 2019 through 2021.

Between 1979 and 2017 fluoroproduct process wastewater from the Facility was directed to the onsite wastewater treatment plant (WWTP) for pH neutralization prior to permitted discharge to the Cape Fear River at Facility outfalls (Geosyntec, 2021a). This sequence would have resulted in the Table 3+ PFAS potentially present in the process wastewater also being present in the Cape Fear River. Historical Cape Fear River PFAS concentrations are also interpreted to have been higher than present concentrations. For instance, HFPO-DA concentrations in the Cape Fear River during 2021 ranged from 2 to 92 ng/L, whereas Cape Fear River samples taken between June 19 and 22, 2017 show river HFPO-DA concentrations of 629 to 1,100 ng/L (Geosyntec, 2019c). PFMOAA is interpreted to have also been present at concentrations greater than HFPO-DA in the Cape Fear River between 1979 and 2017 since measurements of process water samples and groundwater samples with process water signatures show PFMOAA being present at higher concentrations than HFPO-DA (Geosyntec, 2019c).

These data were used to inform the development of these hypotheses about the sources of contamination.





# Figure 2 New Hanover County Private Well Sampling Locations from NCDEQ November 3, 2021 Dataset.

Notes:

Sampling locations are enumerated and correspond to Location IDs listed in Appendix B.





# Figure 3 New Hanover County Non-Private Well Sampling Locations from NCDEQ November 3, 2021 Dataset.

Notes:

Sampling locations are enumerated and correspond to Location IDs listed in Appendix C.



**3.2** Source and Cause Hypotheses

Hypotheses that may potentially explain the source and cause of contamination were developed using Table 3+ PFAS data in the counties, information from prior assessment programs, and an initial review of hydrogeology, hydrology, and geomorphology of the counties. These hypotheses and whether or not they are retained for further assessment, are listed in Table 4, below. Information and data from 1979 to present will be considered when evaluating each hypothesis, since during the period of 1979 to 2017, process water was released to the Cape Fear River through permitted discharges. After 2017, process water with PFAS at the Facility has been collected and sent for off-site disposal, reducing the yearly HFPO-DA loading to the Cape Fear River by over 95 percent (Geosyntec 2019). Additional mechanisms for the source and cause of Table 3+ PFAS in the counties may also exist that may not be considered in these hypotheses. As new information and data are made available, the hypotheses described below may or may not be retained.

Hypothesis Number	Description	Hypothesis is Retained (Yes or No)
1	Leaking potable water distribution pipes and sanitary sewers that convey water from the Cape Fear River	Yes
2	Direct application and injection to downstream areas by Cape Fear River water users	Yes
3	Aquifer recharge by the Cape Fear River	Yes
4	Aerial deposition from the Facility air emission sources	No
5	Groundwater transport from the Facility	No

Table 4	List of Table 3+ PFAS Groundwater Source and Cause Hypotheses
	List of Tuble et TTTIS Ground vider Source und Gudse Hypotheses

The hypotheses listed above are described in further detail in the following sub-sections. Each subsection introduces the hypothesis, evaluates if the hypothesis is retained, describes the general approach for evaluating retained hypotheses, and then describes the information and access requirements to assess these hypotheses. Hypotheses are not retained if they are shown to be inconsistent with observations or not possible in principle. The general approach for evaluating retained hypotheses describes the type of locations where the hypotheses would be evaluated and considerations for choosing investigative locations.

#### 3.2.1 Hypothesis #1: Leaks in Water Distribution and Sanitary Sewer Lines

Hypothesis 1 posits that water leaking from potable water distribution systems and sanitary sewer networks in the counties has led to Table 3+ PFAS compounds being present in groundwater. This hypothesis is retained for additional assessment since water from the Cape Fear River is believed to have contained Table 3+ PFAS since 1979, and this water has been used in certain potable water distribution systems and collected after use by sanitary sewer systems in these counties.

The United States Environmental Protection Agency (USEPA) reports that an average of 14% of potable water distributed by water systems in the United States is lost to leakage (USEPA, 2021). The magnitude of water losses from a distribution system may be influenced by the age of



NC License No.: C-3500 and C-295

infrastructure, catastrophic events like pipe damage, and the quality of system construction. Water losses due to leaking infrastructure can be detected by analyzing meter readings, comparing predicted versus measured flow rates, and by reports of pooling or pipe bursts from water consumers.

After distributed potable water is used, it is collected by sanitary sewer networks and conveyed to WWTPs. Sanitary sewer exfiltration from damaged infrastructure may occur and is influenced by the age of infrastructure, size of network, construction materials and quality, and depth of flow in sewer (Amick and Burgess 2000). Geological factors such as groundwater depth (which influences pressure differentials), soil type, and fault lines can also contribute to sewer exfiltration (Amick and Burgess 2000). Finally, factors such as average annual rainfall and average days of frost can affect sewer line integrity (Amick and Burgess 2000).

#### 3.2.1.1 Assessment of Hypothesis

This hypothesis will be assessed in two steps. Relevant data to plan the investigation will be gathered and compiled and then four representative locations where leaking may have occurred will be selected and assessed. Data for planning the investigation will include identifying the following:

- Potable water distribution systems in the counties that utilized Cape Fear River water between years 1979 and 2017
- Sanitary sewer systems in the counties that accepted water originally sourced from the Cape Fear River between 1979 and 2017
- Locations of known potable water distribution network and sanitary system leaks where Cape Fear River water was the source of potable water between 1979 and 2017
- The location of water treatment plants and WWTPs using Cape Fear River water between 1979 and 2017

Up to four representative locations will be selected where property access can be obtained and sampling activities safely conducted. At each location, temporary groundwater sampling points will be installed and co-located surface soil and sub-surface soil samples collected. At each location, groundwater flow patterns will be inferred based on knowledge of area geology, land surface contours, and aquifer maps to guide the positioning of sampling locations. Sampling locations will be positioned downgradient and upgradient of known leak locations. The upgradient locations are not expected to have Table 3+ PFAS from the Cape Fear River and will thus serve as investigative control locations. Groundwater and soil samples will be collected and analyzed for Table 3+ and EPA 537 Modified PFAS compounds; collected samples may also be analyzed for other parameters such as those listed in Appendix D. Additional parameters, outlined in Appendix C D, may also be evaluated to differentiate the source of Table 3+ PFAS from either a drinking water distribution system or a sanitary sewer network and ambient groundwater. The investigative locations to be selected will be distant from PFAS transport pathways associated with

12



other hypotheses, e.g., direct application from Cape Fear River water users, etc., to reduce the possibility of confounding factors during data interpretation.

#### 3.2.1.2 Data Gathering and Compilation

To support the selection of possible investigation areas, Geosyntec has begun gathering and collecting data from both publicly available online sources and through transmitting data request letters to NCDEQ, each of the counties, Lower Cape Fear Water and Sewer Authority (LCFWASA), Cape Fear Public Utility Authority (CFPUA), Aqua of NC, Inc., Town of Wrightsville Beach, and Town of Carolina Beach. As the data gathering and compilation step continues, additional organizations may also be contacted. Letters that have been sent through January 31, 2022 are provided in Appendix A and the content of the requests are summarized in Table 5.

# Table 5Summary of Data Requested to Complete Assessment of Water Distribution and<br/>Sanitary Sewer System

Data Needs
Digital computerized map of drinking water supply lines
Additional information about drinking water supply lines, including the asset ages, construction material, diameter, and inverts
Map of sanitary sewer system
Additional information about sanitary sewer system, including the asset ages, construction material, diameter, and inverts
Any data (and relevant information, including but not limited to laboratory EDDs and sample collection information, etc.) indicating the presence of Table 3+ PFAS in water sources
Data about water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations)
Information since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system;
Locations where surface water from the Cape Fear River was injected into subsurface aquifers

Notes:

Data needs reflect information that would support an assessment of whether Table 3+ PFAS was circulated through drinking water and sanitary sewer systems in the counties. Geosyntec has submitted these data requests to each of the counties, Carolina Beach, Wrightsville Beach, LCFWASA, CFPUA, and Aqua of NC, Inc.



Through January 31, 2022, Geosyntec has compiled identified or received information, summarized in Appendix E, which will be supplemented and verified against information received from NCDEQ, the counties and the various utilities. This information includes lists of water treatment plants and water distribution systems potentially using Cape Fear River Water and WWTPs potentially receiving sanitary water originally from the Cape Fear River.

### 3.2.2 Hypothesis #2: Direct Application or Injection to Downstream Areas by Cape Fear River Water Users

Hypothesis 2 posits that land and water management practices using Cape Fear River water directly for irrigation, Aquifer Storage and Recovery (ASR), or other various uses may have recharged aquifers with Cape Fear River water and in this manner introduced Table 3+ PFAS compounds. This hypothesis is retained for additional assessment since the Cape Fear River water is believed to have contained Table 3+ PFAS since 1979, and this water has been used in certain land and water management practices in the counties.

#### 3.2.2.1 Assessment of Hypothesis

This hypothesis will be assessed in two steps. Relevant data to plan the investigation will be gathered and compiled and then, two representative locations where this recharge may have occurred will be selected and assessed. Data for planning the investigation will include compiling a list of large-scale Cape Fear River water users between 1979 and 2017. This will include gathering data as follows:

- List of parties permitted to draw Cape Fear River water since 1979 (Source: NCDEQ).
- Records review of customers of LCFWASA, Aqua of NC, Inc., CFPUA, and other utilities.
- Identification of farmland practices and locations using Cape Fear River water for irrigation.
- Review of CFPUA records of ASR program (volumes injected, dates operational, etc.,).

Geosyntec has begun the process of requesting water usage records from each of the counties, LCFWASA, CFPUA, and Aqua of NC, Inc. and has compiled data regarding LCFWASA water customers and water withdrawal registrants in the counties.

Two representative locations will be selected where property access can be obtained and sampling activities safely conducted. At each location temporary groundwater sampling points will be installed and co-located surface soil and sub-surface soil samples collected. Sampling locations will be positioned to include areas where recharge has occurred and locations downgradient and upgradient. The upgradient locations, are expected to not have Table 3+ PFAS from the Cape Fear River will serve as investigative control locations. Groundwater and soil samples will be collected and analyzed for Table 3+ and EPA 537 Modified PFAS compounds; collected samples may also be analyzed for other parameters such as those listed in Appendix D. The investigative locations to be selected will be distant from PFAS transport pathways associated with other hypotheses,



e.g., leaking water distribution pipes, etc., to reduce the possibility of confounding factors during data interpretation.

#### 3.2.3 Hypothesis #3: Aquifer Recharge by Cape Fear River

Hypothesis 3 posits that the Cape Fear River may have possibly recharged aquifers adjacent to the river, particularly during periods of flooding and thus have introduced the Table 3+ PFAS present in river water into these aquifers. This hypothesis is retained for additional assessment.

#### 3.2.3.1 Assessment of Hypothesis

This hypothesis will be assessed in two steps. Relevant data to plan the investigation will be gathered and compiled and then two representative locations where recharge may have occurred will be selected and assessed. Data for planning the investigation will include identifying low lying areas along the Cape Fear River in the four counties where flooding has occurred between 1979 to 2017 and identifying areas where the Cape Fear River may be a losing stream in the four counties based on publicly available resources. This evaluation will consider amongst other sources of data Federal Emergency Management Agency (FEMA) floodplain maps and/or resources from Landsat or The National Aeronautics and Space Administration (NASA).

Two investigative areas will be selected where property access can be obtained and sampling activities safely conducted. At each area temporary groundwater sampling points will be installed and co-located surface soil and sub-surface soil samples collected. Sampling points will be positioned in the areas which have experienced Cape Fear River flooding or recharge, and other sampling locations will be positioned upland where Cape Fear River flooding has not occurred to serve as control locations where Table 3+ PFAS detections are not expected. Groundwater and soil samples will be collected and analyzed for Table 3+ and EPA 537 Modified PFAS compounds. These samples may also be analyzed for other parameters such as those listed in Appendix D. The investigative locations to be selected will be distant from PFAS transport pathways associated with other hypotheses, e.g., leaking water distribution pipes, etc., to reduce the possibility of confounding factors during data interpretation.

#### 3.2.4 Hypothesis #4: Aerial Transport from Facility

Hypothesis 4 posits that the source of PFAS is from Facility air emissions that contained Table 3+ PFAS compounds and these may have been aerially transported to and then deposited in the counties. As described in the conceptual site model from the On and Offsite Assessment Report, aerial deposition has resulted in a distributed, non-point secondary source of PFAS in onsite and offsite soils (Geosyntec, 2019b). Where aerial deposition has occurred, infiltrating rainfall has transported these PFAS downward to groundwater (Geosyntec, 2019b). This hypothesis is not retained based on assessment of the hypothesis using existing data.



#### 3.2.4.1 Assessment of Hypothesis

At the Facility, two Table 3+ PFAS signature types have been identified, an aerial deposition signature and a process water signature (Geosyntec, 2021a). The aerial deposition signature is defined as generally being dominated by the four compounds reported with the highest concentrations in offsite groundwater, which are PMPA<sup>5</sup>, PEPA<sup>6</sup>, PFO2HxA<sup>7</sup> and HFPO-DA, while the process water signature is dominated by PFMOAA.

Of the 4,755 private wells with sufficient PFAS detections to be assessed (Geosyntec, 2021) all 4,755 had an aerial deposition signature. These private wells are hydraulically upgradient and/or isolated from groundwater near facility operations and therefore, Table 3+ PFAS detected in these wells are interpreted to have originated from aerial deposition (Geosyntec, 2019b).

The 395 private and non-private wells sample data posted by NCDEQ with Table 3+ PFAS detections indicate a process water Table 3+ PFAS signature. PFMOAA is both the most commonly detected Table 3+ compound, found in 143 of 158 samples with Table 3+ PFAS detections. It is also the highest concentration Table 3+ PFAS in 134 of the 143 samples where PFMOAA was detected (Table 2). Permitted discharges from the Facility to the Cape Fear River between 1979 and 2017 contained PFAS process wastewater, suggesting that Cape Fear River water withdrawals and usage may potentially be responsible for these detections, as is explored in the other hypotheses, rather than aerial deposition.

#### 3.2.5 Hypothesis #5: Groundwater Transport from Facility

Hypothesis 5 posits that Table 3+ PFAS present in groundwater at the facility have been transported to counties via groundwater transport. This hypothesis is not retained based on the assessment of existing data.

#### 3.2.5.1 Assessment of Hypothesis

While many multiple lines of evidence can be constructed to demonstrate that migration of Table 3+ PFAS through groundwater did not reach the counties, the simplest line of evidence is the direction of groundwater flow at the facility. The On and Offsite Assessment (Geosyntec, 2019b) and all subsequent annual groundwater and mass loading model monitoring events have shown groundwater onsite migrates towards the regional discharge feature, the Cape Fear River. Therefore, this hypothesis is not retained.

<sup>&</sup>lt;sup>5</sup> PMPA: perfluoromethoxypropyl carboxylic acid

<sup>&</sup>lt;sup>6</sup> PEPA: perfluoroethoxypropyl carboxylic acid

<sup>&</sup>lt;sup>7</sup> PFO2HxA: perfluoro(3,5 dioxahexanoic) acid

TR0795A - Framework to Assess Table 3+ PFAS in New Hanover, Brunswick, Columbus, and Pender Counties

Geosyntec<sup>D</sup> consultants

Geosyntec Consultants of NC, P.C. NC License No.: C-3500 and C-295

# 4. SUMMARY, IMPLEMENTATION AND REPORTING

This framework outlines a path forward on how to meet the five soil and groundwater assessment requirements of the 2L rules. The assessment framework begins with a data gathering step followed by preparing and then implementing investigative sampling plans. Investigative sampling will be performed consistent with methodologies previously employed in characterization and assessment activities such as the on- and offsite assessment and the on-going mass loading model program (Geosyntec, 2019b, Geosyntec 2021b). The results from the investigative sampling and the parallel interim four counties sampling and drinking water program will then be combined and interpreted to prepare a soil and groundwater assessment report.

This framework describes the conceptual approach for assessing the hypotheses describing the potential source and cause of Table 3+ PFAS in soil and groundwater in the counties. Hypotheses that will be retained for evaluation are outlined in Table 6. Sampling plans for each of these hypotheses will be developed using information collected during the data gathering and compilation stage. Geosyntec has begun compiling some of this information from publicly available sources. Other information is presently in possession of other organizations such as NCDEQ, the counties, and various utilities. Geosyntec has sent letters to these organizations requesting this information and requesting a teleconference to discuss the data request. This data gathering stage is anticipated to last six months depending upon the responsiveness of the various parties.

Hypothesis Description	Hypothesis is Retained (Yes or No)
Leaking potable water distribution pipes and sanitary sewers that convey water from the Cape Fear River	Yes
Direct application and injection to downstream areas by Cape Fear River water users	Yes
Aquifer recharge by the Cape Fear River	Yes

#### Table 6 Retained Source and Cause Hypotheses to be Assessed

Upon completion of the data gathering stage, the sampling plan(s) will be prepared and provided to NCDEQ and then the work conducted. Upon receipt of results and receipt of results available from private well sampling Geosyntec will prepare a Soil and Groundwater Assessment Report to submit to NCDEQ.

### 5. **REFERENCES**

- Amick and Burgess. 2000. *Exfiltration in Sewer Systems*. National Risk Management Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency. https://nepis.epa.gov/Exe/ZyPDF.cgi/2000E6PB.PDF?Dockey=2000E6PB.PDF
- Geosyntec Consultants of NC, P.C. 2019a. Corrective Action Plan: Chemours Fayetteville Works. December.
- Geosyntec Consultants of NC, P.C. 2019b. On and Offsite Assessment: Chemours Fayetteville Works. Version 2. October.
- Geosyntec, 2020. Matrix Interference During Analysis of Table 3+ Compounds. Chemours Fayetteville Works. June 30, 2020.
- Geosyntec Consultants of NC, P.C. 2021a. Response to NCDEQ Comments on Consent Order Paragraph 18 On and Offsite Assessment Report. Chemours Fayetteville Works. June 14, 2021.
- Geosyntec Consultants of NC, P.C. 2021b. Cape Fear River PFAS Mass Loading Assessment Third Quarter 2021 Report. Version 1. December.
- Geosyntec Consultants of NC, P.C. 2022. Interim Four Counties Sampling and Drinking Water Plan (New Hanover, Brunswick, Columbus and Pender Counties). Chemours Fayetteville Works. February 1, 2022.
- NCDEQ. 2021. "Re: Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 Offiste Groundwater Assessment and Provision of Replacement Drinking Water Supplies." North Carolina Department of Environmental Quality, Assistant Secretary for the Environment. November.
- North Carolina Department of Health and Human Services (NC DHHS). 2017. DHHS
- Drinking Water Advisory Decision Matrix. Presented to the NC SAB December 4, 2017. https://deq.nc.gov/news/hot-topics/genx-investigation/secretaries-scienceadvisory-Board
- NC OneMap. 2021. North Carolina County Parcel Data. USEPA. 2021. "Water Efficiency for Water Suppliers." Webpage accessed December 20, 2021. https://www.epa.gov/sustainable-water-infrastructure/water-efficiency-water-suppliers

# Appendix A Public Records Requests



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

December 14, 2021

#### VIA EMAIL

Meagan Kascsak, Communications Director Brunswick County Government Complex 30 Government Center Dr. NE Bolivia, NC 28422 Meagan.kascsak@brunswickcountync.gov

Subject: The Chemours Company/Public Records Request

Dear Ms. Kascsak:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Brunswick County. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Brunswick County produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Brunswick County

- 1. For each public water distribution system in the county<sup>2</sup> that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which if available would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

<sup>&</sup>lt;sup>2</sup> The distribution systems in Brunswick County for which data and information are requested include but are not limited to the distribution systems listed in Table 1 at the end of this letter.

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks. Additional information, which if available would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater PFAS testing results from Brunswick County which are not posted on DEQ's website,<sup>3</sup> including:
  - a. Identifying information for the wells included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well locations (eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of public and private drinking water supply wells in Brunswick County.
- 4. As available, the list of persons or entities with registered water withdrawals and, for each registration, the quantities of water withdrawn and hydrogeological units from which the water was or is withdrawn.

<sup>&</sup>lt;sup>3</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case we will redirect this request to other appropriate County personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Sean that

Beau Hodge, P.G. (NC) Senior Principal

Attachments: Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River Surface Water Since 1979

### <u>Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River</u> <u>Surface Water Since 1979</u>

County	Distribution System Operator
Brunswick	Brunswick County
	Shallotte
	Ocean Isle Beach
	Bald Head Utilities
	Leland
	Navassa
	South Port
	Oak Island
	H2GO
	Holden Beach
	Northwest
	Village of Bald Head Island Public Utilities



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.gcosyntec.com

December 14, 2021

#### VIA EMAIL

Amanda Prince, County Attorney Columbus County Administration Building 110 Courthouse Square Whiteville, NC 28472 aprince@columbusco.org

Subject: The Chemours Company/Public Records Request

Dear Ms. Prince:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Columbus County. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Columbus County produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Columbus County

- 1. For each public water distribution system in the county<sup>2</sup> that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which if available would be greatly

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

<sup>&</sup>lt;sup>2</sup> The distribution system in Columbus County for which data and information are requested include but are not limited to is that of Columbus County Public Utilities.

Amanda Prince, Attorney Columbus County December 14, 2021 Page 2

appreciated, includes the asset ages, construction material, diameter, and inverts;

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks. Additional information, which if available would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater PFAS testing results from Columbus County which are not posted on DEQ's website,<sup>3</sup> including:
  - a. Identifying information for the wells included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well locations (eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of public and private drinking water supply wells in Columbus County.
- 4. As available, the list of persons or entities with registered water withdrawals and, for each registration, the quantities of water withdrawn and hydrogeological units from which the water was or is withdrawn.

<sup>&</sup>lt;sup>3</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Amanda Prince, Attorney Columbus County December 14, 2021 Page 3

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case we will redirect this request to other appropriate County personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Amanda Prince, Attorney Columbus County December 14, 2021 Page 4

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Semilton

**Beau Hodge, P.G.** (NC) Senior Principal



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

December 14, 2021

#### VIA EMAIL

Jessica Loeper, Chief Communications Officer New Hanover County Communications and Outreach 230 Government Center Drive, Suite 195 Wilmington, NC 28403 jloeper@nhcgov.com

Subject: The Chemours Company/Public Records Request

Dear Ms. Loeper:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from New Hanover County. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, et seq., we request that New Hanover County produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from New Hanover County

- 1. For each public water distribution system in the county<sup>2</sup> that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

 $<sup>^{2}</sup>$  The distribution systems in New Hanover County for which data and information are requested include, but are not limited to, the distribution systems listed in Table 1 at the end of this letter.

Jessica Loeper, Chief Communications Officer New Hanover County Communications and Outreach December 14, 2021 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater PFAS testing results from New Hanover County not posted on DEQ's website,<sup>3</sup> including:
  - a. Identifying information for the wells included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of public and private drinking water supply wells in New Hanover County.
- 4. As available, the list of persons or entities with registered water withdrawals and, for each registration, the quantities of water withdrawn and hydrogeological units from which the water was or is withdrawn.

\*\*\*

<sup>&</sup>lt;sup>3</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.
Jessica Loeper, Chief Communications Officer New Hanover County Communications and Outreach December 14, 2021 Page 3

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate County personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Sean Il

Beau Hodge, P.G. (NC) Senior Principal

Attachments: Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River Surface Water Since 1979 Jessica Loeper, Chief Communications Officer New Hanover County Communications and Outreach December 14, 2021 Page 4

# <u>Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River</u> <u>Surface Water Since 1979</u>

County	Distribution System Operator
New Hanover	CFPUA Sweeney
	CFPUA Richardson
	CFPUA Monterey Heights
	Wrightsville Beach
	Carolina Beach
	Kure Beach
	Cape Master (South Wilmington Area)



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

December 14, 2021

## VIA EMAIL

Tara Cline, Administrator Pender County Manager's Office 803 S. Walker St. Burgaw, NC 28425 Tcline@pendercountync.gov

#### Subject: The Chemours Company/Public Records Request

Dear Ms. Cline:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Pender County. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Pender County produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Pender County

- 1. For each public water distribution system in the county<sup>2</sup> that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

<sup>&</sup>lt;sup>2</sup> The distribution systems in Pender County for which data and information are requested include, but are not limited to, the distribution systems listed in Table 1 at the end of this letter.

Tara Cline, Administrator Pender County Manager's Office December 14, 2021 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater PFAS testing results from Pender County not posted on DEQ's website,<sup>3</sup> including:
  - a. Identifying information for the wells included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of public and private drinking water supply wells in Pender County.
- 4. As available, the list of persons or entities with registered water withdrawals and, for each registration, the quantities of water withdrawn and hydrogeological units from which the water was or is withdrawn.

\*\*\*

<sup>&</sup>lt;sup>3</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Tara Cline, Administrator Pender County Manager's Office December 14, 2021 Page 3

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate County personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

he is

Beau Hodge, P.G. (NC) Senior Principal

Attachments: Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River Surface Water Since 1979 Tara Cline, Administrator Pender County Manager's Office December 14, 2021 Page 4

# <u>Table 1: Preliminary List of Water Distribution Systems Potentially Using Cape Fear River</u> <u>Surface Water Since 1979</u>

County	Distribution System Operator
Pender	Town of Burgaw
	Town of Topsail Beach
	Town of Surf City
	Moore's Creek Water District
	Central Pender Water District
	Maple Hill Water District
	Columbia-Union Water



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

December 14, 2021

## VIA EMAIL

Tim Holloman, Director Lower Cape Fear Water and Sewer Authority 1107 New Point Boulevard, Suite 17 Leland, NC 28451 Director@lcfwasa.gov

Subject: The Chemours Company/Public Records Request

Dear Mr. Holloman:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requires further data and information from Lower Cape Fear Water and Sewer Authority (LCFWASA). Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Lower Cape Fear Water and Sewer Authority promptly produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

- 1. For LCFWASA's Cape Fear River water collection and distribution systems that collect water from the Cape Fear River and distribute water to customers, the following records:
  - a. Digital files in either CAD or GIS file format of the collection and distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

Tim Holloman, Director Lower Cape Fear Water and Sewer Authority December 14, 2021 Page 2

- b. As available, records of water collection and distribution system leaks since 1979 (including leak and repair locations); and
- c. Locations where surface water from the Cape Fear River may have been injected into subsurface aquifers by LCFWASA.
- 2. Records, since 1979 as available, on a per year basis of customers to whom LCFWASA distributed Cape Fear River water, and the volume of water distributed to each customer, and as relevant, the proportion of Cape Fear River water versus groundwater or other water sources distributed to each customer; and
- 3. LCFWASA PFAS testing results not posted on DEQ's website,<sup>2</sup> including:
  - a. Identifying information for the wells/sampling points included in the datasets;
  - b. For each location, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each location, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each location, all service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

<sup>&</sup>lt;sup>2</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Tim Holloman, Director Lower Cape Fear Water and Sewer Authority December 14, 2021 Page 3

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Semilton

**Beau Hodge, P.G.** (NC) Senior Principal



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

January 20, 2022

## VIA EMAIL

Carolina Beach Kim Ward, Town Clerk 1121 N. Lake Park Blvd. Carolina Beach, NC 28428 kim.ward@carolinabeach.org

Subject: The Chemours Company/Public Records Request

Dear Ms. Ward:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Carolina Beach. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Carolina Beach produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Carolina Beach

- 1. For each public water distribution system owned or operated by Carolina Beach that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

Kim Ward, Town Clerk Carolina Beach January 20, 2022 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks owned or operated by Carolina Beach. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater, drinking water, and sanitary sewer PFAS testing results not posted on DEQ's website,<sup>2</sup> including:
  - a. Identifying information for the sampling locations included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of drinking water supply wells owned or operated by Carolina Beach.

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate personnel. We would like to arrange

<sup>&</sup>lt;sup>2</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Kim Ward, Town Clerk Carolina Beach January 20, 2022 Page 3

to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Semilton

**Beau Hodge, P.G.** (NC) Senior Principal



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

January 20, 2022

## VIA EMAIL

Wrightsville Beach Sylvia Holleman, Town Clerk PO Box 626 Wrightsville Beach, NC 28480 sholleman@towb.org

#### Subject: The Chemours Company/Public Records Request

Dear Ms. Holleman:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Wrightsville Beach. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Wrightsville Beach produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Wrightsville Beach

- 1. For each public water distribution system owned or operated by Wrightsville Beach that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

Sylvia Holleman, Town Clerk Wrightsville Beach January 20, 2022 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks owned or operated by Wrightsville Beach. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater, drinking water, and sanitary sewer PFAS testing results not posted on DEQ's website,<sup>2</sup> including:
  - a. Identifying information for the sampling locations included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of drinking water supply wells owned or operated by Wrightsville Beach.

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate personnel. We would like to arrange

<sup>&</sup>lt;sup>2</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Sylvia Holleman, Town Clerk Wrightsville Beach January 20, 2022 Page 3

to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Seanilfoly

**Beau Hodge, P.G.** (NC) Senior Principal



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

January 20, 2022

## VIA EMAIL

Vaughn Hagerty Public Information Officer Cape Fear Public Utility Authority 235 Government Center Drive Wilmington, NC 28403

Subject: The Chemours Company/Public Records Request

Dear Mr. Hagerty:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from CFPUA. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that CFPUA produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from CFPUA

- 1. For each public water distribution system owned or operated by CFPUA that has, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

Vaughn Hagerty, Public Information Officer Cape Fear Public Utility Authority January 20, 2022 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks owned or operated by CFPUA. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater, drinking water, and sanitary sewer PFAS testing results not posted on DEQ's website,<sup>2</sup> including:
  - a. Identifying information for the sampling locations included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of drinking water supply wells owned or operated by CFPUA.

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate personnel. We would like to arrange

<sup>&</sup>lt;sup>2</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

Vaughn Hagerty, Public Information Officer Cape Fear Public Utility Authority January 20, 2022 Page 3

to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Seanilfolu

**Beau Hodge, P.G.** (NC) Senior Principal



2501 Blue Ridge Road, Suite 430 Raleigh, NC 27607 PH 919.870.0576 www.geosyntec.com

January 20, 2022

## VIA EMAIL

Aqua of NC Inc. C. Ruffin Poole Water and Wastewater 900 The Cape Boulevard Wilmington, NC 28412 <u>CRPoole@AquaAmerica.com</u>

#### Subject: The Chemours Company/Public Records Request

Dear Mr. Poole:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice").<sup>1</sup>

We are assisting Chemours in responding to DEQ's Notice. In order for Chemours to do so, Chemours requests further data and information from Aqua of NC, Inc. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that Aqua of NC, Inc. produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") described in the list below. This list has been organized on a priority basis, with highest priority requests listed first. To help facilitate this request, we also intend to set up a teleconference call with you and your chosen staff members to help clarify questions about this request.

#### List of Requested Information from Aqua of NC, Inc.

- 1. For public water distribution systems operated or owned by Aqua of NC, Inc. that have, since 1979, utilized Cape Fear River water as a source, the following records:
  - a. Digital files in either CAD or GIS file format of the potable water distribution networks. Additional information, which, if available, would be greatly appreciated, includes the asset ages, construction material, diameter, and inverts;

<sup>&</sup>lt;sup>1</sup> DEQ has posted the Notice on its website at https://deq.nc.gov/media/25279/download?attachment.

C. Ruffin Poole, Water and Wastewater Aqua of NC Inc. January 20, 2022 Page 2

- b. Digital files in either CAD or GIS file format of the sanitary sewer networks owned or operated by Aqua of NC, Inc. Additional information, which, if available, would be greatly appreciated includes the asset ages, construction material, diameter, and inverts and water treatment plant locations;
- c. As available, records of water distribution system leaks since 1979 (including known water mains with leaks, and leak and repair locations);
- d. As available, records, since 1979, on a per year basis of the proportion of Cape Fear River water versus groundwater or other water sources used in each distribution system; and
- e. As available, records of locations where surface water from the Cape Fear River was injected into subsurface aquifers.
- 2. Groundwater, drinking water, and sanitary sewer PFAS testing results not posted on DEQ's website,<sup>2</sup> including:
  - a. Identifying information for the sampling locations included in the datasets;
  - b. For each well, associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - c. For each well, associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
  - d. For each well, well service and operation history information; and
  - e. A consolidated list or lists and/or GIS files containing well location information (such as eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- 3. Records regarding the numbers, locations, registrations, usages, and well service and operation histories of drinking water supply wells operated or owned by Aqua of NC, Inc.

\*\*\*

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within your organization. Please tell us immediately if you are not authorized to accept this request on behalf of your organization, in which case, we will redirect this request to other appropriate personnel. We would like to arrange

<sup>&</sup>lt;sup>2</sup> The results posted on DEQ's website are at https://deq.nc.gov/news/key-issues/emerging-compounds/managing-emerging-compounds-water#well-testing-in-new-hanover-county.

C. Ruffin Poole, Water and Wastewater Aqua of NC Inc. January 20, 2022 Page 3

to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely,

Seanilfoly

**Beau Hodge, P.G.** (NC) Senior Principal



November 17, 2021

VIA EMAIL

SDeGeorge@robinsonbradshaw.com 704.377.8380 : Direct Phone 704.373.3980 : Direct Fax

Laura Leonard Public Information Officer North Carolina Department of Environmental Quality 217 West Jones Street Raleigh, NC 27603 Laura.leonard@ncdenr.gov

Re: The Chemours Company/Public Records Request

Dear Ms. Leonard:

On November 3, 2021, the North Carolina Department of Environmental Quality ("DEQ") sent a letter to our client, The Chemours Company, entitled "Notice Regarding Chemours' Obligations Under Consent Order and 15A NCAC 02L .0106 - Offsite Groundwater Assessment and Provision of Replacement Drinking Water Supplies" (hereafter referred to as the "Notice"). The Notice stated: "[DEQ] has determined that Chemours is responsible for contamination of groundwater monitoring wells and water supply wells in New Hanover County and potentially other downstream counties<sup>1</sup> affected by PFAS contamination in the Cape Fear River." The Notice further stated: "DEQ directs Chemours to submit, within 90 days of receipt of this Notice, a plan for DEQ review and approval to conduct a comprehensive assessment of the groundwater contamination in New Hanover County and other affected counties" and "DEQ directs Chemours to submit, within 90 days of receipt of this Notice, an updated Drinking Water Compliance Plan pursuant to paragraph 24 of the Consent Order [to] provide for sampling of drinking water wells in downstream counties to identify affected parties entitled to provision of replacement water supplies."

In order for Chemours to respond to DEQ's Notice, Chemours requires further data and information in the possession of DEQ. Accordingly, on behalf of Chemours, and in accordance with the North Carolina Public Records Law, N.C. Gen. Stat. §§ 132-1, *et seq.*, we request that DEQ promptly produce or make available for inspection and photocopying the "Public Records" (as defined in § 132-1, hereinafter "Public Records") set forth below:

1. All Public Records related to drafts and final versions of the Notice. The foregoing includes, but is not limited to:

- a. All communications concerning the Notice, whether such communications took place before or after the Notice was issued and whether such communications took place within DEQ or between DEQ and any other person.
- b. All materials, and all communications, regarding the statement in the Notice: "DEQ's investigation has revealed that groundwater contamination in New

<sup>&</sup>lt;sup>1</sup> The Notice listed "Pender, Columbus, [and] Brunswick Counties" as the other downstream counties.

Laura Leonard November 17, 2021 Page 2

Hanover County has reached private drinking water supply wells." The foregoing includes, but is not limited to:

- i. The identification of the referenced "private drinking water supply wells" in New Hanover County;
- ii. For each well, all associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
- iii. For each well, all associated analytical laboratory reports and Electronic Data Deliverables ("EDDs");
- iv. For each well, all well service and operation history information; and
- v. A consolidated list or lists and/or GIS files containing all well locations (eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- c. All materials, and all communications, regarding the PFAS testing results posted on DEQ's website of groundwater monitoring wells and public water supply wells in the downstream counties, including, but not limited to:
  - i. Identifying information for the wells included in the datasets;
  - ii. For each well, all associated laboratory data and sampling information (including, without limitation, field notes, water levels, water depths, and well coordinates);
  - iii. For each well, all associated analytical laboratory reports and EDDs;
  - iv. For each well, all well service and operation history information; and
  - v. A consolidated list or lists and/or GIS files containing all well locations (eastings, northings), elevations, screen interval depths, and hydrogeological data (including, without limitation, start and end depth of each hydrogeological unit).
- d. All records of surface water and groundwater withdrawal registrations in the downstream counties, including, without limitation, all records created pursuant to N.C. Gen. Stat. § 143-215.22H and/or 15A NCAC 02E .0301.
- e. All records regarding the numbers, locations, registrations, usages, and well service and operation histories of private drinking water supply wells in the downstream counties.
- f. All records regarding NPDES or other discharges permitted or known by DEQ downstream of Fayetteville Works into the Cape Fear River or any tributary of the Cape Fear River, including, without limitation, all analytical results and data regarding such discharges.
- g. All materials, including all analytical results and data and all communications, regarding potential or actual impacts to the water quality of private drinking water supply wells in the downstream counties, including, without limitation, from PFAS compounds, any other compounds or contaminants, saltwater intrusion, and any industrial, commercial, municipal, or other source.

Laura Leonard November 17, 2021 Page 3

h. All materials, and all communications, regarding the presence and/or use of PFAS compounds in the downstream counties, such as, but not limited to, Aqueous Film Forming Foams ("AFFF") used by industrial users, airports, or fire departments during fire responses or training exercises.

We are directing this Public Records Request to you because we understand that you will coordinate a response from all appropriate representatives within DEQ. Please tell us immediately if you are not authorized to accept this request on behalf of DEQ, in which case we will redirect this request to other appropriate DEQ personnel. We would like to arrange to review these Public Records as soon as possible, and request that your response to this Public Records Request be expedited. We will pay for all associated reasonable costs.

\*\*\*

Thank you for your attention to this matter, and we look forward to hearing from you as soon as possible.

Sincerely, ROBINSON BRADSHAW & HINSON, P.A.

R. Steven DeGeorge

RSD/mdv

cc: William F. Lane, DEQ Francisco Benzoni, NC DOJ

# Appendix B PFAS Results in Groundwater from NCDEQ Sampling of Private Wells in New Hanover County (2020)

Sample Location	Private Well										
Location ID	1	2	3	4	5	6	7	8	9	10	11
Sample Date	1/22/2020	1/23/2020	1/23/2020	1/22/2020	1/22/2020	1/23/2020	1/23/2020	1/22/2020	1/23/2020	1/22/2020	1/22/2020
Table 3+ PFAS (ng/L)											
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	15	16	ND	2	1	ND	ND	4	11	7	35
Perfluoro-2-methoxyacetic acid (PFMOAA)	140	100	ND	18	13	ND	ND	25	51	37	140
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	110	89	ND	14	10	ND	ND	22	41	32	140
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	36	23	ND	4	3	ND	ND	6	13	8	11
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	6	3	ND	ND	ND	ND	ND	ND	1	1	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11- pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND										
(PFO5DA or TAF) - PMPA	9	12	ND	1	ND	ND	ND	5	6	7	34
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	ND	3	ND	9							
Perfluoroethoxypropyl carboxylic acid (PEPA)	ND								ND		
Nation Byproduct I (PS Acid)	ND										
Nation Byproduct 2 (Hydro-PS Acid)	2	ND	l								
Byproduct 4 (BP4 of R-PSDA)											
Byproduct 5 (BP5 or Hydrolyzed PSDA)) Byproduct 6 (BP6 or P_PSDCA)											
1 1 2 2-Tetrafluoro-2-(1 2 2 2-tetrafluoroethovy)ethane sulfonic acid (NVHOS)											
Perfluoroethovypropionic acid (EVE Acid)											
Hvdro-FVF											
R-EVE											
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)											
Nonafluoro-3.6-dioxaheptanoic acid (NFDHA or PFECA B)											
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND										
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)											
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	3	ND	9							
Other PFAS (ng/L)											
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND										
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane sulfonamido ethanol (N-EtFOSE)	ND										
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND										
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3- oxanonane-1-sulfonic acid (PF3ONS or 9-C1-PF3ONS)	ND										
FBSA											
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic acid (10:2 FTS)	ND										
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND										
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND										
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND										
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND										
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND										
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND										
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND										
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)	ND										
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	2	1	ND	ND	ND	ND	ND	1	1	2	ND

Sample Location	Private Well										
Location ID	1	2	3	4	5	6	7	8	9	10	11
Sample Date	1/22/2020	1/23/2020	1/23/2020	1/22/2020	1/22/2020	1/23/2020	1/23/2020	1/22/2020	1/23/2020	1/22/2020	1/22/2020
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	3	5	ND	ND	ND	ND	ND	2	ND	3	2
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	ND										
Perfluorodecanoic acid (PFDA)	ND										
Perfluorododecanoic acid (PFDoA)	ND										
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND										
Perfluoroheptanoic acid (PFHpA)	3	2	ND	1	ND	ND	ND	2	1	3	1
Perfluorohexadecanoic acid (PFHxDA)	ND										
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	6	3	ND	1	ND	ND	ND	3	1	4	ND
Perfluorohexanoic acid (PFHxA)	4	4	ND	1	ND	ND	ND	4	2	5	1
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	1	ND						
Perfluorononanoic acid (PFNA)	ND	1	ND								
Perfluorooctadecanoic acid (PFODA)	ND										
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND										
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	8	1	ND	4	1	1	ND	5	4	9	ND
Perfluorooctanoic acid (PFOA)	4	3	ND	1	1	ND	ND	4	2	7	1
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND										
Perfluoropentanoic acid (PFPeA)	6	6	ND	1	1	ND	ND	4	2	5	4
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND										
Perfluorotridecanoic acid (PFTrDA)	ND										
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND										
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND										
perfluorononanoic acid (ADONA or DONA)	ND										
Total Table 3+ Compounds 17 Compounds (ng/L)	320	250	ND	39	27	ND	ND	61	120	91	380
Total Table 3+ Compounds 20 Compounds (ng/L)	320	250	ND	39	27	ND	ND	61	120	91	380
Total of Other PFAS (ng/L)	36	26	ND	10	3	1	ND	24	14	38	9
Total of all Compounds (ng/L)	350	270	ND	48	30	1	ND	85	140	130	390

Notes:

1. Data were provided by NCDEQ and includes Private wells.

2. Concentrations are presented in ng/L.

3. Total Table 3+ (17 compounds) does not include R-PSDA, Hydrolyzed PSDA, and R-EVE.

4. Unique IDs were not given for private wells, however, data are differentiated by latitude/longitude.

NCDEQ - North Carolina Department of Environmental Quality

ng/L : nanograms per liter

ND - Compound not detected

PFAS - per and polyfluoroalkyl substances

-- - Not applicable

Sample Location   Beacon Woods Well Source-5515 Bernhardt     Location ID   1     Sample Date   6/19/2019   7/13/2020   4/6/2021   10/5/2021					Cameron Trace Well		EaglePoint	_CC29L1		Eag	glePoint_CC	29L2	Eagle	ePoint_CC2	9L3	Ea	glePoint_CC	C29L4 CC29I	L4	Foxcro	ft Well Sour Kingston Rd	ce- 326
Location ID	(10/2010	7/12/2020	1	10/5/2021	2	<b>E</b> /2/2010	3	<b>E /E /2021</b>	10/20/2021	<b>E/2/2010</b>	4	<i></i>	7/2/2010	5	<b>E /E /2021</b>	7/2/2010	0/27/2010		10/20/2021	(110/2020	7	10/5/2021
Table 3+ PEAS (ng/L)	6/19/2019	//13/2020	4/6/2021	10/5/2021	1/26/2021	//2/2019	8/2//2019	// // 2021	10/28/2021	//2/2019	8/2//2019	// //2021	//2/2019	8/2//2019	// //2021	//2/2019	8/2//2019	// // 2021	10/28/2021	6/10/2020	3/23/2021	10/5/2021
2 3 3 3-Tetrafluoro-2-(1 1 2 2 3 3 3-hentafluoronronoxy)-propanoic acid or																						
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	12	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																						
Perfluoro-2-methoxyacetic acid (PFMOAA)	73	ND	ND	ND	ND	ND	ND		1	ND	ND		ND	1		ND	ND			ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	57	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	21	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA) Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-	3	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid (PFO5DA or TAF) -	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
PMPA	8			ND		ND	ND			ND	ND		ND	ND		ND	ND					ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	2			ND		ND					ND			ND							ND	
Perfluoroethoxypropyl carboxylic acid (PEPA)	3		ND	IND	ND								IND	ND			ND				ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			ND	ND	ND																ND	ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND	ND	ND																ND	ND
Byproduct 6 (BP6 or R-PSDCA)			ND	ND	ND																ND	ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)			ND	ND	ND																ND	ND
Perfluoroethoxypropionic acid (EVE Acid)			ND	ND ND	ND																ND ND	ND
Hydro-EVE R EVE			ND	ND	ND																ND	
R-EVE Perfluoro(2-ethoxyethane) sulfonic acid (PEEESA or PES)			ND	ND	ND																ND	ND
Nonafluoro-3.6-dioxabeptanoic acid (NFDHA or PFECA B)			ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND				ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND	ND	ND	ND	ND															ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND	9	ND	ND	ND		ND				ND			ND			ND			ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	ND	ND															ND	ND	ND
Other PFAS (ng/L)																						
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)																				1.2		ND
FBSA				ND		ND	ND			ND	ND		ND	ND		ND	ND					ND
acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND			ND	ND	6	ND	ND		ND	ND			ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane																						
sulfonamido acetic acid (NMeFOSAA) Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND				ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	1	ND	ND	ND	ND															ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	2	ND	ND	ND	1	ND	ND		3	ND	ND		1	1	2.9	ND	ND		1	ND	ND	ND
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND	ND	ND			ND	2		6	10		ND	ND			ND	ND	ND
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	1	ND	ND	ND	ND	ND	ND		2	ND	ND		ND	ND		ND	ND		1	ND	ND	ND

Sample	Location Beac	con Woods We	l Source-5515	Bernhardt	Cameron Trace Well		EaglePoint	:_CC29L1		Eag	glePoint_CC	29L2	Eag	lePoint_CC2	29L3	Ea	glePoint_CC	29L4 CC29	DL4	Foxcro	oft Well Sour Kingston Rd	ce- 326
LU	cation ID		$\frac{1}{0}$ $\frac{1}{16/2021}$	10/5/2021	<u> </u>	7/2/2010	J 8/27/2010	7/7/2021	10/28/2021	7/2/2010	4	7/7/2021	7/2/2010	3 8/27/2010	7/7/2021	7/2/2010	0 8/27/2010	7/7/2021	10/28/2021	6/10/2020	/ 2/22/2021	10/5/2021
Derfluerebevedeceneig agid (DEHvDA)	ipie Date 0/19/2	2019 //13/20 ND	0 4/0/2021 ND	10/5/2021 ND	1/20/2021 ND	ND	0/2//2019 ND	////2021	10/20/2021	ND	0/2//2019 ND	////2021	1/2/2019	0/2//2019	////2021	ND	0/2//2019 ND	// // 2021	10/20/2021	0/10/2020	3/23/2021 ND	10/5/2021 ND
Perfluorohevanesulfonate or Perfluorohevane sulfonic acid (PEHvS)		ND	ND	ND	ND	ND	ND			ND	ND					ND	ND			ND	ND	ND
Perfluorohevanoic acid (PEHvA)	2	ND	ND	ND	ND	ND	ND		<u> </u>	ND	ND		ND	ND		ND	ND		1	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PENS)	 NI		ND	ND	ND	ND	ND			ND	ND		2	2		ND	ND			ND	ND	ND
Perfluorononanoic acid (PFNA)	NI	D ND	ND	ND	ND	ND	ND			ND	ND		ND			ND	ND			ND	ND	ND
Perfluorooctadecanoic acid (PFODA)		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND				ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	NI	D ND	ND	ND	ND															ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	1	ND	ND	ND	ND	ND	ND			ND	ND	13	ND	ND		ND	ND			ND	ND	ND
Perfluorooctanoic acid (PFOA)	2	ND	ND	ND	ND	ND	ND		1	ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	NI	D ND	ND	ND	ND	ND	ND			ND	ND		1	1		ND	ND			ND	ND	ND
Perfluoropentanoic acid (PFPeA)	3	ND	ND	ND	ND	ND	ND		4	ND	ND		ND	ND		ND	ND		1	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	NI	D ND	ND	ND	ND	ND	ND			ND	ND	-	3	2		ND	ND			ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	NI	D ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	NI	D ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
perfluorononanoic acid (ADONA or DONA)		ND	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND	ND			ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	18	0 9	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	18	0 9	ND	ND	ND	ND	ND		1	ND	ND		ND	1		ND	ND			ND	ND	ND
Total Other PFAS (ng/L)	18	8 ND	ND	ND	1	ND	ND	ND	14	ND	2	19	13	17	3	ND	ND	ND	4	ND	ND	ND
Total of all Compounds (ng/L)	19	0 9	ND	ND	1	ND	ND		15	ND	2	19	13	18	3	ND	ND		4	ND	ND	ND

Sample Location	Masonbo	ro Forest W 401 Navah	/ell Source- o	Муг	rtleGrove_E	E30M1 EE3	30M1	MyrtleGr	ove_EE30M	2 EE30M2	MyrtleGr	rove_EE30M	3 EE30M3	NC04	65010-ASR	WELL	NC04650 W	10-W31 Que ell #31 - 136	ens Point E	NC04650 Pirates Cov 401 Wind	010-W40 'e Well #40 - dward Dr
Location ID	)	8	1			9			10	1		11	1		12			13		1	.4
Sample Date	6/11/2020	4/6/2021	10/5/2021	7/2/2019	8/27/2019	7/7/2021	10/28/2021	7/2/2019	8/27/2019	7/9/2021	7/2/2019	8/27/2019	7/7/2021	1/23/2019	3/27/2019	10/28/2021	10/1/2019	6/10/2020	4/6/2021	6/24/2020	4/6/2021
Table 3+ PFAS (ng/L)																					
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	ND	ND	ND	ND	ND			ND	ND		ND	ND		58	81		2	ND	2	ND	ND
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	112	1.12	1.12	112	1.12			112	1.12		112	1.12			01		-	112	-		
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																6					
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	2	4	2	3		8	ND	ND		ND	ND		850		500	2	ND	49	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	ND	2			ND	ND		ND	ND		780		72	16	ND	8	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		210		19	13	ND	3	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		38		3	3	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11- pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid (PFO5DA or TAF) -	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
PMPA			ND	ND	ND			ND	ND		ND	ND		11			ND	ND	ND	ND	ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or		ND	ND	ND	ND			ND	ND		ND	ND		5			ND	ND	ND	ND	ND
Perfluoroethoxypropyl carboxylic acid (PEPA)			T(D)	T\D				T\D	TLD		TLD .			5			TLD .	TLD .			
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND			ND	ND		ND	ND		7			ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)		ND	ND																2		ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))		ND	ND																ND		ND
Byproduct 6 (BP6 or R-PSDCA)		ND	ND																ND		ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)		ND	ND																ND		ND
Perfluoroethoxypropionic acid (EVE Acid)		ND	ND																ND		ND
Hydro-EVE		ND	ND																ND		ND
R-EVE		ND	ND																ND		ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)		ND	ND																ND		ND
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)		ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND	ND	ND																		
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND	ND	ND						ND			ND					ND	ND	ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND																		
Other PFAS (ng/L) 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND		-	ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-C1-PF3ONS)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
FBSA			ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
acid (10:2 FTS)	ND	ND	ND	ND	ND				ND		ND	ND		ND							
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND		ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtEOS Am or N EtEOS A)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
sulfonamido acetic acid (NMeFOSAA) Perfluoro-1-dodecane sulfonic acid (PFDoS)		ND	ND		ND			ND	ND		ND	ND					ND	ND	ND	ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFRS)	ND	ND	ND	7	9		11							1							
Perfluorobutyric acid or Perfluorobutanoic acid (PFRA)	ND	ND	ND	12	19	5	8	ND	ND		ND	ND		2		1	1	ND	ND	ND	ND
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND			ND	1		ND	ND		ND			ND	ND	1	ND	ND
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		1			ND	ND	ND	ND	ND
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHnS)	ND	ND	ND	1	1			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	ND	ND	ND	10	10	5	7	ND	ND		ND	ND		3			ND	ND	ND	ND	ND

Sample Location	Masonbor	o Forest W 401 Navaho	ell Source-	Myı	rtleGrove_EI	E30M1 EE3	0M1	MyrtleGr	ove_EE30M2	2 EE30M2	MyrtleGr	ove_EE30M	3 EE30M3	NC040	55010-ASR V	WELL	NC046501 Wo	10-W31 Que ell #31 - 136	ens Point E	NC04650 Pirates Covo 401 Wind	010-W40 e Well #40 - Jward Dr
Location ID		8			9	)			10			11			12			13		1	4
Sample Date	6/11/2020	4/6/2021	10/5/2021	7/2/2019	8/27/2019	7/7/2021	10/28/2021	7/2/2019	8/27/2019	7/9/2021	7/2/2019	8/27/2019	7/7/2021	1/23/2019	3/27/2019	10/28/2021	10/1/2019	6/10/2020	4/6/2021	6/24/2020	4/6/2021
Perfluorohexadecanoic acid (PFHxDA)		ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND		23	23	8	9	ND	ND		ND	ND		1			ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	ND	ND		19	20	10	13	ND	ND		ND	ND		3			1	ND	1	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	1	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	1	2		1	ND	ND		ND	ND		1			ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)		ND	ND					ND	ND		ND	ND					ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND	ND	ND									ND				ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	41	40	26	35	ND	ND		ND	ND		3		1	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	ND	ND	ND	33	38	18	25	1	ND	2	4	3		3			1	ND	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	1	2		1	2	3		1	1		ND			ND	ND	1	ND	ND
Perfluoropentanoic acid (PFPeA)	ND	ND	ND	18	18	9	10	ND	ND		ND	ND		8		2	1	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	1	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND			ND	ND		ND	ND		ND			ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND					ND	ND		ND	ND				_	ND	ND	ND		
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND					ND	ND		ND	ND					ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	2	4	2	5	ND	8	ND	ND	ND	ND	ND	ND	2,000	81	600	36	ND	63	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	2	4	2	5		8	ND	ND		ND	ND		2,000	81	600	36	ND	65	ND	ND
Total Other PFAS (ng/L)	ND	ND	1	170	180	80	120	3	4	2	5	4	ND	24	ND	4	4	ND	4	ND	ND
Total of all Compounds (ng/L)	ND	2	4	170	180	81	130	3	4	2	5	4		2,000	81	600	41	ND	69	ND	ND

Sample Location	NC046	5010-WBW	BEACON W	VOODS	NC0465010- WBW Beacon Woods Well (DEQ)	NC046	5010-WFO I	FOXCROFT	T WELL	NC046501 0-WFO Foxcroft Well (DEQ)	NC046501	0-WMF MA WEL	SONBORO L #43	FOREST	NC0465010- WMF Masonboro Forest Well (DEQ)	NC0465(	010-WSP SE	CA PINES W	ELL #44	NC046501 0-WSP Sea Pines Well (DEQ)
Location ID Sample Date	6/19/2019	7/31/2019	5 7/13/2020	4/6/2021	16 6/19/2019	6/19/2019	7/31/2019	6/10/2020	3/23/2021	18 6/19/2019	6/19/2019	7/31/2019	9 6/11/2020	4/6/2021	20 6/19/2019	6/19/2019	7/31/2019	<u>6/11/2020</u>	4/6/2021	22 6/19/2019
Table 3+ PFAS (ng/L)	0/17/2017	//31/2017	//13/2020	4/0/2021	0/19/2019	0/1//201/	//31/2017	0/10/2020	5/25/2021	0/1//201/	0/1//201/	//31/2017	0/11/2020	4/0/2021	0/17/2017	0/1//201/	///////////////////////////////////////	0/11/2020	4/0/2021	0/17/2017
2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	10				10	ND	2	ND	ND	NID	NID	NID	ND		ND		10			
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	12	ND	ND	ND	12	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	1	10	11	11	1
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																				
Perfluoro-2-methoxyacetic acid (PFMOAA)	73	ND	ND	ND	73	ND	6	ND	ND	ND	ND	ND	ND	2	ND	11	64	89	570	11
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	57	ND	ND	ND	57	ND	5	ND	ND	ND	ND	ND	ND	ND	ND	9	63	51	50	9
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	21	ND	ND	ND	21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		17	18	23	
Perfluoro(3,5,/,9-tetraoxadecanoic) acid (PFO4DA)	3	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2	2	ND
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid (PFO5DA or TAF) -	ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
	8	ND	9	ND		ND	5	ND	ND		ND	ND	ND	ND		2	9	11	ND	
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or Derfluoroethoxymropyl carboxylic acid (DEDA)	3	ND	ND	ND		ND	3	ND	ND		ND	ND	ND	ND		ND	6	ND	5	
Nation Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nation Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)				ND					ND					ND					14	
Byproduct 5 (BP5 or Hydrolyzed PSDA))				ND					ND					ND					ND	
Byproduct 6 (BP6 or R-PSDCA)				ND					ND					ND					ND	
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)				ND					ND					ND					ND	
Perfluoroethoxypropionic acid (EVE Acid)				ND					ND					ND					ND	
Hydro-EVE				ND					ND					ND						
R-EVE Derfluere(2 otherwethene) sulferie goid (DEEES A or DES)				ND ND					ND ND					ND ND					ND ND	
Nonafluoro-3 6-diovabentanoic acid (NEDHA or PEECA B)	 ND	 ND	 ND	ND		 ND	 ND	 ND	ND		 ND	 ND	 ND	ND ND		 ND	 ND	 ND	ND	
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)																				
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)			ND	ND	8			ND	ND	ND			ND	ND	ND					2
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)					3					ND					ND					ND
Other PFAS (ng/L)																				
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS) 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND			ND	ND	ND			ND	ND	ND			ND	ND	ND	
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)		ND	ND			ND							ND			ND		ND		
FBSA		ND	ND	ND			ND	ND	ND			ND	ND	ND			ND	ND	ND	
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic acid (10:2 FTS)	ND	ND	ND	ND			ND	ND	ND			ND	ND	ND			ND	ND	ND	
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	440	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	ND	ND	ND	ND	60
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	6	ND	ND	ND	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND		ND	ND	
Pertuorobutanesultonate or Pertluorobutane sulfonic acid (PFBS)										ND					ND					ND
Perfluorodecanesulfanate or Perfluorodecane sulfania acid (PEDS)		ND ND	ND ND			ND ND	ND	ND ND	ND ND		ND ND					ND ND				ND ND
Perfluorodecanoic acid (PFDA)		ND	ND		ND	ND	ND 2	ND					ND	ND		ND	ND	ND		ND
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	1	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	ND

0- ;0 ;11	NC04650	10-WSP SEA	ELL #44	NC046501 0-WSP Sea Pines Well (DEQ)	
		2	1		22
)	6/19/2019	7/31/2019	6/11/2020	4/6/2021	6/19/2019
	1	10	11	11	1

Sample Location	NC046	55010-WBW	BEACON W	VOODS	NC0465010- WBW Beacon Woods Well (DEQ)	NC046	5010-WFO I	FOXCROFT	T WELL	NC046501 0-WFO Foxcroft Well (DEQ)	NC0465010	)-WMF MA WELI	SONBORO L #43	FOREST	NC0465010- WMF Masonboro Forest Well (DEQ)	NC04650	10-WSP SE	A PINES WI	ELL #44	NC046501 0-WSP Sea Pines Well (DEQ)
Location ID		1	5		16		1	7	1	18		19	)		20		2	1		22
Sample Date	6/19/2019	7/31/2019	7/13/2020	4/6/2021	6/19/2019	6/19/2019	7/31/2019	6/10/2020	3/23/2021	6/19/2019	6/19/2019	7/31/2019	6/11/2020	4/6/2021	6/19/2019	6/19/2019	7/31/2019	6/11/2020	4/6/2021	6/19/2019
Perfluorohexadecanoic acid (PFHxDA)		ND	ND	ND		ND	1	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	1	ND	ND	ND	1		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	2	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	2	2	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND		ND	ND	
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND		ND	ND	ND			ND	ND	ND			ND	ND	ND		ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	1	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	2	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	2	2	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	3	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	3	3	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND				
perfluorononanoic acid (ADONA or DONA)		ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND				
Total Table 3+ Compounds (17 Compounds) (ng/L)	180	ND	9	ND	180	ND	23	ND	ND	ND	ND	ND	ND	2	ND	25	170	180	670	25
Total Table 3+ Compounds (20 Compounds) (ng/L)	180	ND	9	ND	180	ND	23	ND	ND	ND	ND	ND	ND	2	ND	24	170	180	680	24
Total Other PFAS (ng/L)	18	ND	ND	ND	460	ND	7	ND	ND	ND	ND	ND	ND	ND	110	ND	9	10	10	60
Total of all Compounds (ng/L)	190	ND	9	ND	630	ND	30	ND	ND	ND	ND	ND	ND	2	110	24	180	190	690	84

							1											1				
Sample Location	NC0465(	)10-WSS SE	A SPRAY V	VELL #34	NC0465 WEI	025-W05 LL #5	NC0465	5112-W02 W	VELL #1	NC0465 WEL	121-200 IL #2		NC	20465137-W	01 WELL #1				NC0465	137-W02 W	'ELL #2	
Leastion ID			12		-	0.4		25		2	6			27						28		
Location ID	2/27/2010	2		10/20/2021	5/21/2010	24	5/21/2010	25	9/1/2010	2	0	4/20/2010	5/14/2010	2/	(111)2020	10/(/2020	2/22/2021	4/20/2010	10/1/2010	28	10/(/2020	4/(/2021
Sample Date	3/2//2019	6/11/2020	4/6/2021	10/28/2021	5/31/2019	6/19/2019	5/31/2019	6/19/2019	8/1/2019	6/20/2019	8/1/2019	4/29/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	3/23/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021
Table 3+ PFAS (ng/L)   2.2.2.75 + 0   2.1.1																						
2,3,3,3-1 etrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	9	10	8		ND	ND	2	2	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)				_																		
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)				8																		
Perfluoro-2-methoxyacetic acid (PFMOAA)	64	88	340	260	ND	ND	12	10	8	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	56	50	48	64	ND	ND	8	8	9	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	15	18	18	19	ND	ND	2	3	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	2	3	3	2	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-																						
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(PFO5DA or TAF) -																						
PMPA	4	8	ND		ND	ND	1	1	ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND	ND	ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	3	ND	2		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND
Perfluoroethoxypropyl carboxylic acid (PEPA)	5		2		ND		ND	ND		ND	ND	ND		ND	ND	ND	1	ND	ND	ND	ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			11													ND	ND				ND	ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND													ND	ND				ND	ND
Byproduct 6 (BP6 or R-PSDCA)			ND													ND	ND				ND	ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)			ND													ND	ND				ND	ND
Perfluoroethoxypropionic acid (EVE Acid)			ND													ND	ND				ND	ND
Hvdro-EVE			1													ND	ND				ND	ND
R-EVE			ND													ND	ND				ND	ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)			ND													ND	ND				ND	ND
Nonafluoro-3 6-dioxabentanoic acid (NFDHA or PFECA B)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-(Heptafluoroisopropoxy)bexafluorobutanoic acid (PEECA-G)																						
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)														ND	ND	ND	ND		ND	ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)																						
Other PFAS (ng/L)																						
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl-																						
PF3OUdS)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane																						
sulfonamido ethanol (N-EtFOSE)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorobexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorobexadecafluoro-3-	T(D)	T (D	110		THE		TILD	T(D)		TUD	112	110			110	T		112	112	T(D)	TID	110
$_{\rm ovanonane_1-sulfonic acid}$ (PE3ONS or $0_{\rm c}$ Cl_PE3ONS)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FRSA	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 10:2 or 1H 1H 2H 2H-perfluorododecane sulfonic												112			TUD				TIL	T(D)		112
acid (10.2 FTS)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4.2 or 1H 1H 2H 2H-Perfluorohexane sulfonic acid																						
(4.2  FTS)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H 1H 2H 2H-Perfluorooctane sulfonic acid																						
(6.2  FTS)	3	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(0.2115) Eluorotelomer sulfonate 8.2 or 1H 1H 2H 2H-Perfluorodecane sulfonic acid																						
(8.2  FTS)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(0.2 F15) N ethylperfluoro 1 octanesulfonamide or N Ethylperfluorooctane sulfonamide																						
$(E_{t} = O_{t} A_{m} \circ r N E_{t} = O_{t} A)$	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(EtroSAlli of N-EtroSA) N athylparfluoro 1 octanosulfonamidoacatic acid or N Ethylparfluorooctano					-																	
sulfonamido acetic acid (NETEOS A A)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N methylperfluoro 1 octanesulfonamide or N Methylperfluorooctane																						
sulfonamide (NMeEOSA)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N mathylperfluere 1 estanegulfenemideaestie acid or N Methylperflueresetane																						
sulforamido acetia acid (NMaEOS A A)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Barfluara 1 dadaaanasulfanata ar Barfluaradadaaana sulfania asid (BEDaS)		ND	ND		ND	ND				ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFDOS)	 2	2	2							ND	ND	ND		ND		ND	1			Ш	IND	IND
Perfluerebuttrie acid or Perfluerebutereie acid (PFBS)	2	2 2	<b>3</b>	4			19	<u> </u>	<u> </u>		 NID											
Porfluorodoconceulfonete en Derfluorodocone sulfania esi 1 (DEDS)				4			4 ND			3				1								
Perfluered econorio coid (PEDA)								IND ND		5 ND												
Perfluerededecencie acid (PFDA)								IND ND														
Perfluenchenten egylfenete er Derfluenchenten er 16 min 1 (DEU 9)										ND		ND					ND ND					
Perfluered enter aid acid (PFHpS)																						
гепниотопертапоте аста (ГГНРА)	2	2	2	3	ND	IND	3	4	3	IND	IND	IND	IND	IND	IND	IND	IND	IND	IND	IND	IND	IND

Sample Loo	cation NC0465	NC0465010-WSS SEA SPRAY WELL #34				NC0465025-W05 WELL #5		NC0465112-W02 WELL #1		NC0465121-200 WELL #2		NC0465137-W01 WELL #1						NC0465137-W02 WELL #2				
Locati	ion ID	23			2	24	25		26		27					28						
Sample	e Date 3/27/2019	<b>6/11/2020</b>	4/6/2021	10/28/2021	5/31/2019	6/19/2019	5/31/2019	6/19/2019	8/1/2019	6/20/2019	8/1/2019	4/29/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	3/23/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND		ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	3	3	3	4	ND	ND	5	6	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	3	4	3	3	ND	ND	8	7	6	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND		ND	ND	ND	ND	ND	5	ND	ND	1	1	ND	1	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND		ND	ND	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)		ND	ND		ND	ND				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND				ND	ND	ND						ND	ND	ND			ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	5	9	8	8	ND	ND	22	29	20	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	4	5	5	6	ND	ND	11	12	9	12	ND	1	1	2	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	1	ND	ND	1	1	1	6	ND	1	1	1	ND	1	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	3	4	3	4	ND	ND	7	8	7	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND		ND	ND	ND	ND	ND	5	ND	1	2	1	1	1	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-					ND	ND				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
perfluorononanoic acid (ADONA or DONA)					ND	ND				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	150	180	430	350	ND	ND	25	26	21	ND	ND	ND	ND	ND	ND	5	2	ND	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	150	180	430	350	ND	ND	25	26	21	ND	ND	ND	ND	ND	ND	5	2	ND	ND	ND	ND	ND
Total Other PFAS (ng/L)	27	32	29	36	ND	ND	81	97	80	41	ND	3	5	6	1	3	1	ND	ND	ND	ND	ND
Total of all Compounds (ng/L)	180	210	460	380	ND	ND	110	120	100	41	ND	3	5	6	1	8	3	ND	ND	ND	ND	ND
Sample Location		NC	0465137-W0	3 WELL #3			NC04651	37-W04 Wel	l #4 - 6608 C	Chorley Rd	NC046513'	7-W05 Well	#5 - 225 M	cQuillan Dr	NC046513 #6 - 124 So	7-W06 Well outhwold Dr	NC0465137- - 5401 Myrt	W07 Well #7 tle Grove Rd	NC04651 WEL	138-W02 IL #2		
---	-----------	-----------	------------	-----------	-----------	----------	-----------	------------	---------------	------------	-----------	------------	------------	-------------	-------------------------	---------------------------	---------------------------	-----------------------------	----------------	------------------		
Location ID			29					3	0			3	1		3	32	3	3	34	4		
Sample Date	4/29/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/1/2019	6/11/2020	10/6/2020	4/6/2021	1/28/2020	10/6/2020	1/28/2020	10/6/2020	6/20/2019	8/1/2019		
Table 3+ PFAS (ng/L)           2.2.2.77 + 0																						
2,3,3,3-1 etrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)																						
Perfluoro-2-methyl-3-oxanexanoic acid (GenX)				 NID		 ND	 ND					 NID	 ND	 ND				 ND	 NID	 ND		
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	2	ND			ND ND	ND ND	ND ND	ND ND		ND ND	ND ND	ND ND	ND ND	ND	ND		ND ND	ND ND	ND		
Perfluoro(3,5-dioxanexanoic) acid (PFO2HXA)	ND					ND ND		ND ND	ND ND	ND	ND ND		ND ND	ND ND	ND	ND		ND ND	ND			
Perfluoro(3,5,7,9, tetraovadecanoic) acid (PFO5OA)	ND	ND	ND	ND	ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND		ND ND	ND			
Sodium 2 2 4 4 6 6 8 8 10 10 12 12 12 tridecafluoro- 3 5 7 9 11-		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	IND	ND		
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	10	ND	ND		
Sodium 2.3.3 3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or										5								17				
Perfluoroethoxypropyl carboxylic acid (PEPA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Byproduct 4 (BP4 of R-PSDA)					ND	ND			ND	ND			ND	ND		ND		ND				
Byproduct 5 (BP5 or Hydrolyzed PSDA))					ND	ND			ND	ND			ND	ND		ND		ND				
Byproduct 6 (BP6 or R-PSDCA)					ND	ND			ND	ND			ND	ND		ND		ND				
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)					ND	ND			ND	1			ND	ND		ND		ND				
Perfluoroethoxypropionic acid (EVE Acid)					ND	ND			ND	ND			ND	ND		ND		ND				
Hydro-EVE					ND	ND			ND	ND			ND	ND		ND		ND				
R-EVE					ND	ND			ND	ND			ND	ND		ND		ND				
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)					ND	ND			ND	ND			ND	ND		ND		ND				
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)																						
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)			ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	ND				
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)         Other PFAS (ng/L)																						
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
2-(N-ethylperfluoro-1-octanesultonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Sulfonamido etnanol (N-EtFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
2-(N-methylpermuoro-1-octanesunonamido)-ethanoi (N-MerOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
ovanonane-1-sulfonic acid (PE3ONS or 9-C1-PE3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
FBSA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic														ND								
acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)																						
Pertluorobutyric acid or Perfluorobutanoic acid (PFBA)	3	6	3	3	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	5		
Pertluorodecanesultonate or Pertluorodecane sulfonic acid (PFDS)		2				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2		
Pertiuorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Perfluorohantanasulfanata arDarfluorohantana sulfania asid (DEUrS)																ND ND			ND ND			
Perfluoroheptanoic acid (PFHpA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		

							1				1				-					
Sample Location		NC	20465137-W0	3 WELL #3			NC04651.	37-W04 Wel	l #4 - 6608 C	Chorley Rd	NC0465137	-W05 Well	#5 - 225 Mc	Quillan Dr	NC0465137 #6 - 124 Sou	7-W06 Well uthwold Dr	NC0465137- - 5401 Myrt	W07 Well #7 le Grove Rd	NC04651 WEL	138-W02 JL #2
Location ID			29					3	0			3	1		3	2	3	3	3	4
Sample Date	4/29/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/1/2019	6/11/2020	10/6/2020	4/6/2021	1/28/2020	10/6/2020	1/28/2020	10/6/2020	6/20/2019	8/1/2019
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	4	7	4	5	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	9	ND	ND	ND	ND	ND	ND	ND	ND	4	3
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)				ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND		
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	16	15
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7	5
Perfluoropentanoic acid (PFPeA)	1	2	1	2	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	4
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	4	ND	2	10	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	19	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	4	ND	2	10	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	19	ND	ND
Total Other PFAS (ng/L)	8	17	9	11	8	ND	ND	ND	ND	9	ND	ND	ND	ND	ND	ND	ND	ND	41	37
Total of all Compounds (ng/L)	8	21	9	12	18	ND	ND	ND	ND	22	ND	ND	ND	ND	ND	ND	ND	19	41	37

Sample Location	NC040 W]	65165-W02 ELL #2	NC0465 WEI	198-001 .L #1	NC0465199- W2A WELL #6_SANDE RS RD	NC046523 2-APD WELL A - PEE DEE	NC04652 32-BCH WELL B CASTLE HAYNE	NC04652 WELL B -	232-BPD PEE DEE	NC046523 2-CCH WELL C - CASTLE HAYNE	NC04652 32-CPD WELL C · PEE DEE	NC0465232 FCH WELL F - CASTLE HAYNE	NC046523 2-FPD WELL F - PEE DEE	NC046523 2-GCH WELL G - CASTLE HAYNE	NC04652 32-GPD WELL G - PEE DEE	NC0465232- HCH WELL H - CASTLE HAYNE	NC046523 2-HPD WELL H - PEE DEE	NC046523 2-ICH WELL I - CASTLE HAYNE	NC04652 32-IPD WELL I - PEE DEE	NC046523 2-JCH WELL J - CASTLE HAYNE	NC046523 2-JPD WELL J - PEE DEE	NC046523 2-KCH WELL K - CASTLE HAYNE
Location ID	(120,120,14	35	3	6	37	38	39	4	0	41	42	43	44	45	46	47	48	49	50	51	52	53
Sample Date	6/20/2019	9 8/1/2019	6/20/2019	8/1/2019	1/23/2020	5/9/2019	5/9/2019	5/9/2019	3/23/2021	5/9/2019	5/9/2019	7/16/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019
2 3 3 3 Tetrafluoro 2 (1 1 2 2 3 3 3 hentafluoronronovy) propanoic acid or																						
Hexafluoropropyleneoxide dimer acid (HEPO-DA or PEPrOPrA or GenX)	ND	ND	1	1	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																						
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND	5	7	2	11	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	4	5	ND	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	2	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA) Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PMPA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or			ND					ND		ND									ND			
Perfluoroethoxypropyl carboxylic acid (PEPA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)									ND													
Byproduct 5 (BP5 or Hydrolyzed PSDA))									ND ND													
Byproduct 0 (Br0 01 K-FSDCA)									ND													
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)									ND													
Perfluoroethoxypropionic acid (EVE Acid)									ND ND													
R-EVE									ND													
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)									ND													
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)																						
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)					ND				ND													
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)																						
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-																						
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamide (NMeFOSA) N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane		ND		ND	NID	ND	ND	ND	NID			ND	NID	ND	ND		ND	ND		NID		ND
sulfonamido acetic acid (NMeFOSAA) Perfluoro-1-dodecane sulfonate or Perfluorododecane sulfonia acid (PEDeS)																						
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)																						
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	2	2	1	1	2	ND	ND	ND	ND	ND	3	ND	2	ND	ND	ND	ND	ND	4	ND	ND	ND
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	2	2	1	ND	1	ND	ND	ND	ND	ND	1	ND	1	ND	ND	ND	ND	ND	1	ND	ND	1
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanesultonate orPerfluoroheptane sultonic acid (PFHpS) Perfluoroheptanoic acid (PFHpA)	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND

Sample Location	NC046: WE	5165-W02 ELL #2	NC0465 WEI	198-001 LL #1	NC0465199- W2A WELL #6_SANDE RS RD	NC046523 2-APD WELL A - PEE DEE	NC04652 32-BCH WELL B CASTLE HAYNE	NC04652 WELL B -	232-BPD PEE DEE	NC046523 2-CCH WELL C - CASTLE HAYNE	NC04652 32-CPD WELL C PEE DEE	NC0465232 FCH WELL F - CASTLE HAYNE	NC046523 2-FPD WELL F - PEE DEE	NC046523 2-GCH WELL G - CASTLE HAYNE	NC04652 32-GPD WELL G - PEE DEE	NC0465232- HCH WELL H - CASTLE HAYNE	NC046523 2-HPD WELL H - PEE DEE	NC046523 2-ICH WELL I - CASTLE HAYNE	NC04652 32-IPD WELL I - PEE DEE	NC046523 2-JCH WELL J - CASTLE HAYNE	NC046523 2-JPD WELL J - PEE DEE	NC046523 2-KCH WELL K - CASTLE HAYNE
Location ID		35	3	6	37	38	39	4	0	41	42	43	44	45	46	47	48	49	50	51	52	53
Sample Date	6/20/2019	8/1/2019	6/20/2019	8/1/2019	1/23/2020	5/9/2019	5/9/2019	5/9/2019	3/23/2021	5/9/2019	5/9/2019	7/16/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019	5/9/2019
Perfluorohexadecanoic acid (PFHxDA)	1	1	1	1	1	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	3	3	3	4	1	1	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	2	2	1	2	1	1	ND	ND	ND	ND	2	ND	1	ND	ND	ND	ND	ND	3	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)					ND				ND													
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	12	11	2	1	4	1	ND	ND	ND	ND	5	ND	3	ND	ND	ND	ND	ND	5	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	3	3	1	ND	2	1	ND	ND	ND	ND	4	ND	2	ND	ND	ND	ND	ND	4	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	ND	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	2	3	1	2	1	2	ND	ND	ND	1	2	ND	1	ND	ND	ND	ND	ND	3	ND	ND	1
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	ND	10	14	2	22	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	ND	10	14	2	22	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2	ND	ND
Total Other PFAS (ng/L)	28	27	11	10	13	6	ND	2	ND	1	19	ND	10	ND	ND	ND	ND	ND	23	ND	ND	2
Total of all Compounds (ng/L)	28	27	21	24	15	27	ND	2	3	1	19	ND	10	ND	ND	ND	ND	ND	24	2	ND	2

Sample Location	NC04652 32-KPD WELL K - PEE DEE	2 NC046523 2-LCH X WELL L CASTLE HAYNE	NC046523 2-LPD WELL L - PEE DEE	NC046: WELL P	5232-PPD - PEE DEE	NC046523 2-QPD WELL Q - PEE DEE	NC046:	5232-W04 W WHITE RD	/ELL #4 )	NO	C0465232-W	'15 WELL #	415 ELKMC	DNT	NC0465232- W19 Well #19 - 110 Marsh Oaks Dr	NC046523	32-W20 WEI OAK	LL #20 OLD (S#2	) MARSH	NC046 WEI	55232-W28 LL #28 M	NC046: WEL	5232-W29 L# 29 N	NC046523 2-W30 WELL# 30 O	<ul> <li>NC0465</li> <li>2-WC</li> <li>Camer</li> <li>Trace V</li> </ul>
Location ID	54	55	56		57	58		59				60			61		62	2			63		64	65	66
Sample Date	5/9/2019	5/9/2019	5/9/2019	5/9/2019	10/28/2021	5/9/2019	5/6/2019	6/10/2020	4/5/2021	5/6/2019	7/7/2020	4/5/2021	5/19/2021	10/4/2021	10/1/2019	5/6/2019	1/23/2020	6/10/2020	4/5/2021	3/27/201	9 5/9/2019	3/27/2019	5/9/2019	5/9/2019	1/26/20
Table 3+ PFAS (ng/L)       2.2.2.2 Total fluores 2 (1, 1, 2, 2, 2, 2, 2, bonts fluores non sup) means is said and																									4
Levefluoronronuleneovide dimer acid (HEPO DA or PEPrOPrA or ConV)	ND	ND	ND	12		ND	ND	ND	ND	1	1	1	ND	1	ND	ND	ND	ND	ND	4	8	2	2	ND	ND
Perfluoro-2-methyl-3-oyabeyanoic acid (GenX)					4																				
Perfluoro-2-methyr-5-oxalexatole acid (Cenx)	1	ND	ND	110	150	2	1	ND	13	3	4	24	13	53	ND	ND	ND	ND	1	26	52	13	12	6	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	86	38	ND	2	ND	2	2	2	4	2	2	ND	ND	ND	ND	ND	21	41	12	7	4	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	19	11	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	5	10	4	2	1	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-			NID	ND		NID					NID	ND						NID					NID		
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PMPA	ND	ND	ND	11		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	8	2	ND	ND	
Sodium 2.3.3.3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or				11																5	0				
Perfluoroethoxypropyl carboxylic acid (PEPA)	ND	ND	ND	2		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)									ND			1	ND	ND					ND						ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))									ND			ND	ND	ND					ND						
Byproduct 6 (BP6 of R-PSDCA)									ND			ND	ND	ND					ND						
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)									ND			ND							ND						ND
Perfluoroethoxypropionic acid (EVE Acid)									ND			ND	ND	ND					ND						ND
Hydro-EVE	-							-	ND			ND	ND	ND					ND						ND
R-EVE									ND			ND	ND	ND					ND						ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)									ND			ND	ND	ND					ND						ND
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PEMOPrA or PEMPA)								 ND	ND		 ND	 ND	ND	ND	 ND		 ND	 ND	ND						 ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)													ND	ND											
Other PFAS (ng/L)																									
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl-	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PF3OUdS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	ND	ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-(N-methylperfluoro-1-octanesuffonamido)-ethanof (N-MerOSE) 9-chlorobexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorobexadecafluoro-3-	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	IND	ND	ND	ND	
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
acid (10:2 FTS)							ND		ND				ND									ND			
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(4:2 F1S) Eluorotelomer sulfonate 6:2 or 1H 1H 2H 2H-Perfluorooctane sulfonic acid																									_
(6:2 FTS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid		ND	NID			NID					NID	ND		ND	NID		ND	ND	NID	ND	ND	ND	NID	ND	
(8:2 FTS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(EtFOSAm or N-EtFOSA)																									
N-ethylperfluoro-1-octanesultonamidoacetic acid or N-Ethylperfluorooctane	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido acetic acid (NEIFOSAA) N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane																									
sulfonamide (NMeFOSA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane																									
sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)				3	2								1	1							ND				
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND		ND ND		3		ND 1	ND ND							3	ND 4			ND ND	ND		ND ND	ND 6	ND ND	
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND		ND	I ND	ND	ND	ND	ND	ND	ND	ND	4 ND	0 ND	ND	ND		ND	ND	ND	0 ND	ND	
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	ND	ND	ND	3	2	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND



Sample Location	NC04652 32-KPD WELL K - PEE DEE	2 NC046523 2-LCH WELL L - CASTLE HAYNE	NC046523 2-LPD WELL L - PEE DEE	NC0465 WELL P -	232-PPD - PEE DEE	NC046523 2-QPD WELL Q - PEE DEE	NC046	5232-W04 W WHITE RD	ELL #4	NC	C0465232-W	15 WELL #	15 ELKMO	PNT	NC0465232- W19 Well #19 - 110 Marsh Oaks Dr	NC046523	2-W20 WEL OAK	LL #20 OLD S#2	MARSH	NC04652 WELL	232-W28 #28 M	NC04652 WELL	232-W29 .# 29 N	NC046523 2-W30 WELL# 30 O	NC046 2-W( Came Trace
Location ID	54	55	56	5	57	58		59				60			61		62	2		6	3	6	4	65	66
Sample Date	5/9/2019	5/9/2019	5/9/2019	5/9/2019	10/28/2021	5/9/2019	5/6/2019	6/10/2020	4/5/2021	5/6/2019	7/7/2020	4/5/2021	5/19/2021	10/4/2021	10/1/2019	5/6/2019	1/23/2020	6/10/2020	4/5/2021	3/27/2019	5/9/2019	3/27/2019	5/9/2019	5/9/2019	1/26/2
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND		ND	1	ND	1	1	1	1	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ΝΓ
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	ND	5	2	ND	ND	ND	ND	ND	ND	ND	3	3	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	NΓ
Perfluorohexanoic acid (PFHxA)	ND	ND	ND	6	2	4	1	ND	2	4	4	4	1	1	2	ND	ND	ND	ND	1	3	1	1	2	ΝΓ
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND		2	1	ND	1	2	2	2	ND	ND	3	ND	ND	ND	ND	1	ND	ND	1	1	ΝΓ
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ΝΓ
Perfluorooctadecanoic acid (PFODA)	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	NΓ
Perfluorooctane sulfonamide (PFOSA or PFOSAm)				ND				ND	ND		ND	ND	ND	ND			ND	ND	ND		ND		I '	'	NΓ
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	9	4	ND	ND	ND	ND	ND	ND	ND	2	1	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	NΓ
Perfluorooctanoic acid (PFOA)	ND	ND	ND	6	3	2	1	ND	1	2	2	2	ND	1	3	ND	8	ND	ND	1	4	1	1	1	NI
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND		1	1	ND	2	1	2	1	ND		3	ND	ND	ND	ND	2	ND	1	<u> </u>	2	ΝΓ
Perfluoropentanoic acid (PFPeA)	ND	ND	ND	7	3	ND	ND	ND	ND	1	1	1	1	1	ND	ND	ND	ND	ND	ND	4	ND	ND	ND	NΓ
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND		2	1	ND	1	2	2	2	ND	ND	3	ND	ND	ND	ND	2	ND	1	1	1	NI
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NΓ
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NΓ
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND			NIT
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	INL
Total Table 3+ Compounds (17 Compounds) (ng/L)	1	ND	ND	240	200	2	3	ND	15	6	7	30	15	56	ND	ND	ND	ND	1	59	120	33	23	11	NI
Total Table 3+ Compounds (20 Compounds) (ng/L)	1	ND	ND	240	200	2	3	ND	15	6	7	32	16	56	ND	ND	ND	ND	1	59	120	33	23	11	NI
Total Other PFAS (ng/L)	ND	ND	ND	46	21	11	8	ND	9	15	14	15	8	11	22	6	8	ND	ND	6	18	3	10	7	1
Total of all Compounds (ng/L)	1	ND	ND	280	230	13	10	ND	24	21	22	46	24	67	22	6	8	ND	1	65	140	36	33	17	1



Sample Loca	ion 9-W01 WELL #1	, NC046 WF	5465-W02 CLL #2	NC0465 WE	5508-S02 LL#2	NC046552 0-0G2 WELL 0G2	NC04655	32-002 WEL	.L #2	NC046554 4-W01 WELL #1	NC046557 6-S02 WELL #2	NC046	55617-W01 W	ELL #1	NC046562 5-W01 WELL #1	NC04656 WEL	35-W01 L #1	NC04656 WEL	544-W01 JL #1	NC7010 WEI (In Brunsw	<b>071-W01</b> L <b>L #1</b> ick County)
Location	ID 67		68		<u> </u>	70		71		72	73		74		75	76	6	7′	7	7	78
Sample D	ate 1/23/2020	6/19/2019	7/31/2019	6/19/2019	7/31/2019	1/23/2020	5/31/2019	6/20/2019	8/1/2019	1/23/2020	1/23/2020	5/31/2019	6/19/2019	7/31/2019	1/23/2020	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	1/23/2020
Table 3+ PFAS (ng/L)       2.2.2.2 T-t-t-flower 2 (11.2.2.2.2.2.1t-flower																					
2,5,5,5-1 etranuoro-2-(1,1,2,2,5,5,5-neptanuoropropoxy)-propanoic acid of	ND	ND	ND	ND	ND	3	15	19	18	ND	ND	3	4	3	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxabexanoic acid (GenX)																					
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND	1	ND	ND	30	96	96	100	ND	ND	15	22	13	1	ND	ND	3	ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	ND	ND	27	74	87	92	1	ND	15	20	12	2	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	ND	ND	4	24	32	26	ND	ND	3	4	3	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA) Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-	ND	ND	ND	ND	ND	ND	4	5	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid (PFO5DA or TAF) -	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
PMPA	ND	ND	ND	ND	ND	6	7	6	8	ND	ND	2	2	2	ND	ND	ND	ND	ND	ND	ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	ND	ND	ND	ND	ND	2	5	5	4	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND
Nation Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nation Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)																					
Byproduct 5 (BP5 or Hydrolyzed PSDA))																					
Byproduct 6 (BP6 or R-PSDCA)																					
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHC																					
Perfluoroethoxypropionic acid (EVE Acid)																					
Hydro-EVE DEVE																					
R-EVE Perfluoro(2-ethoxyethane) sulfonic acid (PEFESA or PES)																					
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)																					
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND										ND										ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)																					
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctanesulfonamido ethanol (N EtEOSE)	e ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro	)-3-	112					1.2											ND			
oxanonane-1-sulfonic acid (PF3ONS or 9-C1-PF3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid	d ND																	ND			
(4:2 FTS) Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(6:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamid (EtFOSAm or N-EtFOSA)	le ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooct sulfonamido acetic acid (NMeFOSAA)	ane ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)	ND	ND	ND	ND	ND	ND				ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorobutanesultonate or Perfluorobutane sulfonic acid (PFBS)			 NID	 NID	 ND		6	7	7	10	 NID		1		5	 ND	 NID			 ND	
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PEDS)					ND ND	ND ND	4 ND	4 ND		IS ND		1		1 1							
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	ND	ND	ND	ND	ND	ND	4	5	4	5	ND	ND	1	ND	1	ND	ND	ND	ND	ND	ND

Sample Location	NC046545 9-W01 WELL #1	NC0463 WE	5465-W02 LL #2	NC0465 WEI	508-S02 LL#2	NC046552 0-0G2 WELL 0G2	NC04655.	32-002 WEL	.L #2	NC046554 4-W01 WELL #1	NC046557 6-S02 WELL #2	NC046	55617-W01 WI	ELL #1	NC046562 5-W01 WELL #1	NC04656 WEL	535-W01 L #1	NC04656 WEL	44-W01 L #1	NC70100 WEL (In Brunswa	<b>071-W01</b> LL #1 rick County)
Location ID	<b>6</b> 7	10 10 0 10 0</th <th>68</th> <th>6</th> <th>9</th> <th>70</th> <th></th> <th>71</th> <th>01110010</th> <th>72</th> <th>73</th> <th></th> <th>74</th> <th></th> <th>75</th> <th>7</th> <th>6</th> <th><i>T</i>.</th> <th></th> <th>7</th> <th>8</th>	68	6	9	70		71	01110010	72	73		74		75	7	6	<i>T</i> .		7	8
Sample Date	e 1/23/2020	6/19/2019	7/31/2019	6/19/2019	7/31/2019	1/23/2020	5/31/2019	6/20/2019	8/1/2019	1/23/2020	1/23/2020	5/31/2019	6/19/2019	7/31/2019	1/23/2020	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	1/23/2020
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	1	ND	ND	ND	1	1	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	ND	ND	ND	2	6	7	7	8	ND	ND	6	ND	61	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	ND	ND	ND	ND	ND	2	7	8	7	16	ND	6	2	5	37	1	1	1	1	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	1	ND	ND	ND	2	1	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	1	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)	ND	ND	ND	ND	ND	ND				ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND					ND	ND	ND	ND	ND	ND		ND		ND						ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	ND	ND	6	12	14	13	61	ND	ND	12	ND	23	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	1	ND	ND	2	ND	1	10	11	11	17	ND	10	4	8	19	ND	1	3	2	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	1	1	2	ND	4	1	3	4	ND	ND	2	2	ND	ND
Perfluoropentanoic acid (PFPeA)	ND	ND	ND	ND	ND	2	7	9	8	21	ND	1	2	1	5	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	1	ND	ND	ND	2	1	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND		ND		ND						ND	ND				ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND						ND	ND		ND		ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	ND	1	ND	ND	73	220	250	250	1	ND	38	52	35	3	ND	ND	3	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	ND	1	ND	ND	74	220	250	250	1	ND	39	52	34	3	ND	ND	3	ND	ND	ND
Total Other PFAS (ng/L)	1	ND	ND	2	ND	16	56	66	63	160	ND	28	30	21	160	1	2	12	12	ND	ND
Total of all Compounds (ng/L)	1	ND	1	2	ND	90	280	320	310	160	ND	66	82	55	160	1	2	15	12	ND	ND

Sample Location	NC70650	11-W01 WE	LL #1	NC7065 WEI	5012-S02 LL #2	NC7065 WEI	5016-S01 LL #1	NC7065 WEI	5022-S01 LL#1	NC7065035	5-W01 WELL #1	NC706504 3-W01 WELL #1	NewHan	overCorrect CC	ionalInstitut 31U1	e_CC31U1	Northern	RegionalPar	k_CC30E1	Northernl	RegionalPark	_CC30E2
Location ID		79	T	8	80	8	1	8	32		83	84			85			86	•		87	
Sample Date	5/31/2019	6/19/2019	7/31/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	1/23/2020	7/2/2019	8/27/2019	7/7/2021	10/28/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/27/2019	7/7/2021
Table 3+ PFAS (ng/L)																						
2,3,3,3-1 etrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	1	3	11	ND	ND	ND	ND	ND	ND	ND	ND	ND	360	350	230		ND	ND		ND	ND	
Derfuere 2 method 2 evolution acid (Gen X)																250						
Perfluoro-2-methoyvacetic acid (PEMOAA)	0	10	63	 ND	 ND	 ND	 ND	 ND		 ND	 ND	 ND	2 800	2 900		250		 ND		 ND	 ND	
Perfluoro(3 5-dioxahexanoic) acid (PFO2HxA)	9	19	63	ND	ND	ND	ND	ND	ND	ND	ND	ND	2,800	2,900		2,800	ND	ND		ND	ND	
Perfluoro(3.5.7-trioxaoctanoic) acid (PFO3OA)	3	5	14	ND	ND	ND	ND	ND	ND	ND	ND	ND	810	740		650	ND	ND		ND	ND	
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	2	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	110	140		130	ND	ND		ND	ND	
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-																						
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		18	ND	ND		ND	ND	
(PFO5DA or TAF) -																						
PMPA	ND	ND	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	71	73			ND	ND		ND	ND	
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	42	77			ND	ND		ND	ND	
Neffer Drugs dust 1 (DS A sid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Nation Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20	21			ND	ND		ND	ND ND	
Byproduct 4 (BP4 of R-PSDA)			ND	ND	ND								20					ND				
Byproduct 5 (BP5 or Hydrolyzed PSDA))																						
Byproduct 6 (BP6 or R-PSDCA)																						
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)																						
Perfluoroethoxypropionic acid (EVE Acid)																						
Hydro-EVE DEVE																						
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)																						
Nonafluoro-3.6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)																						
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)												ND				-		ND		-	ND	
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)																						
Other PFAS (ng/L) 11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-	ND	ND	ND	ND	ND	ND	ND	ND			ND		ND	ND				ND		ND	ND	
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
FBSA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtEOSAm or N-EtEOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NETEOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND			ND	ND		ND	ND	
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)			1										6	6	5	6						
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND	ND	6	2	1	ND	ND	ND	ND	ND	ND	ND	16	18	11	19	ND	ND		ND	ND	
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	1	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluorododecanoic acid (PFDoA)	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND ND	ND	ND 1	ND 1			ND			ND	ND ND	
Perfluoroheptanoic acid (PFHpA)	ND	ND	<b>ND</b>	ND	ND	ND	ND	ND	ND	ND	ND	1	14	17		13	ND	ND		ND	ND	
			<u> </u>									1 1	1 11	1 1/	1 11	10			I			-

ГТ				1		1		1		1							1					
Sample Location	NC70650	11-W01 WE	LL #1	NC7065 WEI	5012-S02 LL #2	NC7065 WEI	5016-S01 LL #1	NC7065 WEI	5022-S01 LL#1	NC7065035 ‡	-W01 WELL #1	NC706504 3-W01 WELL #1	NewHand	overCorrecti CC3	onalInstitut 31U1	e_CC31U1	Northern	RegionalParl	<_CC30E1	Northernl	RegionalParl	<_CC30E2
Location ID		79		8	80	8	81	8	32	8	33	84		8	85			86			87	
Sample Date	5/31/2019	6/19/2019	7/31/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	6/20/2019	8/1/2019	1/23/2020	7/2/2019	8/27/2019	7/7/2021	10/28/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/27/2019	7/7/2021
Perfluorohexadecanoic acid (PFHxDA)	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	8	8	5	7	ND	ND		ND	ND	
Perfluorohexanoic acid (PFHxA)	1	2	3	2	1	ND	ND	ND	ND	ND	ND	ND	17	16	13	19	ND	ND		ND	ND	
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	1	2	ND	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	4	3	4	ND	ND		ND	ND	
Perfluorooctadecanoic acid (PFODA)	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND					ND	ND		ND	ND	
Perfluorooctane sulfonamide (PFOSA or PFOSAm)			ND									ND	ND	ND								
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	36	40	24	31	ND	ND		ND	ND	
Perfluorooctanoic acid (PFOA)	1	3	4	5	2	1	1	1	1	ND	ND	46	22	24	16	22	ND	ND		ND	ND	
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	1	2	ND	1	1	1	1	ND	ND	ND	ND	ND	1	2		2	ND	ND		ND	ND	
Perfluoropentanoic acid (PFPeA)	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	59	58	41	47	ND	ND		ND	ND	
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	1	2	ND	1	ND	ND	1	1	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND	ND	
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND					ND	ND		ND	ND	
perfluorononanoic acid (ADONA or DONA)	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND					ND	ND		ND	ND	
Total Table 3+ Compounds (17 Compounds) (ng/L)	22	48	160	ND	ND	ND	ND	ND	ND	ND	ND	ND	7,000	7,200	230	17,000	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	22	48	160	ND	ND	ND	ND	ND	ND	ND	ND	ND	7,100	7,200	230	17,000	ND	ND		ND	ND	
Total Other PFAS (ng/L)	6	13	30	10	4	3	2	2	1	ND	ND	47	180	190	130	170	ND	ND	ND	ND	ND	ND
Total of all Compounds (ng/L)	27	61	190	10	4	3	2	2	1	ND	ND	46	7,300	7,400	360	17,000	ND	ND		ND	ND	( <u></u>

Sample Location	Northernl	RegionalPar	k_CC30E3	Pirates C W	ove Well S Vindward I	ource-401 Dr.	Presid	io_EE30P1 I	EE30P1	Presid	lio_EE30P2 H	EE30P2	Presid	io_EE30P3	EE30P3	Queens P	oint Well Sour	ce - 136 E. B	edford Rd.	RWTP Combined Permeate	RWTP Train 101 PEE DEE	RWTP Train 102 PEE DEE	RWTP Train CASTLE HAYNE
Location ID		88			89			90			91			92		10/1/0010	93	3		94	95	96	97
Table 3+ DEAS (ng/L)	7/2/2019	8/27/2019	7/7/2021	6/24/2020	4/6/2021	10/5/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/2//2019	7/7/2021	10/1/2019	6/10/2020	4/6/2021	10/5/2021	5/19/2021	5/19/2021	5/19/2021	5/19/2021
2 3 3 3-Tetrafluoro-2-(1 1 2 2 3 3 3-heptafluoropropoyy)-propanoic acid or																							
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		2	ND	2	2	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																							
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND		ND	ND	2	ND	ND		ND	ND		ND	ND		2	ND	49	140	ND	ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		16	ND	8	8	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND		ND ND	ND ND	ND ND	ND	ND ND		ND ND	ND ND		ND ND	ND		13	ND	3	5 ND	ND ND	ND	ND	ND ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA) Sodium 2 2 4 4 6 6 8 8 10 10 12 12 12 tridecafluoro- 3 5 7 9 11-	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		3	ND	ND	ND	ND	ND	ND	ND
pentaoxadodecanoate or Perfluoro(3 5 7 9 11-pentaoxadodecanoic) acid	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND			ND	ND	ND	ND	ND	ND	ND
(PFO5DA or TAF) -	1.2	1.2		1.2	1.2	1.2	1.2	1.2		1.2	1.2		1.2	1.2				1.2	1.2	1.12	1.2	1.2	1.2
PMPA	ND	ND				ND	ND	ND		ND	ND		ND	ND	-				ND			-	
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or	4	ND			ND	ND	ND	ND		ND	ND		ND	ND				ND	ND	ND	ND	ND	ND
Perfluoroethoxypropyl carboxylic acid (PEPA)																							
Nation Byproduct 1 (PS Acid)	ND ND			ND ND	ND ND	ND ND		ND ND		ND ND	ND ND		ND ND	ND ND		ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
Ryproduct 4 (BP4 of R-PSDA)				ND	ND ND	ND		ND		ND	ND		ND					2	ND	ND	ND ND	ND	ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))					ND	ND												ND	ND	ND	ND	ND	ND
Byproduct 6 (BP6 or R-PSDCA)					ND	ND									-			ND	ND	ND	ND	ND	ND
1.1.2.2-Tetrafluoro-2-(1.2.2.2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)						ND													ND				
					ND	ND												ND	ND	ND	ND	ND	ND
Hydro EVE					ND ND	ND ND												ND	ND ND	ND ND	ND	ND ND	ND ND
R-EVE					ND	ND												ND	ND	ND	ND	ND	ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)					ND	ND												ND	ND	ND	ND	ND	ND
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	ND	ND			ND	ND	ND	ND		ND	ND		ND	ND				ND	ND	ND	ND	ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)				ND	ND	ND										ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)		ND		ND	ND ND	ND		ND			ND			ND		ND	ND	ND	ND	ND ND	ND	ND	ND
Other <b>PEAS</b> (ng/L)				ND	ND	ND										ND	ND	ND	ND	ND	ND	ND	ND
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl-		ND			ND	ND	ND	ND			ND			ND				ND	ND	ND	ND	ND	ND
PF3OUdS)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND		ND	ND		ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-CI-PF3ONS)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
FBSA	ND	ND				ND	ND	ND		ND	ND		ND	ND					ND				
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
acid (10:2 FTS)					ND			ND										ND			ND		
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid																							
(6:2 FTS)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND		ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid	ND	ND		ND	ND	ND	ND	ND		ND	3		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
(8:2 FTS)																							
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide $(EtEOSAm \text{ or } N EtEOSA)$	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane																							
sulfonamido acetic acid (NEtFOSAA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
sulfonamide (NMeFOSA)																							
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PEDoS)	ND	ND			ND	ND	ND	ND		ND	ND		ND	ND				ND	ND	ND	ND	ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)				ND	ND	ND										1	ND	ND	ND	ND	ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND	ND		ND	ND	ND	ND	ND		2	1		ND	ND		ND	ND	1	ND	ND	ND	ND	ND
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	ND	ND		ND	ND	ND	ND	ND		ND	2		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecanoic acid (PFDA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohontonocultonato arDarfluorohontona autoria arid (DEUrs)	ND ND	ND ND		ND ND	ND ND	ND ND	ND ND	ND ND		ND ND	ND ND		ND ND	ND ND		ND ND	ND	ND	ND ND	ND ND	ND	ND	ND ND
Perfluoroheptanoic acid (PFHpA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND		ND	ND	ND	ND
		1	1			L	1		1	L	1			- •					1	- •		- •	

### Geosyntec Consultants of NC, P.C.

	T			T			I						-			1							
Sample Location	Northern	RegionalParl	k_CC30E3	Pirates C W	ove Well So 'indward D	ource-401 Dr.	Presidi	0_EE30P1 E	CE30P1	Presid	lio_EE30P2 E	E30P2	Presidi	0_EE30P3 F	EE30P3	Queens Po	int Well Sou	rce - 136 E. B	edford Rd.	RWTP Combined Permeate	RWTP Train 101 PEE DEE	RWTP Train 102 PEE DEE	RWTP Train CASTLE HAYNE
Location ID		88			89			90			91			92			9	03		94	95	96	97
Sample Date	7/2/2019	8/27/2019	7/7/2021	6/24/2020	4/6/2021	10/5/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/27/2019	7/7/2021	7/2/2019	8/27/2019	7/7/2021	10/1/2019	6/10/2020	4/6/2021	10/5/2021	5/19/2021	5/19/2021	5/19/2021	5/19/2021
Perfluorohexadecanoic acid (PFHxDA)	ND	ND			ND	ND	ND	ND		ND	4		ND	ND		ND		ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		1	ND	1	1	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	ND	ND		ND	ND	ND	ND	ND		1	1		ND	ND		ND	ND	1	1	ND	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND		ND	ND	ND	ND	ND		1	3		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)	ND	ND			ND	ND	ND	ND		1	2		ND	ND				ND	ND	ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)				ND	ND	ND										ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND		ND	ND	ND	ND	ND		ND	ND	14	ND	ND		1	ND	ND	1	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	ND	ND		ND	ND	ND	ND	ND		23	35	3	ND	ND		ND	ND	1	1	ND	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND		ND	ND	ND	1	1		2	10		ND	ND		1	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	1	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND		ND	ND	ND	ND	ND		ND	2		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND			ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND		ND	ND	ND	ND	ND		ND	ND		ND	ND			ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	4	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	36	ND	63	150	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	4	ND		ND	ND	2	ND	ND		ND	ND		ND	ND		36	ND	65	160	ND	ND	ND	ND
Total Other PFAS (ng/L)	ND	ND	ND	ND	ND	ND	1	1	ND	30	62	17	ND	ND	ND	4	ND	4	4	ND	ND	ND	ND
Total of all Compounds (ng/L)	4	ND		ND	ND	2	1	1		30	63	17	ND	ND		41	ND	69	160	ND	ND	ND	ND

Sample Location	Sea Pin	es Well Sour Waltmore Ro	rce-4906 d	Sea	a Spray Wel	l Source-91	15 Sea Spray	<sup>7</sup> Dr	Well #1 - 7353 Quail Woods Rd.			We	ll #1 Source	e-402 Cathay	Rd				Well #15 S	ource-7520	) Elkmont Ct	
Location ID		98			T	99	1		100		1		1	01		T	1			102	1	
Sample Date	6/11/2020	4/6/2021	10/5/2021	3/27/2019	6/11/2020	4/6/2021	4/28/2021	10/5/2021	8/31/2021	4/29/2019	5/14/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	3/23/2021	10/7/2021	5/6/2019	7/7/2020	4/5/2021	5/19/2021	10/4/2021
Table 3+ PFAS (ng/L)           2.2.2 Triangle (1)																						
2,3,3,3-1 etrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	11	11	11	9	10	8	8	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	ND	1
Derfuere 2 method 2 evolution of a cid (Gen X)																						
Perfluoro-2-methyl-5-oxanexanoic acid (GenA)						340		520	 ND	 ND	 ND	 ND		 ND	 ND	 ND	 ND					
Perfluoro(3.5-diovabevanoic) acid (PEO2HyA)	<u> </u>	50	46	04 56	00 50	<u> </u>	430	320	ND	ND	ND	ND	ND	ND		ND	ND	2	4	<u> </u>	13	33
Perfluoro(3,5-dioxanexanore) acid (PFO3OA)	18	23	10	15		18	18	42	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2		
Perfluoro(3,5,7,9-ttoxadecanoic) acid (PFO4DA)	2	25	ND	2	3	3	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11- pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid (PFO5DA or TAF) -	ND	ND	ND		ND	ND	ND	ND	ND					ND	ND	ND	ND		ND	ND	ND	ND
PMPA			12					9	ND								ND					ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or		5	5			2	2	2	ND						ND	ND	ND			ND	ND	ND
Perfluoroethoxypropyl carboxylic acid (PEPA)						-																
Nation Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND
Nation Byproduct 2 (Hydro-PS Acid)	ND	ND 14	ND 14	ND	ND	ND 11	ND 12	ND 14	ND	ND	ND	ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND 1	ND	ND
Byproduct 4 (BP4 of R-PSDA) Pyrereduct 5 (PD5 or Hydrolyzed DSDA))		14 ND	14 ND				12 ND		ND							ND ND	ND				ND	
Byproduct 5 (BP5 of Hydrolyzed FSDA)) Byproduct 6 (BP6 or P. PSDCA)		ND	ND			ND		ND	ND							ND	ND			ND	ND	ND
1 1 2 2 T to form 2 (1 2 2 2 to form the rest three with its it (10////OS)		ND													ND							
1,1,2,2-1etranuoro-2-(1,2,2,2-tetranuoroetnoxy)etnane suffonce acid (NVHOS)			9					/	ND								ND					ND
Perfluoroethoxypropionic acid (EVE Acid)		ND	ND			ND	ND	ND	ND						ND	ND	ND			ND	ND	ND
Hydro-EVE		ND	ND			ND	ND	ND	ND						ND	ND	ND			ND	ND	ND
$\frac{R-EVE}{P} = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} +$		2	2				ND	ND	ND						ND	ND	ND			ND	ND	ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)		ND	ND			ND	ND	ND	ND						ND	ND	ND			ND	ND	ND
Nonafluoro-5,6-dioxaneptanoic acid (NFDHA or PFECA B)	 ND	ND	ND	 ND	 ND	ND ND	ND	ND	ND	 ND	 NID	 ND	 ND		ND ND	ND ND	ND	 ND	 ND	ND ND	ND	ND
Perfluoro 3 methovypropanoic acid (PEMOPrA or PEMPA)	ND 11	ND	ND		8	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND	ND ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
Other PFAS (ng/L)	THD .		ND	5								TID		TLD		-				TUD		
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	ND			ND	ND							ND	ND		ND	ND		ND				NID
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chloronexadecalluoro-5-oxanonane-1-sullonate or 9-Chloronexadecalluoro-5-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FRS A			ND					ND	ND								ND					ND
Fluorotelomer sulfonate 10.2 or 1H 1H 2H 2H-perfluorododecane sulfonic																						
acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND		3	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Pertluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)		ND	ND			ND	ND	ND	ND						ND	ND	ND			ND	ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	1	1	1	2	3	3	3	3	ND	1	1	ND	1	ND	ND	ND	ND	2	2	2	1	1
Pertluorobutyric acid or Pertluorobutanoic acid (PFBA)	2		2	2	3				ND	ND	ND	ND	1	ND	ND	ND		ND	ND	ND		
Perfluered econorie acid (PEDA)	ND	ND ND		ND ND	ND			ND		ND ND	ND ND	ND	ND	ND		ND ND	ND	ND	ND ND	ND		ND ND
Perfluorododecanoic acid (PFDoA)																						
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	1	1	1	2	2	2	2	2	ND	ND	ND	ND	ND	ND	ND	ND		1	1	1	ND	1

Sample Location	Sea Pin	es Well Sour Waltmore R	•ce-4906 d	Se	a Spray Wel	l Source-91	5 Sea Spray	Dr	Well #1 - 7353 Quail Woods Rd.			We	ll #1 Source	-402 Cathay	Rd				Well #15 S	ource-7520	Elkmont Ct	
Location ID		<b>98</b>				99			100				1	01						102		
Sample Date	6/11/2020	4/6/2021	10/5/2021	3/27/2019	6/11/2020	4/6/2021	4/28/2021	10/5/2021	8/31/2021	4/29/2019	5/14/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	3/23/2021	10/7/2021	5/6/2019	7/7/2020	4/5/2021	5/19/2021	10/4/2021
Perfluorohexadecanoic acid (PFHxDA)		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	ND	ND	1	3	3	3	3	3		ND	ND	ND	ND	ND	ND	ND		4	4	4	3	3
Perfluorohexanoic acid (PFHxA)	2	2	2	3	4	3	3	3	ND	ND	1	ND	1	ND	1	ND	1	2	2	2	1	1
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)		ND	ND			ND	ND	ND	2						ND	ND	ND		ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND		5	9	8	7	6	1	1	1	ND	2	ND	ND	ND		2	2	2	2	1
Perfluorooctanoic acid (PFOA)	2	2	1	4	5	5	5	4		1	1	ND	1	ND	1	ND		1	2	1	ND	1
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	ND	
Perfluoropentanoic acid (PFPeA)	3	3	3	3	4	3	4	3	ND	1	1	1	1	1	1	ND	1	2	2	2	1	1
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	180	670	770	150	180	430	530	610	ND	ND	ND	ND	ND	ND	5	2	ND	6	7	30	15	56
Total Table 3+ Compounds (20 Compounds) (ng/L)	180	680	790	150	180	430	540	620	ND	ND	ND	ND	ND	ND	5	2	ND	5	7	32	16	56
Total Other PFAS (ng/L)	10	10	10	27	32	29	30	27	3	3	4	1	6	1	3	1	5	15	14	15	8	11
Total of all Compounds (ng/L)	190	690	800	180	210	460	570	650	3	3	4	1	6	1	8	3	5	20	22	46	24	67

Sample Location	Well #	19 Source-11	10 Marsh O	9aks Dr.	Well #2 - 7200 Murrayville Rd.		Well	l #2 Source-5	543 Cathay I	Rd.		Well	#20 Source-	208 Bayfi	eld Dr.			Well #3	Source-655 F	lalyburton M	lemorial		
Location ID		1(	)3	1	104		1	10	5	1			1(	)6			1	1	1(	)7			
Sample Date	10/1/2019	7/7/2020	4/5/2021	10/4/2021	8/31/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021	5/6/2019	6/10/2020	4/5/2021	10/4/2021	4/29/2019	5/14/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021
2 3 3 3-Tetrafluoro-2-(1 1 2 2 3 3 3-hentafluoropropoxy)-propanoic acid or																							
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																							
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND	2	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	15	ND	2	ND	ND	ND	10	1	11
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	ND	2	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND ND	ND	ND ND	ND	ND ND	ND ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2 2 4 4 6 6 8 8 10 10 12 12 12 tridecafluoro- 3 5 7 9 11-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid		ND	ND	ND	ND			ND	ND	ND	ND		ND	ND	ND					ND	ND	ND	ND
PMPA				ND	ND						ND				ND								ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or			ND	ND	NID				ND		ND			ND	ND						ND	ND	
Perfluoroethoxypropyl carboxylic acid (PEPA)			ND	ND	ND				ND	ND	ND			ND	ND						ND	ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nation Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1 ND	ND
Byproduct 4 (BP4 of R-PSDA) Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND ND	ND ND	ND ND				ND ND	ND ND	ND ND			ND ND	ND ND						ND ND	ND ND	ND
Byproduct 6 (BP6 or R-PSDCA)			ND	ND	ND				ND	ND	ND			ND	ND						ND	ND	ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)				ND	ND						ND				ND								ND
Perfluoroethoxypropionic acid (EVE Acid)			ND	ND	ND				ND	ND	ND			ND	ND						ND	1	ND
Hydro-EVE			ND	ND	ND				ND	ND	ND			ND	ND						ND	ND	ND
R-EVE			ND	ND	ND				ND	ND	ND			ND	ND						ND	ND	ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)			ND	ND	ND				ND	ND	ND			ND	ND						ND	ND	ND
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)	 ND	 ND	ND ND	ND ND	ND	 ND	 ND	 ND	ND	ND ND	ND ND	 ND	 ND	ND	ND ND	 ND	 ND	 ND		 ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND	ND	ND	ND ND	3	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Other PFAS (ng/L)																							
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulionamido)-ethanol (N-MerOSE) 9-chlorobexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorobexadecafluoro-3-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-CI-PF3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA				ND	ND						ND				ND								ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
acid (10:2 FTS)																					112		
(4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND	ND	ND				ND	ND	ND			ND	ND						ND	5	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	3	2	1	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	3	3	3	3	3	ND	3
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	4	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	6	ND	ND	ND	1		1	1	1	1	ND	1
Pertluorodecanesultonate or Pertluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND	ND
Perfluorododecanoic acid (PFDA)		ND ND		ND ND		ND ND						ND	ND						ND				
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHpS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	2	1	1	1		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

Sample Location	Well #	19 Source-1	10 Marsh (	Daks Dr.	Well #2 - 7200 Murrayville Rd.		Wel	l #2 Source-:	543 Cathay I	Rd.		Well	#20 Source-	208 Bayfi	eld Dr.			Well #3	Source-655 ]	Halyburton M	Iemorial		
	10/1/2010		.03	10/4/2021	104	4/20/2010	10/1/2010		5	416/2021	10/5/2021	E/(/0010		J6	10/4/2021	4/20/2010	= 11 4/2010	<i>E</i> /14/2010	10/1/2010	0/	10/6/2020	41610001	10/5/2021
Sample Date	ND	////2020	4/5/2021	10/4/2021	8/31/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10///2021	5/6/2019	6/10/2020	4/5/2021	10/4/2021	4/29/2019	5/14/2019	5/14/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021
Perfluoronexadecanoic acid (PFHxDA)					ND	ND	ND	 NID	ND	ND ND	ND		 ND	ND	ND		ND		ND				
Perfluoronexanesulionale or Perfluoronexane sulionic acid (PFHXS)	2		1		ND	ND ND	ND ND	ND	ND ND	ND ND		ND ND	ND	ND	ND ND	4 ND			4 ND		4 ND		- 4
Perfluoronexanoic acid (PFHXA)					ND	ND	ND	ND	ND	ND ND	ND	ND ND		ND	ND		ND	ND	ND	ND		<u> </u>	
Perfluorononanesulionate or Perfluorononane sulionic acid (PFNS)			ND	ND	ND	ND	ND	ND	ND	ND ND		ND ND		ND	ND		ND	ND	ND	ND			
Perfluere esta la cara de CPENA)	ND		ND	ND	ND	ND	ND	ND	ND	ND ND		ND	ND	ND	ND	ND	ND	ND	ND	ND			
Perfluorooctadecanoic acid (PFODA)			ND	ND	ND	 NID	 NID	 NID	ND	ND ND		 ND	 ND	ND	ND	 ND				 NID			
Perfluorooctane sulfonamide (PFOSA or PFOSAm)			ND	ND	ND	ND	ND	ND	ND	ND ND		ND ND	ND	ND ND	ND	ND	ND	ND	ND	ND ND	ND		
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	3	3	2	2		ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND		
Perfluorooctanoic acid (PFOA)	3	2			ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND		
Perfluoropentanesultonate or Perfluoropentane sultonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					2		ND	
Perfluoropentanoic acid (PFPeA)	3	2	1	2	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)																							
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	ND	2	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	15	ND	3	1	ND	2	10	7	11
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	ND	2	6	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	15	ND	3	1	ND	2	10	7	11
Total Other PFAS (ng/L)	22	13	9	14	1	ND	ND	ND	ND	ND	1	6	ND	ND		8	10	7	9	11	8	14	10
Total of all Compounds (ng/L)	22	13	11	19	1	ND	ND	ND	ND	ND	1	6	ND	1	15	8	13	9	9	12	18	21	21

Late in the state in	Sample Location	We	ell #4 Source	- 2119 Wh	ite Rd		Well	#4 Source-6	608 Chorley	<sup>7</sup> Rd.		Well #5	Source-120	2 Shenando	ah St.		Well 2	8-M Pee De	ee Source			Well 29	D-N Pee De	ee Source	
Sample Scale         Verse         Verse        Verse         Verse	Location ID		1	08				10	9				11(	)				111					112		
Desc         Desc        Desc        Desc        De	Sample Date	5/6/2019	6/10/2020	4/5/2021	10/4/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021	11/19/2019	6/17/2020	4/5/2021	10/4/2021	3/27/2019	5/9/2019	5/9/2019	5/19/2021	10/4/2021	3/27/2019	5/9/2019	5/9/2019	5/12/2021	10/4/2021
	Table 3+ PFAS (ng/L)																								
Induce production of the function of th	2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid or	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	5	4	5	6	2	ND	2	3	5
Desc         Desc <th< td=""><td>Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)</td><td>ПЪ</td><td>T(D)</td><td></td><td>110</td><td></td><td></td><td>T(D</td><td>T(D)</td><td></td><td>ΠĐ</td><td></td><td>T (D</td><td></td><td>ПЪ</td><td>•</td><td>0</td><td>-</td><td>5</td><td>0</td><td>-</td><td>110</td><td>-</td><td></td><td></td></th<>	Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	ПЪ	T(D)		110			T(D	T(D)		ΠĐ		T (D		ПЪ	•	0	-	5	0	-	110	-		
Product of any Condition         1         1         0         1         0        0        0         0	Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																								
Particle (1)	Perfluoro-2-methoxyacetic acid (PFMOAA)	1	ND	13	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	26	26	25	140	390	13	ND	12	46	280
Description         Description <thdescription< th=""> <thdescription< th=""></thdescription<></thdescription<>	Perfluoro(3,5-dioxanexanoic) acid (PFO2HXA)		ND	2 ND	3 ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND	ND	ND ND	21	20	21	21	20	12	ND ND		12	<u> </u>
Name         Desc         Des         Des </td <td>Perfluoro(3,5,7,9-trioxadecanoic) acid (PFO3OA)</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td></td> <td>ND</td> <td></td> <td>ND</td> <td>ND</td> <td>ND</td> <td></td> <td>ND</td> <td>5 ND</td> <td>4 ND</td> <td>ND</td> <td>/ ND</td> <td>4 ND</td> <td>ND</td> <td></td> <td>ND 3</td> <td>3 ND</td>	Perfluoro(3,5,7,9-trioxadecanoic) acid (PFO3OA)	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND		ND	5 ND	4 ND	ND	/ ND	4 ND	ND		ND 3	3 ND
processes         processes <t< td=""><td>Sodium 2.2.4.4.6.6.8.8.10.10.12.12.12-tridecafluoro- 3.5.7.9.11-</td><td></td><td></td><td></td><td></td><td>ND</td><td></td><td>ND</td><td></td><td>THD .</td><td>ΠD</td><td>ND</td><td></td><td>ND</td><td>ΠD</td><td>ND</td><td></td><td></td><td>ND</td><td></td><td></td><td></td><td>ND</td><td></td><td></td></t<>	Sodium 2.2.4.4.6.6.8.8.10.10.12.12.12-tridecafluoro- 3.5.7.9.11-					ND		ND		THD .	ΠD	ND		ND	ΠD	ND			ND				ND		
Physical strip:         Physical strip         Physical strip:         Physical st	pentaoxadodecanoate or Perfluoro(3.5.7.9.11-pentaoxadodecanoic) acid		ND	ND	ND			ND	ND	ND	ND		ND	ND	ND				ND	ND				ND	ND
IPAC         IPA         IPA <td>(PFO5DA or TAF) -</td> <td></td>	(PFO5DA or TAF) -																								
Schultzbergergerse         Schultzbergerse         Schultzbergerse        Schultzbergerse         Schultzb	PMPA				ND						ND				ND					ND					ND
Inclusion space         Inclusic space         Inclusion s	Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or			ND	ND				ND	ND	ND			ND	ND				1	ND				ND	ND
Side Bern         Side Bern <t< td=""><td>Perfluoroethoxypropyl carboxylic acid (PEPA)</td><td></td><td></td><td>ND</td><td>ND</td><td></td><td></td><td></td><td>ND</td><td>ND</td><td>ND</td><td></td><td></td><td>ND</td><td>ND</td><td></td><td></td><td></td><td>1</td><td>ND</td><td></td><td></td><td></td><td>ND</td><td>ND</td></t<>	Perfluoroethoxypropyl carboxylic acid (PEPA)			ND	ND				ND	ND	ND			ND	ND				1	ND				ND	ND
Added Looped P3 Addit         Yoo         Yoo        Yoo         Yoo         Yoo	Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Decision 11         Decision 11 <thdecision 11<="" th=""> <thdecision 11<="" th=""></thdecision></thdecision>	Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dependency (MAD)         -         -         No	Byproduct 4 (BP4 of R-PSDA)			ND	ND				ND	ND	ND			ND	ND				7	ND				4	ND
opposed (0)	Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
11.21 2 matrix start with x is all into x is all	Byproduct 6 (BP6 or R-PSDCA)			ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
Telescreptica al (F) CLad)	1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)				ND						ND				ND					4					3
Photo         Photo <th< td=""><td>Perfluoroethoxypropionic acid (EVE Acid)</td><td></td><td></td><td>ND</td><td>ND</td><td></td><td></td><td></td><td>ND</td><td>ND</td><td>ND</td><td></td><td></td><td>ND</td><td>ND</td><td></td><td></td><td></td><td>ND</td><td>ND</td><td></td><td></td><td></td><td>ND</td><td>ND</td></th<>	Perfluoroethoxypropionic acid (EVE Acid)			ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
Chr.         Chr.         C         NO	Hydro-EVE			ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
Data Discriptione and Column Processing Pro	K-EVE Derfluere(2 otherwethene) sulferie eeid (DEEESA or DES)			ND ND	ND ND				ND ND	ND ND	ND ND			ND ND	ND ND				ND ND	ND ND				ND	ND
Integrationservery       Vision Marceles       <	Nonafluoro-3 6-diovabentanoic acid (NEDHA or PEECA B)			ND	ND					ND				ND					ND	ND				ND	ND
Partian         Sub	4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND	ND	ND	ND	ND	ND	 ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Challware productional order (PSMURA, er PFMac)         Vite	Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	5	3	ND	ND	2	ND	ND	ND	ND
11:eb/ex/equations:         11:eb/ex/equations:         12:eb/ex/equations:         12:eb/ex/ex/equations:         12:eb/ex/ex/ex/ex/ex/ex/ex/ex/ex/ex/ex/ex/ex/	Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA) Other PFAS (ng/L)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5	ND	ND	ND	ND	ND	ND	ND	ND
21/4 Configuration       State       ND       ND <t< td=""><td>11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td></t<>	11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
unimental shamed (Nu-HiCNS)         viol         viol <t< td=""><td>2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td></t<>	2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
C2         C2 <thc2< th="">         C2         C2         C2<!--</td--><td>sulfonamido ethanol (N-EtFOSE)</td><td>ND</td><td>NID</td><td></td><td></td><td></td><td>NID</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td>ND</td><td></td><td>ND</td><td></td><td></td><td>ND</td><td>ND</td><td></td><td>ND</td><td></td><td>ND</td></thc2<>	sulfonamido ethanol (N-EtFOSE)	ND	NID				NID	ND	ND	ND	ND	ND	ND	ND	ND		ND			ND	ND		ND		ND
Non-Nonline lange lange lange lange lange lange lange lange         ND         ND <td>2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)</td> <td>ND</td>	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
THY.         -         -         -         ND         <	ovanonane 1 sulfonic acid (PE3ONS or 0 C1 PE3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Biologener 102 or 14, 112, 211, 211, 211, 211, 211, 211,	FBSA				ND						ND				ND					ND					ND
back (1) 2 FTS)         ND	Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic														112										ND
Elucocksexe sulfanet 42 or 11.1 LL 21L-Perflavonabexexe sulfanie acid         ND         ND        <	acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluctorestantiones 2 or 1H, 1H, 2H, 2H-Perfluctoroceane sulforia cide (PFB)         ND	Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid (4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hause definitioner suffondes 2 or H1, H2, 2H-Perfluoredcane suffonce is         ND         ND      <	Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nethyleperfluoro-loctanesulfonamide or N-Ethylepefluorocotane sulform       ND       ND </td <td>Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)</td> <td>ND</td>	Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ne-thylperfluorol-locataesulfonamidacetic acid or N-Ethylperfluorocatae       ND	N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-l-octanesulfonamide or N-Methylperfluorocita       ND	N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluorol-octanesulfonamidoacetic acid (NMe/OSAA)       ND       <	N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorol-loddccane sulfonic acid (PFDS)-ND	N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfuorobutane sulfonic acid (PFBS)ND <td>Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)</td> <td></td> <td></td> <td>ND</td> <td>ND</td> <td></td> <td></td> <td></td> <td>ND</td> <td>ND</td> <td>ND</td> <td></td> <td></td> <td>ND</td> <td>ND</td> <td></td> <td></td> <td></td> <td>ND</td> <td>ND</td> <td></td> <td></td> <td></td> <td>ND</td> <td>ND</td>	Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
Perfluorobutanoi acid (PFBA)1ND1ND </td <td>Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)</td> <td>ND</td> <td>ND</td> <td>1</td> <td>1</td> <td>ND</td> <td>1</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td>	Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	ND	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND
Pertinor decane sulfon a col (PFDS)ND <td>Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)</td> <td>1</td> <td>ND</td> <td>1</td> <td>1</td> <td>ND</td> <td>1</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>ND</td> <td>6</td> <td>2</td> <td>ND</td>	Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	1	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	6	2	ND
refluorodecanoic acid (PFDA)NDN	Pertluorodecanesultonate or Pertluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
refluorodoceanol acid (FFDA)ND	Perfluerededeemeie.acid (PFDA)	ND	ND	ND	ND	ND ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND
Perfluoroheptancial (PFHpA)1ND1ND </td <td>Perfluorohentanesulfonate or Perfluorohentane sulfonia agid (DEUnS)</td> <td></td> <td>ND</td> <td></td>	Perfluorohentanesulfonate or Perfluorohentane sulfonia agid (DEUnS)																							ND	
	Perfluoroheptanoic acid (PFHpA)	1	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	1	1	ND	ND	ND	1	1

						1																			
	Sample Location	Well	l #4 Source -	- 2119 Whi	ite Rd		Well	#4 Source-6	608 Chorley	y Rd.		Well #	5 Source-120	2 Shenando	oah St.		Well 28	3-M Pee De	ee Source			Well 29	)-N Pee De	e Source	
	Location ID		10	)8				10	9				11	)				111					112		
	Sample Date 5/6	/2019	6/10/2020	4/5/2021	10/4/2021	4/29/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021	11/19/2019	6/17/2020	4/5/2021	10/4/2021	3/27/2019	5/9/2019	5/9/2019	5/19/2021	10/4/2021	3/27/2019	5/9/2019	5/9/2019	5/12/2021	10/4/2021
Perfluorohexadecanoic acid (PFHxDA)	1	ND		ND	ND	ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PH	FHxS)	1	ND	2	2	ND	ND	ND	ND	ND	ND	ND	1	1	1	1	1	1	1	1	1	ND	1	1	1
Perfluorohexanoic acid (PFHxA)		1	ND	1	1	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	1	2	1	2	1	ND	ND	1	1	1
Perfluorononanesulfonate or Perfluorononane sulfonic acid (Pl	FNS) N	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)				ND	ND				ND	ND	ND			ND	ND				ND	ND				ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFG	OS)	1	ND	1	1	ND	ND	ND	ND	ND	ND	1	2	1	1	1	1	1	1	1	1	ND	1	1	1
Perfluorooctanoic acid (PFOA)		1	ND	2	1	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	2	2	2	2	2	1	ND	1	1	1
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (H	PFPeS) N	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1
Perfluoropentanoic acid (PFPeA)		1	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	2	2	2	2	1	ND	1	1	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H	[-		ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND
perfluorononanoic acid (ADONA or DONA)	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)		3	ND	15	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	59	66	56	180	430	33	ND	23	68	310
Total Table 3+ Compounds (20 Compounds) (ng/L)		3	ND	15	33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	59	66	57	180	430	33	ND	23	71	310
Total Other PFAS (ng/L)		8	ND	9	8	ND	ND	ND	ND	ND		4	3	2	2	6	9	9	10	7	3	ND	10	7	5
Total of all Compounds (ng/L)		10	ND	24	40	ND	ND	ND	ND	ND		4	3	2	2	65	75	66	190	430	36	ND	33	78	320

Sample Location	,	Well 30-O I	Pee Dee Sour	·ce	Well A - Pee Dee Source	Well	A-Pee Dee	Source	W	/ell B-Castl	le Hayne Sou	ırce		Wel	l B-Pee Dee	Source		W	/ell C-Castl	e Hayne Sou	urce
Location ID	5/0/2010	5/0/2010	113 5/12/2021	10/4/2021	<u> </u>	5/0/2010	115 5/0/2010	10/4/2021	5/0/2010	5/0/2010	116 5/12/2021	10/4/2021	5/0/2010	5/0/2010	2/22/2021	5/12/2021	10/4/2021	5/0/2010	5/0/2010	<u>5/11/2021</u>	10/4/2021
Table 3+ PEAS (ng/L)	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/11/2021	5/9/2019	5/9/2019	10/4/2021	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/9/2019	5/9/2019	3/23/2021	5/12/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021
2 3 3 3-Tetrafluoro-2-(1 1 2 2 3 3 3-heptafluoropropoxy)-propanoic acid or																					
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	ND	ND	1	1	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																					
Perfluoro-2-methoxyacetic acid (PFMOAA)	6	ND	38	57	8	ND	11	16	ND	ND	ND	4	ND	ND	3	ND	4	ND	ND	2	11
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	4	ND	6	4	1	ND	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	1	ND	2	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-			ND	ND	ND			ND			ND	ND			ND		ND			ND	ND
(DEOSDA or TAE)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
PMPA				ND				ND				ND					ND				ND
Sodium 2.3,3.3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or																					
Perfluoroethoxypropyl carboxylic acid (PEPA)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Byproduct 6 (BP6 or R-PSDCA)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)				ND				ND				ND					ND				ND
Perfluoroethoxypropionic acid (EVE Acid)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Hydro-EVE			ND ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND ND
K-EVE Derfluere(2, ethewyethene) sulferie goid (DEEES A or DES)			ND ND	ND ND	ND			ND ND			ND ND	ND ND			ND ND	ND ND	ND ND				ND ND
Nonafluoro-3 6-dioxabentanoic acid (NEDHA or PEECA B)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Other PFAS (ng/L)																					
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperhuoro-1-octanesunonamido)-ethanoi or N-Ethylperhuorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-		ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		ND	ND	
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA				ND				ND				ND					ND				ND
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
acid (10:2 FTS)																					
(4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid (6:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid (8:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide (EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	ND	ND	1	ND	1	ND	ND	1	ND	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND	ND	2	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pertluorodecanesultonate or Pertluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorododecanoic acid (PFDA)																ND					ND ND
Perfluoroheptanesulfonate orPerfluoroheptane sulfonic acid (PFHnS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	ND	ND	1	1	1	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND

Sample Location		Well 30-O	Pee Dee Sou	rce	Well A - Pee Dee Source	Well	A-Pee Dee	Source	w	/ell B-Castl	le Hayne So	ırce		Wel	l B-Pee Dee	Source		W	/ell C-Cast	le Hayne Sou	urce
Location ID			113	T	114		115				116				117					118	
Sample Date	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/11/2021	5/9/2019	5/9/2019	10/4/2021	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/9/2019	5/9/2019	3/23/2021	5/12/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	2	ND	2	2	2	1	ND	1	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	1	ND	1	1	2	1	ND	1	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)			ND	ND	ND			ND			ND	ND			ND	ND	ND			ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	1	ND	1	1	2	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	2	ND	1	1	1	ND	1	1	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	1	ND	1	1	2	1	1	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	1	1	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	11	ND	46	62	10	ND	22	16	ND	ND	ND	4	ND	ND	3	ND	4	ND	ND	2	11
Total Table 3+ Compounds (20 Compounds) (ng/L)	11	ND	46	62	10	ND	22	16	ND	ND	ND	4	ND	ND	3	ND	4	ND	ND	2	11
Total Other PFAS (ng/L)	7	ND	10	7	11	4	2	3	ND	ND	2	2	ND	2	ND	ND	ND	ND	1	1	
Total of all Compounds (ng/L)	17	ND	56	69	21	4	23	19	ND	ND	2	6	ND	2	3	ND	4	ND	1	3	11

															T.										
Sample Location		Well C-Pa	na Naa Sourc	٥	Well F-C	astla Havna		Woll F_Po	o Dee Sourc	•	w	all C-Castl	a Havna Sai	urca		Well C-Pe	a Dee Sour	<b>6</b>	v	oll H_Cast	a Havna Sou	Irco	Woll I	I_Pao Dao 9	Source
Sample Location		wen C-i e	e Dee Sourc	C	wenr-Ca	asue mayne		₩ CH F-I C	e Dee Sourc	.e	•••	en G-Casu	e mayne So	urce		wen G-i e	e Dee Sourt			en n-Casu	le mayne sou	ii ce	vv en 1	I-I ee Dee	Source
Location ID			119		1	20			121			1	122			]	123	1			124			125	
Sample Date	5/9/2019	0 5/9/2019	5/11/2021	10/4/2021	7/16/2019	5/11/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	10/4/2021
Table 3+ PFAS (ng/L)       2.2.2.3 Totrafluoro 2 (1.1.2.2.2.3 hontafluoronronow) propanaja agid or																									
Heyafluoropropyleneoxide dimer acid (HEPO-DA or PEPrOPrA or GenX)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																									
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND	ND	4	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium $2, 2, 4, 4, 6, 6, 8, 8, 10, 10, 12, 12, 12$ -tridecafluoro- $3, 5, 7, 9, 11$ -			ND	ND		ND			ND	ND			ND	NID			ND	ND			ND	ND			ND
(PEO5DA  or  TAE) -			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
PMPA				ND						ND				ND				ND				ND			ND
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or				ND						ND			ND	NID			ND	ND			ND	ND			ND
Perfluoroethoxypropyl carboxylic acid (PEPA)			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
Byproduct 5 (BP5 of Hydrolyzed PSDA)) Byproduct 6 (BP6 or R-PSDCA)			ND ND	ND ND		ND ND			ND ND	ND ND			ND	ND ND			ND ND	ND ND			ND ND	ND ND			ND ND
Byproduct 0 (Br 0 01 K-1 SDCA)			ND	ND		ND			ND	ND			ND				ND	ND			ND	ND			ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS)				ND						ND				ND				ND				ND			ND
Perfluoroethoxypropionic acid (EVE Acid)			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
Hydro-EVE			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
K-EVE Perfluoro(2 ethowyethane) sulfonic acid (PEEESA or PES)			ND ND	ND ND		ND ND			ND ND	ND ND			ND ND				ND ND	ND ND			ND ND	ND ND			ND ND
Nonafluoro-3 6-dioxaheptanoic acid (NFDHA or PFECA B)			ND	ND		ND			ND ND	ND			ND ND	ND			ND	ND			ND	ND			ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Other PFAS (ng/L)																									
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND		ND	NID							ND	ND	NID		ND	ND		ND		ND	ND	ND		ND
sulfonamido ethanol (N-EtFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadecafluoro-3-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-CI-PF3ONS)				ND						ND								ND				ND			ND
FBSA Fluorotelomer sulfonate 10.2 or 1H 1H 2H 2H-perfluorododecane sulfonic				ND						ND				ND				ND				ND			ND
acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND
(4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(6:2 FTS) Elventelemente villemete 8:2 en 111-111-211-211 Derfluene decene evillemie evid																									
(8.2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide																									
(EtFOSAm or N-EtFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido acetic acid (NEtFOSAA)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamide (NMeFOSA)																									
sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	2	1	1	2	ND	ND	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND	1	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecane sulfonic acid (PFDS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pertluorodecanoic acid (PFDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohentanesulfonate or Perfluorohentane sulfonic soid (DEUnS)																							ND ND		
Perfluoroheptanoic acid (PFHpA)	1	1	1	1	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	L		L						· · · · · · · · · · · · · · · · · · ·	L															

Sample Location		Well C-Pe	ee Dee Sourc	e	Well F-Ca	stle Hayne		Well F-Pe	e Dee Sourco	2	W	'ell G-Castl	le Hayne So	urce		Well G-Pe	e Dee Sourc	e	W	ell H-Castl	e Hayne Sou	irce	Well ]	H-Pee Dee S	Source
Location ID			119		1	20		-	121			1	122			1	123			1	24			125	
Sample Date	5/9/2019	) 5/9/2019	5/11/2021	10/4/2021	7/16/2019	5/11/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	10/4/2021
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid (PFHxS)	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	1	1	1	1	ND	ND	1	1	ND		ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)			ND	ND		ND			ND	ND			ND	ND			ND	ND			ND	ND			ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	3	2	2	2	ND	ND	1	2	2	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	2	2	1	1	ND	ND	1	1	1	1	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	1	1	1	ND	ND	ND	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	ND	ND	4	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	ND	ND	4	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Other PFAS (ng/L)	10	9	9	7	ND	ND	5	5	4	2	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND		ND	ND	ND
Total of all Compounds (ng/L)	10	9	9	11	ND	ND	5	5	4	3	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND		ND	ND	ND

Sample	e Location	Well I-O	Castle Hayne S	Source		Well I-Pe	ee Dee Sourc	:e	Well J-	Castle Hay	ne Source		Well J-Po	ee Dee Sourc	ce		Well K	-Castle Hay	ne Source			Wel	ll K-Pee Dee	Source		Well L Castle Hayne Source
Le	ocation ID	1	126			I	127			128	1			129			T	130	1	1		1	131	I	1	132
	mple Date 5/9	/2019 5/9/2	019 5/11/202	21 10/4/2021	1 5/9/2019	0 5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	7/1/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	7/1/2021	10/4/2021	5/11/202
Table 3+ PFAS ( $ng/L$ ) 2.2.2.3.3. Totrofluoro 2. (1, 1, 2, 2, 2, 3, 3, hontafluoroproposition of $ng/L$ ) proposition of $ng/L$	vid or																									
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or Ge	enX)	ND NI	D ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxanexanoic acid (GenX)					 ND		 ND		 ND		 ND	 ND	 ND	 ND	 ND	 ND	 ND	 ND			 ND		 ND	 ND	 ND	 ND
Perfluoro(2.5. diovahovanojo) asid (PEO2HvA)	1		D ND		ND				ND		ND	ND	ND	ND	ND	ND	ND	ND		4 ND	ND		ND		ND	
Perfluoro(3,5-dioxanexanoic) acid (PEO3OA)	ו ן			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Perfluoro(3,5,7,9-troxadecanoic) acid (PFO4DA)	<u>ו</u> ר		D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11- pentaoxadodecanoate or Perfluoro(3,5,7,9,11-pentaoxadodecanoic) ac	id		- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
(PFO5DA or TAF) - PMPA				ND				ND							ND				ND	ND				ND	ND	
Sodium 2,3,3,3-tetrafluoro-2-(perfluoroethoxy)propanoic acid or Perfluoroethoxypropyl carboxylic acid (PEPA)			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Nafion Byproduct 1 (PS Acid)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Byproduct 6 (BP6 or R-PSDCA)			- ND	ND			ND	ND			ND			ND	ND			ND		ND			ND	ND	ND	ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (	NVHOS)			ND				ND							ND				ND	ND				ND	ND	
Perfluoroethoxypropionic acid (EVE Acid)			- ND	ND			ND	ND			ND			ND	ND			ND		ND			ND	ND	ND	ND
Hydro-EVE			- ND	ND			ND	ND			ND			ND	ND			ND		ND			ND	ND	ND	ND
R-EVE			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA or PFECA B)			- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
4-(Heptafluoroisopropoxy)hexafluorobutanoic acid (PFECA-G)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-3-methoxypropanoic acid (PFMOPrA or PFMPA)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Other PFAS (ng/L)				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-C PF3OUdS) 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluoro	ooctane	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sulfonate or 9-Chlorohexadec	afluoro-3-			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
oxanonane-1-sulfonic acid (PF3ONS or 9-Cl-PF3ONS)	1			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FBSA				ND				ND							ND					ND				ND	ND	
Fluorotelomer sulfonate 10:2 or 1H, 1H, 2H, 2H-perfluorododecane su	llfonic			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
acid (10:2 FTS) Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfo	nic acid																									
(4:2 FTS) Elugratelomer sulfanate 6:2 or 1H 1H 2H 2H-Perfluorooctane sulfar	l vic acid		D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	
(6:2 FTS)		ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	20	ND	ND	ND	ND	ND	ND	ND	ND
(8:2 FTS)		ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulf (EtFOSAm or N-EtFOSA)	onamide 1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluoro- sulfonamido acetic acid (NEtFOSAA)	octane	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane sulfonamide (NMeFOSA)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperflu sulfonamido acetic acid (NMeFOSAA)	orooctane	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (Pl	FDoS)		- ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND		ND	ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	1	ND NI	D ND	ND	2	2	2	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	1	ND NI	D ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecanesulfonate or Perfluorodecane sulfonic acid (PFDS)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecanoic acid (PFDA)	1	ND NI	D ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pertluorododecanoic acid (PFDoA)		ND NI	U ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Perfluoroheptanoic acid (PFHpA)	ז נ	ND NI ND NI	D ND	ND ND	<u>ND</u>	<u>ND</u>	1 ND	ND 1	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND



	Sample Location		Well I-Cast	tle Hayne Sou	urce		Well I-Po	ee Dee Sourc	e	Well J-	Castle Hay	ne Source		Well J-P	ee Dee Sourd	ce		Well K	-Castle Hayı	ne Source			Well	K-Pee Dee ¦	Source		Well L - Castle Hayne Source
	Location ID			126				127			128				129				130					131			132
	Sample Date	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	7/1/2021	10/4/2021	5/9/2019	5/9/2019	5/11/2021	7/1/2021	10/4/2021	5/11/2021
Perfluorohexadecanoic acid (PFHxDA)	•	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesulfonate or Perfluorohexane sulfonic acid	I (PFHxS)	ND	ND	ND	ND	1	1	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		1	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)		ND	ND	ND	ND	2	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid	l (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	· · · ·	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)				ND	ND			ND	ND			ND			ND	ND			ND	ND	ND			ND	ND	ND	ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid	(PFOS)	ND	ND	ND	ND	2	3	3	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND
Perfluorooctanoic acid (PFOA)		ND	ND	ND	ND	3	2	2	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic action	id (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)		ND	ND	ND	ND	2	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	1	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa	a-3H-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	
perfluorononanoic acid (ADONA or DONA)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)		ND	ND	ND	1	ND	2	ND	6	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	3	4	ND	1	ND	ND	ND	ND
Total Table 3+ Compounds (20 Compounds) (ng/L)		ND	ND	ND	1	ND	2	ND	6	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	3	4	ND	1	ND	ND	ND	ND
Total Other PFAS (ng/L)		ND	ND	ND	ND	11	12	9	8	ND	ND	ND	ND	ND	ND	ND	ND	2	22	2	1	ND	ND	ND			ND
Total of all Compounds (ng/L)		ND	ND	ND	1	11	13	9	13	ND	2	ND	ND	ND	ND	ND	ND	2	22	5	5	ND	1	ND			ND



Sample Location Well L-Castle Hayne Source			Well L-Pee Dee Source				Well P-Pee Dee Source			Well Q-Pee Dee Source			Well#5 Source-225 McQuillan Dr.					Well#6 S Southwo	ource-124 ld Dr.(46)	Well#7 Source-540 Myrtle Grove Rd (4					
T t	ID	122			-	124				125				12(				1′	27			1	20	13	20
Location Sample D	ID 10 5/0/20		10/4/2021	5/0/2010	5/0/2010	5/11/2021	10/4/2021	5/0/2010	5/0/2010	135 5/12/2021	10/4/2021	5/0/2010	5/0/2010	5/12/2021	10/4/2021	5/6/2010	10/1/2010	L. 6/11/2020	3/ 10/6/2020	1/6/2021	10/7/2021	1/28/2020	38	1/28/2020	)Y 10/6/2020
Table 3+ PFAS (ng/L)	ate 5/9/20.	5/5/2019	10/4/2021	5/9/2019	3/3/2013	5/11/2021	10/4/2021	3/3/2013	3/3/2013	5/12/2021	10/4/2021	5/9/2019	3/3/2013	5/12/2021	10/4/2021	5/0/2019	10/1/2017	0/11/2020	10/0/2020	4/0/2021	10/ // 2021	1/20/2020	10/0/2020	1/20/2020	10/0/2020
2.3.3.3-Tetrafluoro-2-(1.1.2.2.3.3.3-heptafluoropropoxy)-propanoic acid or																									
Hexafluoropropyleneoxide dimer acid (HFPO-DA or PFPrOPrA or GenX)	ND	ND	ND	ND	ND	ND	ND	7	6	4	3	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-2-methyl-3-oxahexanoic acid (GenX)																									
Perfluoro-2-methoxyacetic acid (PFMOAA)	ND	ND	ND	ND	ND	ND	ND	51	56	350	300	2	ND	11	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5-dioxahexanoic) acid (PFO2HxA)	ND	ND	ND	ND	ND	ND	ND	40	46	31	14	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7-trioxaoctanoic) acid (PFO3OA)	ND	ND	ND	ND	ND	ND	ND	10	9	9	7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro(3,5,7,9-tetraoxadecanoic) acid (PFO4DA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium 2,2,4,4,6,6,8,8,10,10,12,12,12-tridecafluoro- 3,5,7,9,11-						ND																	ND		
pentaoxadodecanoate or Pertluoro(3,5,7,9,11-pentaoxadodecanoic) acid			ND			ND	ND			ND	ND			ND	ND			ND	ND	ND	ND		ND		ND
(PFO5DA or TAF) -			ND				ND				2				ND						ND				
r MFA Sodium 2.3.3.3 tetrafluoro 2 (perfluoroethovu)propanoic acid or			ND				ND				2				ND						ND				
Perfluoroethoxypropyl carboxylic acid (PEPA)			ND			ND	ND			2	ND			ND	ND				ND	ND	ND		ND		ND
Nafion Byproduct 1 (PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nafion Byproduct 2 (Hydro-PS Acid)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Byproduct 4 (BP4 of R-PSDA)			ND			ND	ND			6	ND			ND	ND				ND	ND	ND		ND		ND
Byproduct 5 (BP5 or Hydrolyzed PSDA))			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
Byproduct 6 (BP6 or R-PSDCA)			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
1,1,2,2-Tetrafluoro-2-(1,2,2,2-tetrafluoroethoxy)ethane sulfonic acid (NVHOS	5)		ND				ND				4				ND						ND				
Perfluoroethoxypropionic acid (EVE Acid)			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
Hydro-EVE			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
R-EVE			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND ND		ND
Perfluoro(2-ethoxyethane) sulfonic acid (PFEESA or PES)			ND			ND ND	ND			ND	ND			ND	ND ND				ND ND	ND ND	ND ND		ND ND		ND ND
A (Hentafluoroisonronoxy) hexafluorohutanois acid (PFECA G)		 ND	ND		 ND	ND	ND	 ND	 ND	ND	ND	 ND		ND	ND ND	 ND	 ND	 ND	ND	ND	ND	 ND	ND ND	 ND	
Perfluoro-3-methoxypropanoic acid (PEMOPrA or PEMPA)	ND	ND	ND	ND	ND	ND	ND	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	19
Perfluoro-4-methoxybutanic acid (PFMOBA or PFMBA)	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Other PFAS (ng/L)																									
11-chloroeicosafluoro-3-oxaundecane-1-sulfonate (PF3OUdS or 11-Cl- PF3OUdS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol or N-Ethylperfluorooctane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sulfonamido ethanol (N-EtFOSE)																							112		
2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-MeFOSE)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
9-chlorohexadecafluoro-3-oxanonane-1-sultonate or 9-Chlorohexadecafluoro-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
EBS A			ND				ND				ND				ND						ND				
Fluorotelomer sulfonate 10.2 or 1H, 1H, 2H, 2H-perfluorododecane sulfonic											ND				ND										
acid (10:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 4:2 or 1H, 1H, 2H, 2H-Perfluorohexane sulfonic acid					NID	NID		NID					NID			NID	NID		ND			ND		ND	
(4:2 FTS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 6:2 or 1H, 1H, 2H, 2H-Perfluorooctane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(6:2 FTS)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Fluorotelomer sulfonate 8:2 or 1H, 1H, 2H, 2H-Perfluorodecane sulfonic acid	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
$\frac{(8:2 \text{ FTS})}{N_1 + 1 + 1 + 2} = \frac{1}{1 + 1} = \frac{1}{1 + 2} = \frac{1}{1$	-																								
N-ethylperfluoro-1-octanesulfonamide or N-Ethylperfluorooctane sulfonamide	e ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
(EIFOSAIII of N-EIFOSA) N-ethylperfluoro-1-octanesulfonamidoacetic acid or N-Ethylperfluorooctane																									
sulfonamido acetic acid (NEtEOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamide or N-Methylperfluorooctane																									
sulfonamide (NMeFOSA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
N-methylperfluoro-1-octanesulfonamidoacetic acid or N-Methylperfluoroocta	ne		ND																						
sulfonamido acetic acid (NMeFOSAA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoro-1-dodecanesulfonate or Perfluorododecane sulfonic acid (PFDoS)			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
Perfluorobutanesulfonate or Perfluorobutane sulfonic acid (PFBS)	ND	ND	ND	ND	ND	ND	ND	2	1	1	1	1	1	1		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorobutyric acid or Perfluorobutanoic acid (PFBA)	ND	ND	ND	ND	ND	ND	ND	4	3	3		ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecanesultonate or Perfluorodecane sultonic acid (PFDS)	ND	ND	ND	ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorodecanoic acid (PFDA)		ND	ND	ND ND		ND ND				ND ND			ND ND	ND	ND ND			ND ND	ND ND	ND ND	ND				
Perfluorohentanesulfonate orPerfluorohentane sulfonic acid (PEHnS)		ND	ND		ND	ND		ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroheptanoic acid (PFHpA)	ND	ND	ND	ND	ND	ND	ND	2	2	1	1	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
			1	·				. –	. –		· · · · ·				1			· · · · · · · · · · · · · · · · · · ·	·	. –	·				

												-													
Sample Location	Well L-Castle Hayne Source		Well L-Castle Hayne Source Well L-Pee Dee Source			e	Well P-Pee Dee Source				Well Q-Pee Dee Source				Well#5 Source-225 McQuillan Dr.					Well#6 So Southwol	ource-124 d Dr.(46)	Well#7 Source-5401 Myrtle Grove Rd (47)			
	5/0/2010	133	10/4/2021	5/0/2010	<i>E 10 13 0 1 0</i>	134	10/4/2021	<i>5/0/2010</i>	E 10 12010	135	10/4/2021	E 10 10010	L 7/0/2010	5/12/2021	10/4/2021	E/C/2010	10/1/2010	13	10/6/2020	4/6/2021	10/5/2021	1/20/2020	10/6/2020	1/20/2020	10/6/2020
Sample Date	e 5/9/2019	5/9/2019	10/4/2021	5/9/2019	5/9/2019	5/11/2021	10/4/2021	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/9/2019	5/9/2019	5/12/2021	10/4/2021	5/6/2019	10/1/2019	6/11/2020	10/6/2020	4/6/2021	10/7/2021	1/28/2020	10/6/2020	1/28/2020	10/6/2020
Perfluorohexadecanoic acid (PFHxDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND
Perfluorohexanesultonate or Perfluorohexane sultonic acid (PFHxS)	ND	ND		ND	ND	ND	ND	2	2	2	1	2	2	2	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorohexanoic acid (PFHxA)	ND	ND	ND	ND	ND	ND	ND	3	3	2	1	1	1	1		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanesulfonate or Perfluorononane sulfonic acid (PFNS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorononanoic acid (PFNA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctadecanoic acid (PFODA)			ND			ND	ND			ND	ND			ND	ND				ND	ND	ND		ND		ND
Perfluorooctane sulfonamide (PFOSA or PFOSAm)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanesulfonate or Perfluorooctane sulfonic acid (PFOS)	ND	ND	ND	ND	ND	ND	ND	5	5	3	2	1	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorooctanoic acid (PFOA)	ND	ND		ND	ND	ND	ND	3	3	2	2	1	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanesulfonate or Perfluoropentane sulfonic acid (PFPeS)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoropentanoic acid (PFPeA)	ND	ND	ND	ND	ND	ND	ND	4	3	3	2	1	1	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotetradecanoic acid (PFTeDA or PFTDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluorotridecanoic acid (PFTrDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Perfluoroundecanoic acid (PFUdA or PFUnDA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Sodium dodecafluoro-3H-4,8-dioxanonanoate or 4,8-Dioxa-3H-	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
perfluorononanoic acid (ADONA or DONA)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Table 3+ Compounds (17 Compounds) (ng/L)	ND	ND	ND	ND	ND	ND	ND	110	120	400	330	2	ND	13	29	ND	ND	ND	ND	ND	ND	ND	ND	ND	19
Total Table 3+ Compounds (20 Compounds) (ng/L)	ND	ND	ND	ND	ND	ND	ND	110	120	410	330	2	ND	12	30	ND	ND	ND	ND	ND	ND	ND	ND	ND	19
Total Other PFAS (ng/L)	ND	ND	1	ND	ND	ND	ND	24	22	18	11	6	5	7	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total of all Compounds (ng/L)	ND	ND	1	ND	ND	ND	ND	140	140	420	340	8	5	20	35	ND	ND	ND	ND	ND	ND	ND	ND	ND	19

### Notes:

Data were provided by NCDEQ and includes NCDEQ or CFPUA monitoring wells, public supply and emergency wells from the Sweeney or Richardson water treatment facilities.
 Concentrations are presented in ng/L.

3. Total Table 3+ (17 compounds) does not include R-PSDA, Hydrolyzed PSDA, and R-EVE.

CFPUA - Cape Fear Public Utility Authority

NCDEQ - North Carolina Department of Environmental Quality

ng/L : nanograms per liter

ND - Compound not detected

PFAS - per and polyfluoroalkyl substances

-- - Not applicable

# **Appendix D**

## **Additional Potential Analytes for Analysis**

Other Analytes	Lab Method
2,3,7,8-TCDD	1613B
Antimony	200.7 Rev. 4.4
Arsenic	200.7 Rev. 4.4
Barium	200.7 Rev. 4.4
Beryllium	200.7 Rev. 4.4
Cadmium	200.7 Rev. 4.4
Calcium	200.7 Rev. 4.4
Chromium	200.7 Rev. 4.4
Cobalt	200.7 Rev. 4.4
Copper	200.7 Rev. 4.4
Iron	200.7 Rev. 4.4
Lead	200.7 Rev. 4.4
Magnesium	200.7 Rev. 4.4
Manganese	200.7 Rev. 4.4
Molybdenum	200.7 Rev. 4.4
Nickel	200.7 Rev. 4.4
Potassium	200.7 Rev. 4.4
Selenium	200.7 Rev. 4.4
Silver	200.7 Rev. 4.4
Sodium	200.7 Rev. 4.4
Strontium	200.7 Rev. 4.4
Vanadium	200.7 Rev. 4.4
Zinc	200.7 Rev. 4.4
Thallium	200.8
Hexavalent Chromium	218.6
Mercury	245.1
Bromide	300.0
Chlorate	300.0
Chloride	300.0
Chlorite	300.0
Fluoride	300.0
Nitrate	300.0/353.2
Nitrite	300.0/353.2
Sulfate	300.0
Bromate	300.1
Perchlorate	331.0
Cyanide	335.4
Phosphate	365 / 14500-Р
Chloramine	4500 CL F
Chlorine	4500 CL F
Chlorine Dioxide	4500 CL F
1,2-Dibromo-3-Chloropropane	504.1

Other Analytes	Lab Method
1,2-Dibromoethane (EDB)	504.1
1,2,3-Trichloropropane	505/552.2
Chlordane	505
PCB 1016	505
PCB 1221	505
PCB 1232	505
PCB 1242	505
PCB 1248	505
PCB 1254	505
PCB 1260	505
Total PCB (congeners)	505
Toxaphene	505
2,4-Dichlorophenoxyacetic Acid	515.3
Dalapon 85	515.3
Dicamba	515.3
Dinoseb	515.3
Pentachlorophenol	515.3/L200
Picloram	515.3
Silvex	515.3
1,4-Dioxane	522
Bromodichloromethane	524.2
Bromoform	524.2
Chlorodibromomethane	524.2
Chloroform	524.2
Alachlor	525.2 Rev 2.0
Aldrin	525.2 Rev 2.0
Atrazine	525.2 Rev 2.0
Benzo[A]Pyrene	525.2 Rev 2.0
Bis(2-Ethylhexyl)Adipate	525.2 Rev 2.0
Bis(2-Ethylhexyl)Phthalate	525.2 Rev 2.0
Butachlor	525.2 Rev 2.0
Dieldrin	525.2 Rev 2.0
Endrin	525.2 Rev 2.0
Heptachlor	525.2 Rev 2.0
Heptachlor Epoxide	525.2 Rev 2.0
Hexachlorobenzene	525.2 Rev 2.0
Hexachlorocyclopentadiene	525.2 Rev 2.0
Lindane	525.2 Rev 2.0
Methoxychlor	525.2 Rev 2.0
Metolachlor	525.2 Rev 2.0
Metribuzin	525.2 Rev 2.0
Propachlor	525.2 Rev 2.0

Other Analytes	Lab Method
Simazine	525.2 Rev 2.0
Alpha-BHC	525.3
Chlorpyrifos	525.3
Dimethipin	525.3
Merphos Oxide	525.3
Мосар	525.3
Oxyfluorfen	525.3
Permethrin	525.3
Tebuconazole	525.3
Buytlated Hydroxyanisole	530
O-Toluidine	530
Quinoline	530
3-Hydroxycarbofuran	531.2
Aldicarb	531.2
Aldicarb Sulfone	531.2
Aldicarb Sulfoxide	531.2
Carbaryl	531.2
Carbofuran	531.2
Methomyl	531.2
Oxamyl	531.2
Total Organic Carbon	5310 C-2011
Glyphosate	547
Endothall	548.1
Diquat Dibromide	549.2
Dibromoacetic Acid	552.2
Dichloroacetic Acid	552.2/552.3
Monobromoacetic Acid	552.2/552.3
Monochloroacetic Acid	552.2/552.3
Total Haloacetic Acids(5)	552.2/552.3
Trichloroacetic Acid	552.2/552.3
Bromochloroacetic Acid	552.3
Bromodichloroacetic acid	552.3
Chlorodibromoacetic acid	552.3
Tribromoacetic acid	552.3
Total Coliforms by Presence/Absence	9222B
Pentachlorophenol	L200
2,4,6-Trichlorophenol	L200
4-N-Nonylphenol	L200
4-n-Octylphenol	L200
4-tert-Octylphenol	L200
Bisphenol A	L200
Phenylphenol	L200

Other Analytes	Lab Method
Tetrabromobisphenol A	L200
17alpha-Estradiol	L211
17alpha-Ethynyl estradiol	L211
cis-Testosterone	L211
Diethylstilbestrol	L211
Estradiol 17B	L211
Estriol	L211
Estrone	L211
Progesterone	L211
trans-Testosterone	L211
Acetaminophen	L220
Antipyrine	L220
Atenolol	L220
Azithromycin	L220
Caffeine	L220
Carbadox	L220
Carbamazepine	L220
Cotinine	L220
Dexamethasone	L220
Diazepam	L220
Diltiazem	L220
Erythromycin	L220
Fluoxetine (Prozac)	L220
Iopromide	L220
Lincomycin	L220
Meprobamate	L220
Monensin	L220
N,N-Diethyl-3-Methylbenzamide	L220
Narasin	L220
Nicotine	L220
Oleandomycin	L220
Paraxanthine	L220
Primidone	L220
Roxithromycin	L220
Salinomycin	L220
Sulfadiazine	L220
Sulfadimethoxine	L220
Sulfamethazine	L220
Sulfamethizole	L220
Sulfamethoxazole	L220
Sulfasalazine	L220
Sulfathiazole	L220

Other Analytes	Lab Method
Theobromine	L220
Trimethoprim	L220
Tris(1-Chloro-2-Propyl)Phosphate	L220
Tris(2-Chloroethyl) Phosphate	L220
Tvlosin	L220
Virginiamycin M1	L220
Acesulfame-K	L221
Bezafibrate	L221
Chloramphenicol	L221
Chlorotetracycline	L221
Clofibric Acid	L221
Diclofenac	L221
Gemfibrozil	L221
Ibuprofen	L221
Levothyroxine (Synthroid)	L221
Naproxen	L221
Penicillin G	L221
Penicillin V	L221
Phenytoin	L221
Prednisone	L221
Salicylic Acid	L221
Sucralose	L221
Theophylline	L221
Triclocarban	L221
Triclosan	L221
Hfpo Dimer Acid	EPA 537 Rev. 1.1 modified
PFMOAA	Cl. Spec. Table 3 Compound SOP
PFO2HxA	Cl. Spec. Table 3 Compound SOP
PFO3OA	Cl. Spec. Table 3 Compound SOP
PFO4DA	Cl. Spec. Table 3 Compound SOP
PFO5DA	Cl. Spec. Table 3 Compound SOP
PMPA	Cl. Spec. Table 3 Compound SOP
PEPA	Cl. Spec. Table 3 Compound SOP
PFESA-BP1	Cl. Spec. Table 3 Compound SOP
PFESA-BP2	Cl. Spec. Table 3 Compound SOP
Byproduct 4	Cl. Spec. Table 3 Compound SOP
Byproduct 5	Cl. Spec. Table 3 Compound SOP
Byproduct 6	Cl. Spec. Table 3 Compound SOP
NVHOS	Cl. Spec. Table 3 Compound SOP
EVE Acid	Cl. Spec. Table 3 Compound SOP
Hydro-EVE Acid	Cl. Spec. Table 3 Compound SOP
R-EVE	Cl. Spec. Table 3 Compound SOP

Other Analytes	Lab Method
PES	Cl. Spec. Table 3 Compound SOP
PFECA B	Cl. Spec. Table 3 Compound SOP
PFECA-G	Cl. Spec. Table 3 Compound SOP
10:2 Fluorotelomer sulfonate	EPA 537 Rev. 1.1 modified
11Cl-PF3OUdS	EPA 537 Rev. 1.1 modified
1H,1H,2H,2H-perfluorodecanesulfonate (8:2 FTS)	EPA 537 Rev. 1.1 modified
1H,1H,2H,2H-perfluorohexanesulfonate (4:2 FTS)	EPA 537 Rev. 1.1 modified
2-(N-ethyl perfluoro-1-octanesulfonamido)-ethanol	EPA 537 Rev. 1.1 modified
2-(N-methyl perfluoro-1-octanesulfonamido)-ethanol	EPA 537 Rev. 1.1 modified
6:2 Fluorotelomer sulfonate	EPA 537 Rev. 1.1 modified
9Cl-PF3ONS	EPA 537 Rev. 1.1 modified
DONA	EPA 537 Rev. 1.1 modified
N-ethyl perfluorooctane sulfonamidoacetic acid	EPA 537 Rev. 1.1 modified
N-ethylperfluoro-1-octanesulfonamide	EPA 537 Rev. 1.1 modified
N-methyl perfluoro-1-octanesulfonamide	EPA 537 Rev. 1.1 modified
N-methyl perfluorooctane sulfonamidoacetic acid	EPA 537 Rev. 1.1 modified
Perfluorobutane Sulfonic Acid	EPA 537 Rev. 1.1 modified
Perfluorobutanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorodecane Sulfonic Acid	EPA 537 Rev. 1.1 modified
Perfluorodecanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorododecane sulfonic acid (PFDoS)	EPA 537 Rev. 1.1 modified
Perfluorododecanoic Acid	EPA 537 Rev. 1.1 modified
Perfluoroheptane sulfonic acid (PFHpS)	EPA 537 Rev. 1.1 modified
Perfluoroheptanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorohexadecanoic acid (PFHxDA)	EPA 537 Rev. 1.1 modified
Perfluorohexane Sulfonic Acid	EPA 537 Rev. 1.1 modified
Perfluorohexanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorononanesulfonic acid	EPA 537 Rev. 1.1 modified
Perfluorononanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorooctadecanoic acid	EPA 537 Rev. 1.1 modified
Perfluorooctane Sulfonamide	EPA 537 Rev. 1.1 modified
Perfluoropentane sulfonic acid (PFPeS)	EPA 537 Rev. 1.1 modified
Perfluoropentanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorotetradecanoic Acid	EPA 537 Rev. 1.1 modified
Perfluorotridecanoic Acid	EPA 537 Rev. 1.1 modified
Perfluoroundecanoic Acid	EPA 537 Rev. 1.1 modified
PFOA	EPA 537 Rev. 1.1 modified
PFOS	EPA 537 Rev. 1.1 modified

# **Appendix E**

## **Information Gathered from Public Sources**

### APPENDIX E1 List of Water Treatment Plants Potentially Utilizing Cape Fear River Water

Distribution System	Date of Cape Fear River Water Usage Start	County
NW Brunswick Water Treatment Plant	Data requested	Brunswick
Sweeney Water Treatment Plant	Data requested	New Hanover
Richardson Treatment Plant	Data requested	New Hanover
Pender County 421 Water Treatment Plant	Data requested	Pender

Notes:

Information about water treatment plants was obtained through internet searches.

### APPENDIX E2 List of Water Distribution Systems Potentially Utilizing Cape Fear River Water

County	Distribution System	Start Date of Cape Fear River Water Use					
	Brunswick County	Data Requested					
	Shallotte	Data Requested					
	Ocean Isle Beach	Data Requested					
	South Port	Data Requested					
	Oak Island	Data Requested					
Brunswick	Holden Beach	Data Requested					
	Leland	Data Requested					
	Bald Head Island	Data Requested					
	H2GO	Data Requested					
	Northwest	Data Requested					
	Navassa	Data Requested					
	Cape Fear Public Utility Authority	Data Requested					
	Town of Wrightsville Beach	Data Requested					
New Hanover	(from LCFWASA)						
	Town of Carolina Beach	Data Requested					
	(from LCFWASA)	<b>_</b>					
	Aqua of NC, Inc.	Data Requested					
	Rocky Point/Topsail Water District	Data Requested					
	Scotts Hill Water & Sewer District	$\sim 1996$ to present <sup>1</sup>					
Pender	Maple Hill Water District	~1996 to present					
i chidei	Central Pender Water District	~1996 to present					
	Columbia-Union Water District	~1996 to present					
	Moore's Creek Water District	~1996 to present					
	Riegelwood Sanitary District	2009 to $present^2$					
Columbus	Columbus County Water District I	Data Requested					
Colulious	Columbus County Water District II	Data Requested					
	Columbus County Water District III	Data Requested					
New Hanover,							
Brunswick, Columbus,	Lower Cape Fear Water and Sewer Authority	Data Requested					
and Pender							

### Notes:

Information about distribution systems was obtained through the NC One Map online database and internet searches. Specific websites with sources of information are listed below.

- 1. https://www.pendercountync.gov/utl/
- 2. https://www.manta.com/c/mtc7tt0/riegel-wood-sanitary-district
## APPENDIX E3 List of WWTPs Potentially Receiving Sanitary Water Originally Sourced from Cape Fear River

Distribution System	Collects Water Originating from Cape Fear River	County
Sweeney Water Treatment Plant	Data requested	New Hanover
Richardson	Data requested	New Hanover
Tabor City Wastewater Treatment Plant	Data requested	Columbus
James A. Loughlin Wastewater Treatment Plant (NSWWTP; CFPUA)	Assumed Yes	New Hanover
M'Kean Maffitt Wastewater Treatment Plant (SSWWTP; CFPUA)	Assumed Yes	New Hanover
Pender County Utilities	Data requested	Pender
Brunswick Regional Water & Sewer H2GO	Assumed Yes	Brunswick
Brunswick County Northwest Water Plant	Assumed Yes	Brunswick
West Brunswick Regional Water Reclamation Facility	Assumed Yes	Brunswick

## Notes:

Information about wastewater treatment plants was compiled from publicly available databases.

WWTPs: wastewater treatment plants

## APPENDIX E4 List of Known Distribution System and Sanitary System Leak Locations for Systems Potentially Utilizing Cape Fear River Water

Distribution System	Date of Leak	Duration	Volume	County
No records yet provided				

Notes:

No records of known leaks in distribution system or sanitary systems have been provided by the counties or utility providers since requests were issued beginning December 14, 2021.